

	Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
b. 1	16½"	26"	31½"	31½"	29"	6.4 yds.	115.1'	70 lbs.	36.09' / 1
	419 mm	660 mm	800 mm	800 mm	737 mm	5.9 m	10.7 sqm	31.8 kg	1.04 cu.

4402



Level I and GREENGUARD Certified

4402 Saddle Stitch

Fully upholstered. **Standard HR foam back pillow.** Brushed nickel legs. Certain two-way patterns or small horizontal designs are not suitable for application on this product. *All **COM/COL** fabrics must be preapproved by Bernhardt Design prior to application. Approved for GSA. Contract GS-28F-7040G.

When using a combination of fabrics or leathers, the following yardage must be used and upcharges apply. See terms and conditions for contrasting fabric upcharges.

- A) One fabric or leather for outside arms, inside arms, outside back, inside back and front panel
yardage: 4.2 yds leather: 79.5 sq. ft.
- B) One fabric or leather for seat
yardage: 1.4 yds leather: 23.0 sq. ft.
- C) One fabric or leather for back pillow
yardage: .9 yds leather: 14.6 sq. ft.

Please specify the fabric or leather application by designating the appropriate letter on the purchase order.

b. 1	17½"	26¼"	35½"	32½"	29½"	6.7 yds.	127.6'	99 lbs.	36.09' / 1
	445 mm	667 mm	902 mm	826 mm	749 mm	6.1 m	11.9 sqm	44.9 kg	1.04 cu.

4302AS



4302AS Saddle Stitch

Fully upholstered. **Loosely structured dacron wrapped foam back pillows.** Brushed nickel base. Certain two-way patterns or small horizontal designs are not suitable for application on this product. *All **COM/COL** fabrics must be preapproved by Bernhardt Design prior to application. Approved for GSA. Contract GS-28F-7040G.

4302BS, 4302BF



Level I and GREENGUARD Certified

4302BS Saddle Stitch 4302BF Flange Stitch – available on leather, suede or thick felt only

Fully upholstered. **Standard HR foam back pillow.** Brushed nickel base. *All **COM/COL** fabrics must be preapproved by Bernhardt Design prior to application. Approved for GSA. Contract GS-28F-7040G.

When using a combination of fabrics or leathers for **4302AS, 4302BS or 4302BF**, the following yardage must be used and upcharges apply. See terms and conditions for contrasting fabric upcharges.

- A) One fabric or leather for outside arms, inside arms, outside back, inside back and front panel
yardage: 4.9 yds leather: 85.8 sq. ft.
- B) One fabric or leather for seat
yardage: 1.3 yds leather: 25.1 sq. ft.
- C) One fabric or leather for back pillow
yardage: .9 yds leather: 10.5 sq. ft.

Please specify the fabric or leather application by designating the appropriate letter on the purchase order.

	Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
b.1	17½"	26¼"	62"	33½"	30"	9.6 yds.	194.6'	115 lbs.	68.33'/1
	445 mm	667 mm	1575 mm	851 mm	762 mm	8.8 m	18.1 sqm	52.2 kg	1.93 cu.

4335AS



4335AS Saddle Stitch

Fully upholstered. **Loosely structured dacron wrapped foam back pillows.** Brushed nickel base. *All **COM/COL** fabrics must be preapproved by Bernhardt Design prior to application. Approved for GSA. Contract GS-28F-7040G.

4335BS, 4335BF



4335BS Saddle Stitch 4335BF Flange Stitch – available on leather, suede or thick felt only

Fully upholstered. **Standard HR foam back pillow.** Brushed nickel base. *All **COM/COL** fabrics must be preapproved by Bernhardt Design prior to application. Approved for GSA. Contract GS-28F-7040G.

When using a combination of fabrics or leathers for **4335AS, 4335BS or 4335BF**, the following yardage must be used and upcharges apply. See terms and conditions for contrasting fabric upcharges.

- A) One fabric or leather for outside arms, inside arms, outside back, inside back and front panel
yardage: 6.7 yds leather: 113.0 sq. ft.
- B) One fabric or leather for seat
yardage: 2.5 yds leather: 54.4 sq. ft.
- C) One fabric or leather for back pillow
yardage: 2.4 yds leather: 37.7 sq. ft.

Please specify the fabric or leather application by designating the appropriate letter on the purchase order.

b.1	17½"	26¼"	95"	33½"	30"	17.7 yds.	293.0'	165 lbs.	97.97'/1
	445 mm	667 mm	2413 mm	851 mm	762 mm	16.2 m	27.2 sqm	76.2 kg	2.77 cu.

4337AS



4337AS Saddle Stitch

Fully upholstered. **Loosely structured dacron wrapped foam back pillows.** Brushed nickel base. *All **COM/COL** fabrics must be preapproved by Bernhardt Design prior to application. Approved for GSA. Contract GS-28F-7040G.

4337BS, 4337BF



4337BS Saddle Stitch 4337BF Flange Stitch – available on leather, suede or thick felt only

Fully upholstered. **Standard HR foam back pillow.** Brushed nickel base. *All **COM/COL** fabrics must be preapproved by Bernhardt Design prior to application. Approved for GSA. Contract GS-28F-7040G.

When using a combination of fabrics or leathers for **4337AS, 4337BS or 4337BF**, the following yardage must be used and upcharges apply. See terms and conditions for contrasting fabric upcharges.


- A) One fabric or leather for outside arms, inside arms, outside back, inside back and front panel
yardage: 8.6 yds leather: 142.3 sq. ft.
- B) One fabric or leather for seat
yardage: 5.6 yds leather: 92.1 sq. ft.
- C) One fabric or leather for back pillow
yardage: 4.1 yds leather: 39.8 sq. ft.

Please specify the fabric or leather application by designating the appropriate letter on the purchase order.

Level I and GREENGUARD Certified

	Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
b.1	17½"	26¼"	61½"	33½"	30"	12.1 yds.	192.5'	100 lbs.	68.33'/1
	445 mm	667 mm	1562 mm	851 mm	762 mm	11.1 m	17.9 sqm	45.4 kg	1.93 cu.


4315AS



4315AS Saddle Stitch

Left Arm Facing. Fully upholstered. **Loosely structured dacron wrapped foam back pillows.** Brushed nickel base. *All **COM/COL** fabrics must be preapproved by Bernhardt Design prior to application. Approved for GSA. Contract GS-28F-7040G.

4315BS, 4315BF



Level I and GREENGUARD Certified

4315BS Saddle Stitch 4315BF Flange Stitch – available on leather, suede or thick felt only

Left Arm Facing. Fully upholstered. **Standard HR foam back pillow.** Brushed nickel base. *All **COM/COL** fabrics must be preapproved by Bernhardt Design prior to application. Approved for GSA. Contract GS-28F-7040G.

When using a combination of fabrics or leathers for **4315AS, 4315BS or 4315BF**, the following yardage must be used and upcharges apply. See terms and conditions for contrasting fabric upcharges.

- A) One fabric or leather for outside arms, inside arms, outside back, inside back and front panel
yardage: 4.9 yds leather: 94.2 sq. ft.
- B) One fabric or leather for seat
yardage: 3.8 yds leather: 52.3 sq. ft.
- C) One fabric or leather for back pillow
yardage: 2.8 yds leather: 39.8 sq. ft.

Please specify the fabric or leather application by designating the appropriate letter on the purchase order.

b.1	17½"	26¼"	61½"	33½"	30"	12.1 yds.	192.5'	100 lbs.	68.33'/1
	445 mm	667 mm	1562 mm	851 mm	762 mm	11.1 m	17.9 sqm	45.4 kg	1.93 cu.


4325AS



4325AS Saddle Stitch

Right Arm Facing. Fully upholstered. **Loosely structured dacron wrapped foam back pillows.** Brushed nickel base. *All **COM/COL** fabrics must be preapproved by Bernhardt Design prior to application. Approved for GSA. Contract GS-28F-7040G.

4325BS, 4325BF



Level I and GREENGUARD Certified

4325BS Saddle Stitch 4325BF Flange Stitch – available on leather, suede or thick felt only

Right Arm Facing. Fully upholstered. **Standard HR foam back pillow.** Brushed nickel base. *All **COM/COL** fabrics must be preapproved by Bernhardt Design prior to application. Approved for GSA. Contract GS-28F-7040G.

When using a combination of fabrics or leathers for **4325AS, 4325BS or 4325BF**, the following yardage must be used and upcharges apply. See terms and conditions for contrasting fabric upcharges.

- A) One fabric or leather for outside arms, inside arms, outside back, inside back and front panel
yardage: 4.9 yds leather: 94.2 sq. ft.
- B) One fabric or leather for seat
yardage: 3.8 yds leather: 52.3 sq. ft.
- C) One fabric or leather for back pillow
yardage: 2.8 yds leather: 39.8 sq. ft.

Please specify the fabric or leather application by designating the appropriate letter on the purchase order.

	Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
b.1	17½"	26¼"	89½"	33½"	30"	17.2 yds.	272.0'	185 lbs.	101.65' / 1
	445 mm	667 mm	2273 mm	851 mm	762 mm	15.7 m	25.3 sqm	83.9 kg	2.88 cu.

4317AS



4317AS Saddle Stitch

Left Arm Facing. Fully upholstered. **Loosely structured dacron wrapped foam back pillows.** Brushed nickel base. *All **COM/COL** fabric must be preapproved by Bernhardt Design prior to application. Approved for GSA. Contract GS-28F-7040G.

4317BS, 4317BF



4317BS Saddle Stitch 4317BF Flange Stitch – available on leather, suede or thick felt only

Left Arm Facing. Fully upholstered. **Standard HR foam back pillow.** Brushed nickel base. *All **COM/COL** fabrics must be preapproved by Bernhardt Design prior to application. Approved for GSA. Contract GS-28F-7040G.

Level I and GREENGUARD Certified

When using a combination of fabrics or leathers for **4317AS, 4317BS or 4317BF**, the following yardage must be used and upcharges apply. See terms and conditions for contrasting fabric welt upcharges.

- A) One fabric or leather for outside arms, inside arms, outside back, inside back and front panel
yardage: 6.3 yds leather: 115.1 sq. ft.
- B) One fabric or leather for seat
yardage: 6.2 yds leather: 85.8 sq. ft.
- C) One fabric or leather for back pillow
yardage: 4.1 yds leather: 60.7 sq. ft.

Please specify the fabric or leather application by designating the appropriate letter on the purchase order.

b.1	17½"	26¼"	89½"	33½"	30"	17.2 yds.	272.0'	185 lbs.	101.65' / 1
	445 mm	667 mm	2273 mm	851 mm	762 mm	15.7 m	25.3 sqm	83.9 kg	2.88 cu.

4327AS



4327AS Saddle Stitch

Right Arm Facing. Fully upholstered. **Loosely structured dacron wrapped foam back pillows.** Brushed nickel base. *All **COM/COL** fabrics must be preapproved by Bernhardt Design prior to application. Approved for GSA. Contract GS-28F-7040G.

4327BS, 4327BF



4327BS Saddle Stitch 4327BF Flange Stitch – available on leather, suede or thick felt only

Right Arm Facing. Fully upholstered. **Standard HR foam back pillow.** Brushed nickel base. *All **COM/COL** fabrics must be preapproved by Bernhardt Design prior to application. Approved for GSA. Contract GS-28F-7040G.

Level I and GREENGUARD Certified

When using a combination of fabrics or leathers for **4327AS, 4327BS or 4327BF**, the following yardage must be used and upcharges apply. See terms and conditions for contrasting fabric upcharges.

- A) One fabric or leather for outside arms, inside arms, outside back, inside back and front panel
yardage: 6.3 yds leather: 115.1 sq. ft.
- B) One fabric or leather for seat
yardage: 6.2 yds leather: 85.8 sq. ft.
- C) One fabric or leather for back pillow
yardage: 4.1 yds leather: 60.7 sq. ft.

Please specify the fabric or leather application by designating the appropriate letter on the purchase order

	Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
b.1	17½"	26¼"	33½"	33½"	30"	7.0 yds.	131.8'	100 lbs.	32.10'/1
	445 mm	667 mm	851 mm	851 mm	762 mm	6.4 m	12.2 sqm	45.4 kg	.91 cu.

4390AS



4390AS Saddle Stitch

Corner Unit. Fully upholstered. **Loosely structured dacron wrapped foam back pillows.** Brushed nickel base. *All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. Approved for GSA. Contract GS-28F-7040G.

4390BS Saddle Stitch 4390BF Flange Stitch – available on leather, suede or thick felt only

Corner Unit. Fully upholstered. **Standard HR foam back pillow.** Brushed nickel base. *All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. Approved for GSA. Contract GS-28F-7040G.

4390BS, 4390BF




Level I and GREENGUARD Certified

When using a combination of fabrics or leathers for **4390AS, 4390S or 4390BF**, the following yardage must be used and upcharges apply. See terms and conditions for contrasting fabric upcharges.

- A) One fabric or leather for outside arms, inside arms, outside back, inside back and front panel
 yardage: 3.5 yds leather: 69.1 sq. ft.
- B) One fabric or leather for seat
 yardage: 1.3 yds leather: 25.1 sq. ft.
- C) One fabric or leather for back pillow
 yardage: 2.1 yds leather: 37.7 sq. ft.

Please specify the fabric or leather application by designating the appropriate letter on the purchase order.

b.1 4335P




Level I and GREENGUARD Certified

-	-	25"	2¼"	11"	1.5 yds.	2.5'	5 lbs.	.24'/1
-	-	635 mm	57 mm	279 mm	1.4 m	.23 sqm	.4 kg	.1 cu.

Accent pillow. Unstructured dacron-filled. Saddle stitch. Use with **4335, 4325 and 4315.** *All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. Approved for GSA. Contract GS-28F-7040G.

b.1 4337P



Level I and GREENGUARD Certified

-	-	27"	2¼"	11"	1.5 yds.	2.5'	5 lbs.	.24'/1
-	-	686 mm	57 mm	279 mm	1.4 m	.23 sqm	.4 kg	.1 cu.

Accent pillow. Unstructured dacron-filled. Saddle stitch. Use with **4337, 4327 and 4317.** *All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. Approved for GSA. Contract GS-28F-7040G.