

Cinema Seating System Specification Guide

Cinema is a modular seating product comprised of 15 unique modules which may be used interchangeably to create an unlimited number of configurations. To select the modules that are appropriate for your application use the guide below.





Please visit Bernhardtdesign.com for a complete library of 2D and 3D models. You may also contact your local sales representative or the Bernhardt Design corporate office for specification assistance.

Cinema is fully upholstered with leveling non-marring glides. All necessary ganging brackets are included and pre-installed. GREENGUARD and level I certified.

Product Selection

A. Arm Modules



All Cinema configurations must include an arm module on each end of the configuration.



B. 45° Connecting Modules

Connecting modules are used in conjunction with arm modules.



Armless connecting modules may not be used at the end of a configuration or as a freestanding unit.



C. 67.5° Connecting Modules

Connecting modules are used in conjunction with arm modules.

Armless connecting modules may not be used at the end of a configuration or as a freestanding unit.










Cinema Seating System Specification Guide

D. 90° Connecting Arm Modules

Connecting modules are used in conjunction with arm modules.




Armless connecting modules may not be used at the end of a configuration or as a freestanding unit.




E. Straight Connecting Modules

Connecting modules are used in conjunction with arm modules.






Armless connecting modules may not be used at the end of a configuration or as a freestanding unit.













Cinema Seating System Overview



Cinema Seating System Sample Configurations

	Description	
<p>1</p>  <p>Isometric view of a 2-seater sofa. Top-down view shows a width of 70" and a depth of 35 5/8".</p>	<p>4811 Single Seat, Left Arm 4812 Single Seat, Right Arm</p>	
<p>2</p>  <p>Isometric view of a 3-seater sofa. Top-down view shows a width of 100 3/4" and a depth of 35 5/8".</p>	<p>4811 Single Seat, Left Arm 4810 Single Straight Connector 4812 Single Seat, Right Arm</p>	
<p>3</p>  <p>Isometric view of a U-shaped sectional sofa. Top-down view shows a width of 164" and a depth of 60 1/4".</p>	<p>4815 2-Seat, Left Arm 4821 45° Connector 4816 2-Seat, Right Arm</p>	
<p>4</p>  <p>Isometric view of a curved sectional sofa. Top-down view shows a width of 161 1/2" and a depth of 72 3/4".</p>	<p>4817 3-Seat, Left Arm 4824 45° Inverted Connector 4812 Single Seat, Right Arm</p>	
<p>5</p>  <p>Isometric view of a large L-shaped sectional sofa. Top-down view shows two sides of 124 1/2" and one side of 124 3/4".</p>	<p>4815 2-Seat, Left Arm 4826 90° Inverted Connector 4816 2-Seat, Right Arm</p>	



Cinema Seating System Sample Configurations

			Description
6			4817 3-Seat, Left Arm 4825 67.5° Inverted Connector 4816 2-Seat, Right Arm
7			4815 2-Seat, Left Arm 4822 67.5° Connector 4816 2-Seat, Right Arm
8			4815 2-Seat, Left Arm 4820 Inverted Corner Connector 4818 3-Seat, Right Arm
9			4815 2-Seat, Left Arm 4819 Corner Connector 4818 3-Seat, Right Arm
10			4815 2-Seat, Left Arm 4823 90° Connector 4818 3-Seat, Right Arm

Cinema Seating System Sample Configurations



Description

11





- 4815 2-Seat, Left Arm
- 4823 90° Connector
- 4823 90° Connector
- 4816 2-Seat, Right Arm

12

























- 4816 2-Seat, Right Arm
- 4823 90° Inverted Connector
- 4823 90° Inverted Connector
- 4815 2-Seat, Left Arm






13



- 4817 3-Seat, Left Arm
- 4825 67.5° Inverted Connector
- 4810 Single Straight Connector
- 4821 45° Connector
- 4816 2-Seat, Right Arm

	Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
cinema 4811	16½"	23¼"	35⅞"	35⅞"	29"	8.0 yds.	140.0	66 lbs.	32.10' / 1
	491 mm	591 mm	892 mm	905 mm	737 mm	7.3 m	13.0 sqm	30.0 kg	.91 cu.
									
Level I and GREENGUARD Certified									
Single Seat. Left Arm Facing Module. *All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. Approved for GSA. Contract GS-28F-7040G.									
cinema 4812	16½"	23¼"	35⅞"	35⅞"	29"	8.0 yds.	140.00'	66 lbs.	32.10' / 1
	491 mm	591 mm	892 mm	905 mm	737 mm	7.3 m	13.0 sqm	30.0 kg	.91 cu.
									
Level I and GREENGUARD Certified									
Single Seat. Right Arm Facing Module. *All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. Approved for GSA. Contract GS-28F-7040G.									
cinema 4815	16½"	23¼"	65¾"	35⅞"	29"	14.3 yds.	235.0'	113 lbs.	68.33' / 1
	419 mm	591 mm	1670 mm	905 mm	737 mm	13.1 m	21.8 sqm	51.4 kg	1.93 cu.
									
Level I and GREENGUARD Certified									
2-Seat. Left Arm Facing Module. *All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. Approved for GSA. Contract GS-28F-7040G.									
cinema 4816	16½"	23¼"	65¾"	35⅞"	29"	14.3 yds.	235.0'	113 lbs.	68.33' / 1
	419 mm	591 mm	1670 mm	905 mm	737 mm	13.1 m	21.8 sqm	51.4 kg	1.93 cu.
									
Level I and GREENGUARD Certified									
2-Seat. Right Arm Facing Module. *All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. Approved for GSA. Contract GS-28F-7040G.									
cinema 4817	16½"	23¼"	96¼"	35⅞"	29"	20.2 yds.	328.0'	149 lbs.	101.65' / 1
	419 mm	591 mm	2445 mm	905 mm	737 mm	18.5 m	30.4 sqm	67.7 kg	2.88 cu.
									
Level I and GREENGUARD Certified									
3-Seat. Left Arm Facing Module. *All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. Approved for GSA. Contract GS-28F-7040G.									
cinema 4818	16½"	23¼"	96¼"	35⅞"	29"	20.2 yds.	328.0'	149 lbs.	101.65' / 1
	419 mm	591 mm	2445 mm	905 mm	737 mm	18.5 m	30.4 sqm	67.7 kg	2.88 cu.
									
Level I and GREENGUARD Certified									
3-Seat. Right Arm Facing Module. *All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. Approved for GSA. Contract GS-28F-7040G.									

	Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
cinema 4810	16½"	-	30⅝"	35⅝"	29"	6.9 yds.	130.0'	68 lbs.	32.10' / 1
	419 mm	-	778 mm	905 mm	737 mm	6.3 m	12.1 sqm	30.9 kg	.91 cu.
  Level I and GREENGUARD Certified									
Single Seat. Straight Connector. *All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. Approved for GSA. Contract GS-28F-7040G.									
cinema 4819	16½"	-	35⅝"	35⅝"	29"	8.2 yds.	140.0'	69 lbs.	36.09' / 1
	419 mm	-	905 mm	905 mm	737 mm	7.5 m	13.0 sqm	31.4 kg	1.04 cu.
  Level I and GREENGUARD Certified									
Corner Connector. *All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. Approved for GSA. Contract GS-28F-7040G.									
cinema 4820	16½"	-	35⅝"	35⅝"	29"	6.3 yds.	125.0'	66 lbs.	36.09' / 1
	419 mm	-	905 mm	905 mm	737 mm	5.8 m	11.6 sqm	30.0 kg	1.04 cu.
  Level I and GREENGUARD Certified									
Inverted Corner Connector. *All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. Approved for GSA. Contract GS-28F-7040G.									
cinema 4821	16½"	-	45¾"	37⅝"	29"	7.5 yds.	135.0'	85 lbs.	100.22' / 1
	419 mm	-	1162 mm	956 mm	737 mm	6.9 m	12.5 sqm	38.6 kg	2.84 cu.
  Level I and GREENGUARD Certified									
45° Connector. *All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. Approved for GSA. Contract GS-28F-7040G.									
cinema 4822	16½"	-	65¼"	39¼"	29"	13.1 yds.	220'	103 lbs.	100.22' / 1
	419 mm	-	1657 mm	997 mm	737 mm	6.9 m	20.4 sqm	46.8 kg	2.84 cu.
  Level I and GREENGUARD Certified									
67.5° Connector. *All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. Approved for GSA. Contract GS-28F-7040G.									

	Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
cinema 4823 	16½"	-	83¾"	42⅞"	29"	14.2 yds.	235.0'	125 lbs.	100.22' / 1
	419 mm	-	2127 mm	1070 mm	737 mm	130 m	21.8 sqm	56.8 kg	2.84 cu.
90° Connector. *All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. Approved for GSA. Contract GS-28F-7040G.									
Level I and GREENGUARD Certified									
cinema 4824 	16½"	-	45"	37½"	29"	6.0 yds.	110.0'	78 lbs.	100.22' / 1
	419 mm	-	1143 mm	952 mm	737 mm	5.5 m	10.2 sqm	35.5 kg	2.84 cu.
45° Inverted Connector. *All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. Approved for GSA. Contract GS-28F-7040G.									
Level I and GREENGUARD Certified									
cinema 4825 	16½"	-	65"	39¾"	29"	10.25 yds.	175.0'	96 lbs.	100.22' / 1
	419 mm	-	1651 mm	1010 mm	737 mm	9.4 m	16.3 sqm	43.6 kg	2.84 cu.
67.5° Inverted Connector. *All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. Approved for GSA. Contract GS-28F-7040G.									
Level I and GREENGUARD Certified									
cinema 4826 	16½"	-	83"	42½"	29"	11.0 yds.	185.0'	128 lbs.	100.22' / 1
	419 mm	-	2108 mm	1080 mm	737 mm	10.1 m	17.2 sqm	58.2 kg	2.84 cu.
90° Inverted Connector. *All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. Approved for GSA. Contract GS-28F-7040G.									
Level I and GREENGUARD Certified									
cinema 4800 	16½"	23¼"	32½"	35⅝"	29"	6.5 yds.	125.0'	64 lbs.	35.16' / 1
	419 mm	591 mm	826 mm	905 mm	737 mm	5.9 m	11.6sqm	29.1 kg	1.0 cu.
Fully upholstered. *All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. Approved for GSA. Contract GS-28F-7040G.									
Level I and GREENGUARD Certified									