Elevation Seating and Tables System Specification Guide

Elevation is a modular system of benches, ottomans, and tables that can be used in groupings or as individual products. Benches are available in two and three-seat versions and feature a quilted seat resting on an oak or walnut platform. Metal base options include: an asymmetrical T-leg and a symmetrical fin leg with finish options offered in a bronze metallic or matte black powdercoat.

Connecting and corner tables are available as an option with benches to create a scalable solution for larger spaces. Tables can be positioned between or on either end of an Elevation bench. The collection also includes occasional, drum, and multipurpose tables that offer wireless and corded power options. For additional information on Elevation tables see Bernhardtdesign.com GREENGUARD Certified.

Elevation System Sample Configurations

Configuration 1



Description

3812A Three-seat asymmetrical bench (2)

V60 Connecting table (2)

3804A Two-seat symmetrical bench (2)

V10 Corner Table

ERL 60" Round table*

*See Elevation Occasional Price List for more information.

Configuration 2



3814A Three-seat symmetrical bench (2)

V60 Connecting table (2)

3804A Two-seat symmetrical bench (2) V10 Corner table

3820A 21" Ottomans (4) DRH 54" Round table*

*See Elevation Multipurpose Price List for more information.

Configuration 3



3812A Three-seat asymmetrical bench (2)


XDS 28" Square drum table (3)*
3802A Two-seat asymmetrical bench (2)

UDS 48" Square drum table*

 ${}^{\star}\mathsf{See}$ Elevation Drum Price List for more information.

For additional information on other products in the collection visit Bernhardtdesign.com.

elevation 3801A




Seat H	eight	Arm Height		W	D	ŀ	Н	Fabric	Leather	Weigh	t	Cubes/Qty	
17½"		-		68"	28"		17½"	3.0 yds	41.0'	155 lb:	S	32.0'/1	
445 mn	n -			1727 mm	711 mm	4	445 mm	2.7 m	3.8 sqm	70.5 kg	g	.9 cu	
СОМ	COL	1	2	3	4	5	6	7	8	9	10	11	

3801A Bronze Metallic Powdercoat 3801AK Matte Black Powdercoat

Two-seat bench with powdercoat metal asymmetrical T-leg base. Quilted seat rests on oak platform. Available in 805, 836, 837, 839, 840, 845, 860, 861, 865, 866 and 870 finishes. When specifying light finish 870 the natural characteristics of the wood will be visible. See terms and conditions. *All **COM/COL** fabrics must be preapproved by Bernhardt Design prior to application. GREENGUARD Gold Certified.

elevation 3802A



17½"	-			68"	28"	17	1/2"	3.0 yds	41.0'	1	55 lbs	32.0'/1	
445 mm	-			1727 mm	711 mm	44	5 mm	2.7 m	3.8 sqm	7	'0.5 kg	.9 cu	
СОМ	COL	1	2	3	4	5	6	7	8	9	10	11	

3802A Bronze Metallic Powdercoat 3802AK Matte Black Powdercoat

Two-seat bench with powdercoat metal asymmetrical T-leg base. Quilted seat rests on walnut platform. Available in 823, 839, 841, 860, 861, 866 and 870 finishes. When specifying light finish 870 the natural characteristics of the wood will be visible. See terms and conditions. *All **COM/COL** fabrics must be preapproved by Bernhardt Design prior to application. GREENGUARD Gold Certified.

elevation 3803A



17½"	-			68"	28"	17	1/2"	3.0 yds	41.0'	14	42 lbs	32.0'/1	
445 mm	-			1727 mm	711 mm	44	5 mm	2.7 m	3.8 sqm	64	4.5 kg	.9 cu	
СОМ	COL	1	2	3	4	5	6	7	8	9	10	11	

3803A Bronze Metallic Powdercoat 3803AK Matte Black Powdercoat

Two-seat bench with powdercoat metal symmetrical fin base. Quilted seat rests on oak platform. Available in 805, 836, 837, 839, 840, 845, 860, 861, 865, 866 and 870 finishes. When specifying light finish 870 the natural characteristics of the wood will be visible. See terms and conditions. *All **COM/COL** fabrics must be preapproved by Bernhardt Design prior to application. GREENGUARD Gold Certified.

elevation 3804A



17½"	-			68"	28"	171	⁄2 "	3.0 yds	41.0'	1	42 lbs	32.0'/1	
445 mm	-			1727 mm	711 mm	445	5 mm	2.7 m	3.8 sqm	6	64.5 kg	.9 cu	
СОМ	COL	1	2	3	4	5	6	7	8	9	10	11	

3804A Bronze Metallic Powdercoat 3804AK Matte Black Powdercoat

Two-seat bench with powdercoat metal symmetrical fin base. Quilted seat rests on walnut platform. Available in 823, 839, 841, 860, 861, 866 and 870 finishes. When specifying light finish 870 the natural characteristics of the wood will be visible. See terms and conditions. *All **COM/COL** fabrics must be preapproved by Bernhardt Design prior to application. GREENGUARD Gold Certified.

elevation 3811A




Seat He	eight A	rm Height		W	D	H	1	Fabric	Leather	Wei	ight	Cubes/Qty
17½"	-			92"	28"	1	7½"	3.25 yds	51.0'	232	lbs	42.22'/1
445 mm	1 -			2337 mm	711 mm	4	45 mm	3.0 m	4.7 sqm	104	.5 kg	1.2 cu
СОМ	COL	1	2	3	4	5	6	7	8	9	10	11

3811A Bronze Metallic Powdercoat 3811AK Matte Black Powdercoat

Three-seat bench with powdercoat metal asymmetrical T-leg base. Quilted seat rests on oak platform. Available in 805, 836, 837, 839, 840, 845, 860, 861, 865, 866 and 870 finishes. When specifying light finish 870 the natural characteristics of the wood will be visible. See terms and conditions. *All **COM/COL** fabrics must be preapproved by Bernhardt Design prior to application. GREENGUARD Gold Certified.

elevation 3812A



17½"	-			92"	28"	17	1/2"	3.25 yds	51.0'	2	232 lbs	42.22'/1	
445 mm	-			2337 mm	711 mm	44	5 mm	3.0 m	4.7 sqm	1	104.5 kg	1.2 cu	
СОМ	COL	1	2	3	4	5	6	7	8	9	10	11	

3812A Bronze Metallic Powdercoat 3812AK Matte Black Powdercoat

Three-seat bench with powdercoat metal asymmetrical T-leg base. Quilted seat rests on walnut platform. Available in 823, 839, 841, 860, 861, 866 and 870 finishes. When specifying light finish 870 the natural characteristics of the wood will be visible. See terms and conditions. *All **COM/COL** fabrics must be preapproved by Bernhardt Design prior to application. GREENGUARD Gold Certified..

elevation 3813A



17½"	-			92"	28"	17	1/2"	3.25 yds	51.0'	19	6 lbs	42.22'/1	
445 mm	-			2337 mm	711 mm	44	5 mm	3.0 m	4.7 sqm	89	.1 kg	1.2 cu	
СОМ	COL	1	2	3	4	5	6	7	8	9	10	11	

3813A Bronze Metallic Powdercoat
3813AK Matte Black Powdercoat

Three-seat bench with powdercoat metal symmetrical fin base. Quilted seat rests on oak platform. Available in 805, 836, 837, 839, 840, 845, 860, 861, 865, 866 and 870 finishes. When specifying light finish 870 the natural characteristics of the wood will be visible. See terms and conditions. *All **COM/COL** fabrics must be preapproved by Bernhardt Design prior to application. GREENGUARD Gold Certified.

elevation 3814A



17½"	-			92"	28"	17	1/2"	3.25 yds	51.0'		196 lbs	42.22'/1	
445 mm	-			2337 mm	711 mm	44	5 mm	3.0 m	4.7 sqm		89.1 kg	1.2 cu	
СОМ	COL	1	2	3	4	5	6	7	8	9	10	11	

3814A Bronze Metallic Powdercoat 3814AK Matte Black Powdercoat

Three-seat bench with powdercoat metal symmetrical fin base. Quilted seat rests on walnut platform. Available in 823, 839, 841, 860, 861, 866 and 870 finishes. When specifying light finish 870 the natural characteristics of the wood will be visible. See terms and conditions. *All **COM/COL** fabrics must be preapproved by Bernhardt Design prior to application. GREENGUARD Gold Certified.

	Seat Height	- 711	n Height		W	D	Н	Fabric	Leather		eight	Cubes/Qty
evation 3820A	17"	-			21"	21"	17"	2.0 yds	31.0'	36	3 lbs	5.88'/1
	435 mm	-			533 mm	533 mm	432 mm	1.8 m	2.9 sqm	16	6.4 kg	.17 cu
	сом с	OL	1	2	3	4	5 6	7	8	9	10	11
	Ottoman. Fu						des. *All COI	///COL fabrics	must be pre	appro	ved by B	ernhardt De
evation 3820AM	17"	-			21"	21"	171⁄8"	2.0 yds	31.0'	36	3 lbs	5.88'/1
	435 mm	-			533 mm	533 mm	435 mm	1.8 m	2.9 sqm	16	6.4 kg	.17 cu
	сом с	OL	1	2	3	4	5 6	7	8	9	10	11
evation 3821A	prior to appli 17" 435 mm	cation.	GREEN	GUARI	25" 635 mm	25" 635 mm	17" 432 mm	2.25 yds 2.1 m	36.0' 3.3 sqm		1 lbs	12.5'/1 .35 cu
		OL	1	2	3	4	5 6	7	8	9	10	11
	Ottoman. Fu						des. *All COI	M/COL fabrics	must be pre	appro	ved by B	ernhardt De
evation 3821AM							des. *All COI	M/COL fabrics 2.25 yds	must be pre		ved by B	ernhardt De
evation 3821AM	prior to appli				Gold Certif	ied.				44		
evation 3821AM	prior to appli 17%" 435 mm				Gold Certif	ied. 25"	171/8"	2.25 yds	36.0'	44	l lbs	12.5'/1
evation 3821AM evation 3822A	prior to appli 17%" 435 mm COM C	cation.	1	2 stered.	25" 635 mm 3	25" 635 mm	171%" 435 mm 5 6	2.25 yds 2.1 m	36.0' 3.3 sqm 8	9 9 ved by	l lbs).0 kg	12.57/1 .35 cu
	prior to appli 17%" 435 mm COM C Mobile ottom to application 16" 406 mm	cation.	1	2 stered.	25" 635 mm 3 Quilted sea d Certified.	25" 635 mm 4 t. Casters *	171/4" 435 mm 5 6 All COM/COI	2.25 yds 2.1 m 7 - fabrics must (36.0' 3.3 sqm 8 be preappro	9 9 ved by	Hibs 0.0 kg 10 y Bernhal	12.5'/1 .35 cu 11 rdt Design
evation 3822A	prior to appli 17%" 435 mm COM C Mobile ottom to application 16" 406 mm COM C Ottoman. Fu	OL OL OL Ully upl	1 1 EENGUAL	2 stered. RD Gol	O Gold Certified Sea d Certified. 31" 787 mm 3 d seat. Non D Gold Certified Certified.	25" 635 mm 4 t. Casters * 31" 787 mm 4 -marring gliffied.	17%" 435 mm 5 6 All COM/COI 16" 406 mm 5 6 des. *All COI	2.25 yds 2.1 m 7 L fabrics must 2.75 yds 2.5 m 7	36.0' 3.3 sqm 8 De preappro 37.5' 3.5 sqm 8 must be pre	44 20 9 44 18 9 9 appro	Hibs 0.0 kg 10 y Bernhal Hibs 3.6 kg 10 ved by Br	12.5'/1 .35 cu 11 rdt Design 13.86'/1 .4 cu 11 ernhardt De
	prior to appli 17%" 435 mm COM C Mobile ottom to application 16" 406 mm COM C	OL OL OL Ully upl	1 1 EENGUAL	2 stered. RD Gol	25" 635 mm 3 Quilted sead Certified. 31" 787 mm 3	25" 635 mm 4 t. Casters * 31" 787 mm 4	17%" 435 mm 5 6 All COM/COI 16" 406 mm	2.25 yds 2.1 m 7 - fabrics must 2.75 yds 2.5 m 7	36.0' 3.3 sqm 8 pe preappro 37.5' 3.5 sqm 8	44 20 9 9 vved by 41 18 9 57	Hibs 0.0 kg 10 y Bernhal Hibs 3.6 kg	12.5//1 .35 cu 11 rdt Design 13.86//1 .4 cu 11

Ottoman. Fully upholstered. Quilted seat. Non-marring glides. *All **COM/COL** fabrics must be preapproved by Bernhardt Design prior to application. GREENGUARD Certified.