

**Serif Ordering Information**

Each item has a multi-character ordering code comprised of letters and numbers representing design selections found in the specification code grid. The grid is located at the bottom of each page and lists the selections particular to the items shown on that page. The grid immediately below shows all design selections possible for the Serif tables collection. Explanations of each design selection follows. Approved for GSA Contract GS-28F-7040G.

**Serif Environmental Certifications**

The Serif conference table collection is available upon request with certifications for level® 1, GREENGUARD and FSC Chain-of-Custody. Requests must be made in writing in advance of or during the quoting process as upcharges may apply. For complete information regarding the level 1, GREENGUARD and FSC certifications for Serif -, please contact bgreen@bernhardt.com. Approved for GSA Contract GS-28F-7040G

specification codes	series	sku	veneer	style	base codes	finish	grommet placement
	<input type="checkbox"/> serif <input type="checkbox"/> accessories		<input type="checkbox"/> plain/abstract laminate <input type="checkbox"/> woodgrain laminate <input type="checkbox"/> oak <input type="checkbox"/> maple <input type="checkbox"/> cherry <input type="checkbox"/> walnut <input type="checkbox"/> paldao	<input type="checkbox"/> flat edge <input type="checkbox"/> none	<input type="checkbox"/> casters <input type="checkbox"/> glides <input type="checkbox"/> none	see finish selections	see grommet location code

**Series Selections**

**Serif**  
The Serif collection offers a variety of mobile training tables in Iminate or veneer with options for ganging and grouping in a flexible environment.

**Accessories**  
Bernhardt Design offers a variety of accessories and power management equipment.

**Skus Selections**

**Skus/Product Number**  
A three character sku identifies each product. Information including dimensions, weight and pricing is provided for each sku.

**Style Selection**

**Flat Edge**  
Wood and Vinyl



**Veneer Selections**

**Laminates**

- Plain/Abstract Laminates
- Woodgrain Laminates

A variety of standard laminate finishes are available with vinyl edge bands specifically formulated to correspond to standard laminates. Additional laminate colors or edge bands may be available in combinations not listed as standard but are subject to upcharges and extended lead times. The laminate option is available on components where noted as an option in the series specification code. See appendix finish selections for standard laminates and edge bands.

**Base Selections**

**Casters**  
3" Non-Marring Urethane Wheels  
2 Locking Casters








**Glides**  
Leveling  
3/4" Height Adjustment Range



**Veneer**

- Oak**  
Rift Cut
- Maple**  
Flat Cut
- Cherry**  
Flat Cut
- Walnut**  
Flat Cut
- Paldao**  
Quarter Cut



## Serif Tables

Designed for use in flexible environments requiring reconfigurations and easy storage, options include a variety of sizes of rectangular tables that may be used with a corner top to complete configuration. These configurations include, but are not limited to, u-shape and open conference as shown on right.

Serif table tops are 1¼" thick and available in either a wood veneer with a standard black underside or in a laminate with a black laminate underside. Grain will run the length of the table in veneer applications.

Polished aluminum bases are positioned in either an edge mount or an inset mount that allows users to be seated on all four sides of the table.

Base styles are available with the option of 3" heavy-duty casters with non-marring urethane wheels or with adjustable leveling guides with a height adjustment range of ¾".

All tops have a multipurpose channel system designed for use with ganging brackets. Two ganging brackets are included with every table.


An optional modesty panel is available in a ½" thick laminate or wood veneer and a ¼" thick lightweight bright anodized aluminum finish panel. Twist clips insert into a pre-installed channel system. The modesty panel is hinged to swivel for storage.

Tables fold and nest for compact storage. Turning a handle, located underneath the table top, in a clockwise motion releases the top to fold. A gas spring allows the top to rest gently when folding or closing.


A cross rail between bases provides a channel for wire management and electrical components.

## Configuration Options

### U-Shaped



### Open Conference



**Base Design**


The Serif table is available with polished aluminum bases positioned in either an inset mount or an edge mount. The inset mount allows for guest to be seated on all four sides of the table. The edge mount allows guests to be seated on the two long sides of the table and is designed to provide maximum user leg space in ganging application. Tables 24" w may be ganged on short ends only.

The base is available with either 3" heavy duty casters (2 locking, 2 non-locking) with non-marring urethane wheels or with adjustable leveling glides with a height adjustment range of ¾".


A cross rail between bases provides a channel for wire management and electrical components – only corded outlets for mobile applications are available.

An optional modesty panel may be used. Twist panel clips insert into pre-installed channels located on both sides of tables. The modesty panel is hinged to swivel when stored. Specify modesty panels separately.


**Inset Mount Base**




**Edge Mount Base**



**Inset Mount Base Plan View**



**Edge Mount Base Plan View**




**Storage**


Serif tables are designed to fold and nest for compact storage. The base design allows the top to be folded in a vertical position. When nested, each additional table adds only 6½" depth and 1½" width for storage.

A handle underneath the table top releases the top to fold once it is rotated in a clockwise motion. A gas spring allows the top to rest gently when it is either being folded or closed.


**Storage Position Back View  
Inset Mount Base with  
Optional Modesty Panel**




**Storage Position Back View  
Edge Mount Base with  
Optional Modesty Panel**




**Folded Position  
End View with Optional Modesty Panel**



**Nested Storage Position  
End View with Optional Modesty Panel**



**Nested Storage Position  
Back View**




**Modesty Panel**


Serif tables are available with a 1/2" thick modesty panel in laminate or wood veneer or a 1/4" thick lightweight bright anodized aluminum finish. Panels are 8" high with the veneer running the length of the panel.

Modesty panels are easily installed and removed by the use of simple twist-clips in conjunction with the channel system. The panel clips simply insert into the channel, then twist and lock into place. The modesty panels are hinged to swivel for storage. All tables fold and store with the modesty panels installed.




**Hinged Modesty Panel  
Laminate or Veneer**



**Hinged Modesty Panel  
Anodized Aluminum**



**Base with Modesty Panel**



**Ganging Bracket**


Ganging brackets hold Serif tables secure when ganged. Two brackets are required to gang each table together. Molded nylon brackets insert into channel systems located on the sides and ends of the table top. Closing a flap handle on the bracket pulls tops together and locks tables into place. Tables are released by lifting the handle on the bracket.

The Serif ganging bracket system allows tops to be ganged in any location along the channels of the tables.


Two brackets and storage plate are included with each table. The storage plate may be stored in the cross rail when brackets are not in use.

Patent Pending.


**Ganging Brackets with Storage Plate**




**Ganged Tables – Side View**



**Ganging Bracket – Open Position**  
Close flap handle to pull tops together.



**Ganging Bracket – Closed Position**  
Lift handle to release tops.



## Grommet Location


Grommets are installed into a worksurface to allow the passage of wires through the surface to a power or communication source beneath. The units easily open for access or wire passage. Grommet and power modules must be specified separately.

Two options of pass through grommets are available: the VFF, a polished aluminum grommet, and the VFD, a cast aluminum grommet with a laminate or wood veneer panel that matches the wood finish on table top and runs lengthwise with the grain. A grommet location must also be specified for the E8E, a self-contained worksurface mounted power module.

The exact placement code of the grommet must be specified on the purchase order and cannot be changed or added after an order is acknowledged and entered into production.


### VFF Grommet

Polished Aluminum Finish




### TAC Grommet Location

Inset Base - All Tops  
Specify VFF grommet separately




### TAD Grommet Location

Edge Base - All Tops  
Specify VFF grommet separately




### VFD Grommet

Laminate or Veneer Finish Grain Long




### JAC Grommet Location

Inset Base - All Tops  
Specify VFD grommet separately




### JAD Grommet Location

Edge Base - All Tops  
Specify VFD grommet separately




### E8E Worksurface Power Module

Matte Black Finish




### JBC Grommet Location

Edge Base - 60" - 72"w  
Specify E8E module separately



### JBD Grommet Location


Edge Base - All Tops  
Specify E8E module separately




### Power Management – Corded Modules

Serif offers a corded outlet module for power management. The VSA corded power module has a silver-painted faceplate with four 110-volt 15 amp grounded outlets, an integrated switch, and breaker. The module has a 10-foot grounded cord and is designed to snap into the cross rail between the legs. UL Listed (EFile #E301437) and CSA Approved. A grommet must be ordered separately to access power modules in the stretcher.

VSA Power Module




E8E Worksurface Power Module



Serif also incorporates the E8E self-contained worksurface power module to provide direct power and data. The unit includes two 110-volt outlets with a 10' grounded cord and also incorporates two Amp RJ45 Cat5e jacks with 9' cables and grounded plugs. UL Listed and CSA Approved. Silver plastic finish.


Cross Section of Channel Rail in Base  
VSA Power Module




### Data and Communication Management

The data and communication management system for Serif is comprised of a basic faceplate (VSB) that supports the installation of various Extron® AAP (Architectural Adaptor Plated) components. These modules allow the table to provide CAT 5e or CAT 6 data for LAN communication and different styles of computer and audio connections for laptop connectivity.

VSB Data Faceplate with Extron Modules




Cross Section of Channel Rail in Base  
VSB Data Faceplate with Extron Module



The VSB silver powdercoated faceplate is designed to snap into the Serif cross rail. The faceplate has an opening that will accommodate two (2) single-space sized AAPs or one (1) double-space sized AAP. A black plate is available to fill in the extra space on the VSB faceplate if only one single-space sized AAP is used.

Note: The VSB and the AAPs are specified separately and shipped unassembled.




**serif folding tables**



polished aluminum base  
 channel system for ganging brackets, two ganging brackets included  
 specify modesty panel separately  
 approved for GSA Contract GS-28F-7040G  
 Level 1 Certified  
 GREENGUARD Certified

	sku	w	d	h	weight	specifications	plain or abstract laminate	woodgrain laminate	cherry maple oak walnut	paldao
<b>edge mount base</b>	EBN	48	24	29	85	edge mounted base; short end ganging only				
	EBM	54	24	29	90	edge mounted base; short end ganging only				
	EBL	60	24	29	95	edge mounted base; short end ganging only				
	EBK	66	24	29	100	edge mounted base; short end ganging only				
	EBJ	72	24	29	105	edge mounted base; short end ganging only				
	EBH	48	30	29	90	edge mounted base				
	EBG	54	30	29	95	edge mounted base				
	EBF	60	30	29	100	edge mounted base				
	EBE	66	30	29	105	edge mounted base				
	EBD	72	30	29	110	edge mounted base				
	EBC	60	36	29	110	edge mounted base				
	EBB	66	36	29	115	edge mounted base				
	EBA	72	36	29	120	edge mounted base				
<b>inset mount base</b>	ICF	60	30	29	100	inset mounted base; use with WHZ, MHZ modesty panel				
	ICE	66	30	29	105	inset mounted base; use with WHY, MHY modesty panel				
	ICD	72	30	29	110	inset mounted base; use with WHX, MHX modesty panel				
	ICC	60	36	29	110	inset mounted base; use with WHZ, MHZ modesty panel				
	ICB	66	36	29	115	inset mounted base; use with WHY, MHY modesty panel				
	ICA	72	36	29	120	inset mounted base; use with WHX, MHX modesty panel				
<b>pie shaped top</b>	YDG	24	24	1¼	30	mounting hardware included				
	YDF	30	30	1¼	35	mounting hardware included				
	YDE	36	36	1¼	40	mounting hardware included				



specification codes	series	sku	veneer	style	pull/hardware	finish	grommet placement
	[S] serif		[F] plain/abstract laminate [W] woodgrain laminate [J] cherry [E] maple [C] oak [Q] walnut [G] paldao	[F] flat edge	[8] casters [9] glides	see appendix	
	[S]						






modesty panel for serif tables



wood veneer, laminate or lightweight bright anodized aluminum panel  
 installs with twist-lock panel clips, hinge stop bracket  
 specify modesty panel separately  
 approved for GSA Contract GS-28F-7040G  
 Level 1 Certified  
 GREENGUARD Certified

	sku	w	d	h	weight	specifications	plain or abstract laminate	woodgrain laminate	cherry maple oak walnut	paldo	
<b>wood veneer or laminate modesty panel</b>	WHZ	24½	½	8	4	use with 60" w inset mount base					
	WHY	30½	½	8	4	use with 66" w inset mount base					
	WHX	36½	½	8	5	use with 72" w inset mount base					
	WHX	36½	½	8	5	use with 48" w edge mount base					
	WHW	42½	½	8	5	use with 54" w edge mount base					
	WHV	48½	½	8	6	use with 60" w edge mount base					
	WHU	54½	½	8	6	use with 66" w edge mount base					
	WHT	60½	½	8	6	use with 72" w edge mount base					
	<b>bright anodized aluminum modesty panel</b>	MHZ	24½	¼	8	4	use with 60" w inset mount base				
		MHY	30½	¼	8	4	use with 66" w inset mount base				
MHX		36½	¼	8	5	use with 72" w inset mount base					
MHX		36½	¼	8	5	use with 48" w edge mount base					
MHW		42½	¼	8	5	use with 54" w edge mount base					
MHV		48½	¼	8	6	use with 60" w edge mount base					
MHU		54½	¼	8	6	use with 66" w edge mount base					
MHT		60½	¼	8	6	use with 72" w edge mount base					
							aluminum				

specification codes	series	sku	veneer	style	base	finish
	<input checked="" type="checkbox"/> serif		<input checked="" type="checkbox"/> plain/abstract laminate <input type="checkbox"/> woodgrain laminate <input type="checkbox"/> cherry <input type="checkbox"/> maple <input type="checkbox"/> oak <input type="checkbox"/> walnut <input type="checkbox"/> paldao <input type="checkbox"/> none	<input checked="" type="checkbox"/> none	<input checked="" type="checkbox"/> none	see appendix
	<input type="checkbox"/> serif			<input type="checkbox"/> none	<input type="checkbox"/> none	

description	sku	w	d	h	weight	specifications	price
 <p><b>communication grommet aluminum</b></p> <p>polished aluminum use with laminate or veneer tops specify location when ordering top specify series code N specify veneer code X specify pull/hardware code 6</p>	VFF	9½	4⅛	1¼	5		
 <p><b>communication grommet veneer or laminate panel</b></p> <p>cast aluminum, brushed aluminum finish quarter cut veneer or laminate panel specify location when ordering top specify series code W specify veneer and finish codes specify pull/hardware code 4</p>	VFD	9	5¼	1¼	5	veneer grain long direction	
 <p><b>power module</b></p> <p>silver powdercoat faceplate four 110V/15 amp grounded outlets 10' with a three-wire grounded plug intergraded switch and breaker snaps into stretcher channel rail UL/CSA Listed specify series code C specify veneer code X specify pull/hardware code X</p>	VSA	10½	3	2¼	2		
 <p><b>worksurface power module</b></p> <p>self-contained worksurface mounted matte black plastic two grounded outlets two Cat5e Amp® RJ45 data jacks with 9' cable and plug 10' cord with a three-wire grounded plug specify series code C specify veneer code X specify pull/hardware code X UL/CSA Listed</p>	E8E	7	3	1¼	5		
 <p><b>ganging brackets</b></p> <p>2 replacement brackets with storage plate molded nylon, stores in cross rail when not in use specify series code C specify veneer code X specify pull/hardware code X</p>	S84	9¼	3	¾	1		

specification codes

series

- N
- W
- C

sku

veneer

- F plain/abstract laminate
- W woodgrain laminate
- J cherry
- E maple
- C oak
- 9 walnut
- G paldao
- X none

style

- none

pull/hardware

- 4 brushed aluminum
- 6 polished aluminum
- X none

finish

see appendix

description	sku	w	d	h	weight	specifications	price
 <p><b>phone/data module</b> Extron® AAP one RJ-11 phone barrel female to female black powdercoat finish single space insert</p>	VGV	3½	-	5/8			
 <p><b>phone/data module</b> Extron® AAP one RJ-45 HCI CAT 5e female to female barrel black powdercoat finish single space insert</p>	VGI	3½	-	5/8			
 <p><b>phone/data module</b> Extron® AAP one RJ-45 female to punch down block leviton CAT5 data single space insert</p>	VGJ	3½	-	5/8			
 <p><b>phone/data module</b> Extron® AAP two RJ-45 pass-through barrels CAT 5e single space insert</p>	VGD	3½	-	5/8			
 <p><b>phone/data module</b> Extron® AAP two RJ-45 pass-through barrels CAT 5e double space insert</p>	VGF	3½	-	13/8			
 <p><b>phone/data module</b> Extron® AAP one RJ-45 female to punch down block leviton CAT6 data single space insert</p>	VGK	3½	-	5/8			
 <p><b>phone/data module</b> Extron® AAP two RJ-45 female to punch down block leviton CAT6 data single space insert</p>	VGP	3½	-	5/8			

specification codes

series	sku	vener	style	pull/hardware	finish
<input type="checkbox"/> accessories		<input checked="" type="checkbox"/> none	<input checked="" type="checkbox"/> none	<input checked="" type="checkbox"/> none	
<input type="checkbox"/> C	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input checked="" type="checkbox"/> X	<input checked="" type="checkbox"/> X	<input checked="" type="checkbox"/> X	<input checked="" type="checkbox"/> X <input checked="" type="checkbox"/> X <input checked="" type="checkbox"/> X





