





REF. G6 A 24, G5 A 28, G5 A 26 & **G2 A 25**
Guijarro Large, Medium, Medium & **Small**



References



Awards



Hamburg 2007

Certificates



Class I

220 - 250V



Wood shade colours

- 20 Ivory White
- 21 Natural Cherry
- 22 Natural Beech
- 24 Yellow
- 25 Orange
- 26 Red
- 28 Blue
- 29 Grey
- 30 Turquoise
- 31 Chocolate
- 32 Pink

Components



Frontal diffuser
Matt satin acrylic



Back plate
White metal enamel



Box size
24 x 24 x 42 cm

Box volume
0,024 m³

Weight
Gross - 1,3 Kg
Net - 0,6 Kg

Recommended bulbs (Not Included)



GX53



LED
1 x 7 W max.

or



LED DIM
1 x 7 W max.

Energy class



References



G2 A LED DIMO-10V

Awards



Hamburg 2007

Certificates



Class I

120 - 277V



Wood shade colours

- 20 Ivory White
- 21 Natural Cherry
- 22 Natural Beech
- 24 Yellow
- 25 Orange
- 26 Red
- 28 Blue
- 29 Grey
- 30 Turquoise
- 31 Chocolate
- 32 Pink

Components



Frontal diffuser
Matt satin acrylic



Back plate
White metal enamel



Box size
24 x 24 x 42 cm

Box volume
0,024 m³

Weight
Gross - 1,3 Kg
Net - 0,6 Kg



LED
Linear Module
4 x 3,15 W 250mA



Driver
EFORE
1 unit - Ref. RCL010-0250A

Energy class

A⁺
LED integrated


Details

Input Voltage	Luminous Flux *	CRI	Watt.	CCT	Lifetime (L70)
120 - 277V	690	90	12 W	3000 K	40000h

* Measurements taken using white shades, Veneer Ref: 20 Ivory White



REF. G42 A LED 26, G5 A LED 29 & G2 A LED 24
Guijarro Large, Medium & Small





REF. G5 A 29
Guijarro Medium

References



Awards



Hamburg 2007

Certificates



Class I

220 - 250V




Wood shade colours

-  20 Ivory White
-  21 Natural Cherry
-  22 Natural Beech
-  24 Yellow
-  25 Orange
-  26 Red
-  28 Blue
-  29 Grey
-  30 Turquoise
-  31 Chocolate
-  32 Pink

Components



Frontal diffuser
Matt satin acrylic




Back plate
White metal enamel



Box size
43 x 31 x 29 cm

Box volume
0,039 m³

Weight
Gross - 2,2 Kg
Net - 0,9 Kg



Recommended bulbs (Not Included)



GX53



LED
1 x 7 W max.

or



LED DIM
1 x 7 W max.

Energy class



References



G5 A LED DIM0-10V

Certificates



Class I


120 - 277V



Wood shade colours

- 20 Ivory White
- 21 Natural Cherry
- 22 Natural Beech
- 24 Yellow
- 25 Orange
- 26 Red
- 28 Blue
- 29 Grey
- 30 Turquoise
- 31 Chocolate
- 32 Pink

Components


Frontal diffuser
 Matt satin acrylic

Back plate
 White metal enamel

Packaging


Box size
 43 x 31 x 29 cm

Box volume
 0,039 m³
Weight
 Gross - 2,3 Kg
 Net - 1 Kg


LED


Linear Module
 9 x 3,15 W 250mA


Driver


EFORE
 1 unit - Ref. RCL020-0500A

Energy class




LED integrated

Details

Input Voltage	Luminous Flux *	CRI	Watt.	CCT	Lifetime (L70)
120 - 277V	1093	90	17 W	3000 K	40000h

* Measurements taken using white shades, Veneer Ref: 20 Ivory White


REF. G5 A LED 28
Guijarro Medium

Guijarro / LARGE WALL, CEILING


by Mariví Calvo



REF. G6 A 21, G5 A 29 & G2 A 24
Guijarro Large, Medium & Small



References



Awards



Hamburg 2007

Certificates



Class I

220 - 250V



Wood shade colours

- 20 Ivory White
- 21 Natural Cherry
- 22 Natural Beech
- 24 Yellow
- 25 Orange
- 26 Red
- 28 Blue
- 29 Grey
- 30 Turquoise
- 31 Chocolate
- 32 Pink

Components



Frontal diffuser
Matt satin acrylic



Back plate
White metal enamel



Box size
51 x 51 x 32 cm

Box volume
0,083 m³

Weight
Gross - 3,9 Kg
Net - 1,5 Kg

Recommended bulbs (Not Included)



GX53



LED
1 x 7 W max.

or



LED DIM
1 x 7 W max.

Energy class



References



G6 A LED DIM0-10V

Certificates



Class I

120 - 277V



Wood shade colours

- 20 Ivory White
- 21 Natural Cherry
- 22 Natural Beech
- 24 Yellow
- 25 Orange
- 26 Red
- 28 Blue
- 29 Grey
- 30 Turquoise
- 31 Chocolate
- 32 Pink

Components



Frontal diffuser
Matt satin acrylic



Back plate
White metal enamel

Packaging



Box size
51 x 51 x 32 cm

Box volume
0,083 m³

Weight
Gross - 3,9 Kg
Net - 1,5 Kg



LED



Linear Module
16 x 3,15 W 250mA



Driver



EFORE
1 unit - Ref. RCL030-0500A

Energy class



LED integrated

Details

Input Voltage	Luminous Flux *	CRI	Watt.	CCT	Lifetime (L70)
120 - 277V	1457	90	20 W	3000 K	40000h

* Measurements taken using white shades, Veneer Ref: 20 Ivory White



REF. G6 A LED 26, G5 A LED 21, G2 A LED 22 & G5 A LED 26
Guijarro Large, Medium, Small & Medium

