Alloro Seating System Specification Guide

Standard Features




Alloro is a modular seating system comprised of 35 unique modules which can be used interchangeably to create an unlimited number of configurations. Options include sofas or modular sectionals along with straight and flared fronts.

Alloro backs are constructed of fiberglass and come standard with an attached back cushion. Alloro modules are available with contrasting fabric options, please see pricing pages for details.

Alloro is fully upholstered with 2¼" diameter non-marring adjustable glide. When ordering configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. SCS Indoor Advantage™ Gold certified. See terms and conditions for additional environmental information.

Configurations are connected by a ganging bracket. Ganging brackets are included with each module.

Please visit Bernhardtdesign.com for a complete library of 2D, 3D, and Revit models. You may also contact your local sales representative or the Bernhardt Design Corporate office for specification assistance.




21/4" Diameter Non-Marring Adjustable Nylon Glides

06/22


Alloro Connecting


Alloro modular units connect together either on the end, on both sides or on the corner. The price list uses grey areas within the product illustrations to indicate the connecting areas of each unit. To the right is a sample illustration indicating the connecting areas for the products shown.



Alloro Seating System Sample Configurations

1







Sku Description

4D37FL Three-seat End Connector.
Left Arm Facing. Flared Front.
4C27SL Three-seat Corner Connector.

Left Arm Facing. Straight Front.

2







4D37SL Three-seat End Connector. Left Arm Facing. Straight Front.

4C27SL Three-seat Corner Connector. Left Arm Facing. Straight Front.

3






4D37FL Three-seat End Connector. Left Arm Facing. Flared Front.

4B25SL Two-seat Connector.

Left Arm Facing. Straight Front.
4D37FR Three-seat End Connector.

Right Arm Facing. Flared Front.

4





4D37SL Three-seat End Connector.

Left Arm Facing. Straight Front.

4D37SR Three-seat End Connector.

Right Arm Facing. Straight Front.

alloro 4F25SX



Seat Height	Arm Height		W	D		Н		Fabric	Leath	er	Weight	Cubes/Qty
17½"	11"		66½"	34"		271/4"		14.5 yds.	236.0		205 lbs.	56.06'/1
445 mm	280 mm		1690 mm			690 mm		13.3 m	22.0 s	qm	93.0 kg	1.6 cu
СОМ	COL	1	2	3	4	5	6	7	8	9	10	11

Two-Seat Freestanding Straight Front Module. Fully Upholstered. Two Back Cushions.

Inside Seat Width: 521/2". Inside Seat Depth: 211/2".

When using a combination of fabrics or leathers, the following yardage must be used and upcharges apply. Specify the fabric or leather application by designating the appropriate letter on the purchase order.

See terms and conditions for contrasting fabric upcharges.

A) One fabric or leather for seat.

yardage: 4.5 yds. leather: 73.0 sq. ft.

B) One fabric or leather for back.

yardage: 6.5 yds. leather: 106.0 sq. ft. C) One fabric or leather for back cushion. yardage: 3.5 yds. leather: 57.0 sq. ft.

When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s).
*All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. SCS Indoor Advantage™ Gold certified.
See terms and conditions for instructions for tagging COM and additional environmental information.

alloro 4F37SX



17½"	11"		931/8"	34"		271/4"		20.0 yds.	321	.0'	290 lbs.	89.84'/1
445 mm	280 mm		2340 mm	864	mm	690 mm		18.3 m	30.0) sqm	132 kg	2.5 cu
СОМ	COL	1	2	3	4	5	6	7	8	9	10	11

Three-Seat Freestanding. Straight Front Module. Fully Upholstered. Three Back Cushions.

Inside Seat Width: 521/2". Inside Seat Depth: 211/2".

When using a combination of fabrics or leathers, the following yardage must be used and upcharges apply. Specify the fabric or leather application by designating the appropriate letter on the purchase order.

See terms and conditions for contrasting fabric upcharges.

A) One fabric or leather for seat.

yardage: 6.5 yds. leather: 106.0 sq. ft.

B) One fabric or leather for back.

yardage: 8.0 yds. leather: 130.0 sq. ft.

C) One fabric or leather for back cushion.

yardage: 5.5 yds. leather: 85.0 sq. ft.

alloro 4F37FL



Seat Height	Arm Height		W	D		Н		Fabric	Leath	er	Weight	Cubes/Qty
17½"	11"		931/8"	403/8"		27¼"		20.8 yds.	333.0	1	295 lbs.	89.84'/1
445 mm	280 mm		2340 mm	1026	mm	690 mm		19.0 m	31.0 s	qm	133.8 kg	2.5 cu
СОМ	COL	1	2	3	4	5	6	7	8	9	10	11

Three-Seat Freestanding. Left Side Flared Front Module. Fully Upholstered. Three Back Cushions.

Inside Seat Width: 783/4". Inside Seat Depth: 273/4".

When using a combination of fabrics or leathers, the following yardage must be used and upcharges apply. Specify the fabric or leather application by designating the appropriate letter on the purchase order.

See terms and conditions for contrasting fabric upcharges.

A) One fabric or leather for seat.

leather: 118.0 sq. ft. yardage: 7.25 yds.

B) One fabric or leather for back.

leather: 130.0 sq. ft. yardage: 8.0 yds. C) One fabric or leather for back cushion. yardage: 5.5 yds. leather: 85.0 sq. ft.

When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). *All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. SCS Indoor Advantage™ Gold certified. See terms and conditions for instructions for tagging COM and additional environmental information.

alloro 4F37FR



17½"	11"		931/8"	40%"	27¼"		20.8 yds.	333.	0'	295 lbs.	89.84'/1
445 mm	280 mm		2340 mm	1026 mn	690 mm		19.0 m	31.0	sqm	133.8 kg	2.5 cu
COM	COL	1	2	3 4	5	6	7	8	9	10	11

Three-Seat Freestanding. Right Side Flared Front Module. Fully Upholstered.

Three Back Cushions.

Inside Seat Width: 783/4". Inside Seat Depth: 273/4".

When using a combination of fabrics or leathers, the following yardage must be used and upcharges apply. Specify the fabric or leather application by designating the appropriate letter on the purchase order.

See terms and conditions for contrasting fabric upcharges.

A) One fabric or leather for seat.

yardage: 7.25 yds. leather: 118.0 sq. ft.

B) One fabric or leather for back.

leather: 130.0 sq. ft. yardage: 8.0 yds.

C) One fabric or leather for back cushion.

yardage: 5.5 yds. leather: 85.0 sq. ft.

alloro 4F15SL



Seat Height	Arm Height		W	D		Н		Fabric	Leatl	ner	Weight	Cubes/Qty
17½"	11"		59%"	34"		27¼"		10.0 yds.	161.0)'	203 lbs.	56.06'/1
445 mm	280 mm		1515 mm	864	mm	690 mm		9.2 m	15.0	sqm	92.1 kg	1.6 cu
СОМ	COL	1	2	3	4	5	6	7	8	9	10	11

Two-Seat Freestanding.
Left Arm Facing Open Module.
Straight Front.
Fully Upholstered.
One Back Cushion.

Inside Seat Width: 521/2". Inside Seat Depth: 211/2".

When using a combination of fabrics or leathers, the following yardage must be used and upcharges apply. Specify the fabric or leather application by designating the appropriate letter on the purchase order.

See terms and conditions for contrasting fabric upcharges.

A) One fabric or leather for seat.

yardage: 4.5 yds. leather: 73.0 sq. ft.

B) One fabric or leather for back.

yardage: 3.5 yds. leather: 57.0 sq. ft. C) One fabric or leather for back cushion. yardage: 2.0 yds. leather: 31.0 sq. ft.

When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s).
*All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. SCS Indoor Advantage™ Gold certified.
See terms and conditions for instructions for tagging COM and additional environmental information.

alloro 4F15SR



17½"	11" 280 mm		59%"	34"		27¼"		10.0 yds.	161.	0'	203 lbs.	56.06'/1
445 mm	280 mm		1515 mm	864	mm	690 mm		9.2 m	15.0	sqm	92.1 kg	1.6 cu
СОМ	COL	1	2	3	4	5	6	7	8	9	10	11

Two-Seat Freestanding.
Right Arm Facing Open Module.
Straight Front.
Fully Upholstered.
One Back Cushion.

Inside Seat Width: 52½". Inside Seat Depth: 21½".

When using a combination of fabrics or leathers, the following yardage must be used and upcharges apply. Specify the fabric or leather application by designating the appropriate letter on the purchase order.

See terms and conditions for contrasting fabric upcharges.


A) One fabric or leather for seat.

yardage: 4.5 yds. leather: 73.0 sq. ft.

B) One fabric or leather for back.

yardage: 3.5 yds. leather: 57.0 sq. ft.
C) One fabric or leather for back cushion.
yardage: 2.0 yds. leather: 31.0 sq. ft.

alloro 4F17SL



Seat Height	Arm Height		W	D		Н		Fabric	Leath	er	Weight	Cubes/Qty
17½"	11"		86"	34"		271/4"		12.0 yds.	194.0'		257 lbs.	77.86'/1
445 mm	280 mm		2185 mm	864 r	nm	690 mm		11.0 m	18.0 s	qm	116.6 kg	2.2 cu
СОМ	COL	1	2	3	4	5	6	7	8	9	10	11

Three-Seat Freestanding. Left Arm Facing Open Module. Straight Front. Fully Upholstered. One Back Cushion.

Inside Seat Width: 783/4". Inside Seat Depth: 211/2".

When using a combination of fabrics or leathers, the following yardage must be used and upcharges apply. Specify the fabric or leather application by designating the appropriate letter on the purchase order.

See terms and conditions for contrasting fabric upcharges.

A) One fabric or leather for seat.

yardage: 6.5 yds. leather: 106.0 sq. ft.

B) One fabric or leather for back.

yardage: 3.5 yds. leather: 57.0 sq. ft.
C) One fabric or leather for back cushion.
yardage: 2.0 yds. leather: 31.0 sq. ft.

When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s).
*All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. SCS Indoor Advantage™ Gold certified.
See terms and conditions for instructions for tagging COM and additional environmental information.

alloro 4F17SR



17½"	11"		86"	34"		27¼"		12.0 yds.	194.	0'	257 lbs.	77.86'/1
445 mm	280 mm		2185 mm	864	mm	690 mm		11.0 m	18.0	sqm	116.6 kg	2.2 cu
СОМ	COL	1	2	3	4	5	6	7	8	9	10	11

Three-Seat Freestanding.
Right Arm Facing Open Module.
Straight Front.
Fully Upholstered.
One Back Cushion.

Inside Seat Width: 783/4". Inside Seat Depth: 211/2".

When using a combination of fabrics or leathers, the following yardage must be used and upcharges apply. Specify the fabric or leather application by designating the appropriate letter on the purchase order.

See terms and conditions for contrasting fabric upcharges.

A) One fabric or leather for seat.

yardage: 6.5 yds. leather: 106.0 sq. ft.

B) One fabric or leather for back.

yardage: 3.5 yds. leather: 57.0 sq. ft.
C) One fabric or leather for back cushion.
yardage: 2.0 yds. leather: 31.0 sq. ft.

alloro 4F27SL



Seat Height	Arm Height		W	D		Н		Fabric	Leath	er	Weight	Cubes/Qty
17½"	11"		86"	34"		271/4"		15.0 yds.	244.0)'	257 lbs.	77.86'/1
445 mm	280 mm		2185 mm	864 r	mm	690 mm		14.0 m	23.0	sqm	116.6 kg	2.2 cu
СОМ	COL	1	2	3	4	5	6	7	8	9	10	11

Three-Seat Freestanding

Left Arm Facing Open Module.

Straight Front.

Fully Upholstered.

Two Back Cushions.

Inside Seat Width: 783/4". Inside Seat Depth: 211/2".

When using a combination of fabrics or leathers, the following yardage must be used and upcharges apply. Specify the fabric or leather application by designating the appropriate letter on the purchase order.

See terms and conditions for contrasting fabric upcharges.

A) One fabric or leather for seat.

yardage: 6.5 yds. leather: 106.0 sq. ft.

B) One fabric or leather for back.

yardage: 5.0 yds. leather: 81.0 sq. ft.
C) One fabric or leather for back cushion.
yardage: 3.5 yds. leather: 57.0 sq. ft.

When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s).
*All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. SCS Indoor Advantage™ Gold certified.
See terms and conditions for instructions for tagging COM and additional environmental information.

alloro 4F27SR



17½"	11"		86"	34"		271/4"		15.0 yds.	244.	0'	257 lbs.	77.86'/1	
445 mm	280 mm		2185 mm	864 r	nm	690 mm		14.0 m	23.0	sqm	116.6 kg	2.2 cu	
СОМ	COL	1	2	3	4	5	6	7	8	9	10	11	_

Three-Seat Freestanding.
Right Arm Facing Open Module.

Straight Front.

Fully Upholstered.

Two Back Cushions.

Inside Seat Width: 783/4". Inside Seat Depth: 211/2".

When using a combination of fabrics or leathers, the following yardage must be used and upcharges apply. Specify the fabric or leather application by designating the appropriate letter on the purchase order.

See terms and conditions for contrasting fabric upcharges.

A) One fabric or leather for seat.

yardage: 6.5 yds. leather: 106.0 sq. ft.

B) One fabric or leather for back.

yardage: 5.0 yds. leather: 81.0 sq. ft.
C) One fabric or leather for back cushion.
yardage: 3.5 yds. leather: 57.0 sq. ft.

alloro 4F17FL



Seat H	leight	Arm Height		W	D		Н		Fabric	Lea	ther	Weight	Cubes/Qty
17½"		11"		92¾"	40%	"	271/4"		12.8 yds.	207	.0'	295 lbs.	89.84'/1
445 m	m	280 mm		2356 mm	1026	3 mm	690 mm		12.0 m	19.	3 sqm	133.8 kg	2.5 cu
СОМ		COL	1	2	3	4	5	6	7	8	9	10	11

Three-Seat Freestanding.
Left Arm Facing Open Module.
Left Side Flared Front.
Fully Upholstered.
One Back Cushion.

Inside Seat Width: 783/4". Inside Seat Depth: 273/4".

When using a combination of fabrics or leathers, the following yardage must be used and upcharges apply. Specify the fabric or leather application by designating the appropriate letter on the purchase order.

See terms and conditions for contrasting fabric upcharges.

A) One fabric or leather for seat.

yardage: 7.0 yds. leather: 114.0 sq. ft.

B) One fabric or leather for back.

yardage: 3.5 yds. leather: 57.0 sq. ft.
C) One fabric or leather for back cushion.
yardage: 2.25 yds. leather: 36.0 sq. ft.

When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s).
*All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. SCS Indoor Advantage™ Gold certified.
See terms and conditions for instructions for tagging COM and additional environmental information.

alloro 4F17FR



17½"	11"		92¾"	40%"	27¼"		12.8 yds.	207.0'		295 lbs.	89.84'/1
445 mm	280 mm		2356 mm	1026 mm	690 mm		12.0 m	19.3 s	qm	133.8 kg	2.5 cu
СОМ	COL	1	2	3 4	5	6	7	8	9	10	11

Three-Seat Freestanding.
Right Arm Facing Open Module.
Right Side Flared Front.
Fully Upholstered.
One Back Cushion.

Inside Seat Width: 783/4". Inside Seat Depth: 273/4".

When using a combination of fabrics or leathers, the following yardage must be used and upcharges apply. Specify the fabric or leather application by designating the appropriate letter on the purchase order.

See terms and conditions for contrasting fabric upcharges.

A) One fabric or leather for seat.

yardage: 7.0 yds. leather: 114.0 sq. ft.

B) One fabric or leather for back.

yardage: 3.5 yds. leather: 57.0 sq. ft. C) One fabric or leather for back cushion. yardage: 2.25 yds. leather: 36.0 sq. ft.

alloro 4F27FL



Seat Height	Arm Height		W D	D		Н		Fabric	Lea	ther	Weight	Cubes/Qty
17½"	11"		92¾"	40%"		271/4"		16.3 yds.	260	.0'	295 lbs.	89.84'/1
445 mm	280 mm		2356 mm	1026 n	nm	690 mm		15.0 m	24.2	2 sqm	133.8 kg	2.5 cu
COM	COL	1	2	3	4	5	6	7	8	9	10	11

Three-Seat Freestanding.
Left Arm Facing Open Module.
Left Side Flared Front.
Fully Upholstered.
Two Back Cushions.

Inside Seat Width: 783/4". Inside Seat Depth: 273/4".

When using a combination of fabrics or leathers, the following yardage must be used and upcharges apply. Specify the fabric or leather application by designating the appropriate letter on the purchase order.

See terms and conditions for contrasting fabric upcharges.

A) One fabric or leather for seat.

yardage: 7.25 yds. leather: 118.0 sq. ft.

B) One fabric or leather for back.

yardage: 5.5 yds. leather: 85.0 sq. ft.
C) One fabric or leather for back cushion.
yardage: 3.5 yds. leather: 57.0 sq. ft.

When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s).
*All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. SCS Indoor Advantage™ Gold certified.
See terms and conditions for instructions for tagging COM and additional environmental information.

alloro 4F27FR



17½"	11"		92¾"	40%"		271/4"		16.3 yds.	260	0'	295 lb.s	89.84'/1
445 mm	280 mm		2356 mm	1026 m	ım	690 mm		15.0 m	24.2	sqm	133.8 kg	2.5 cu
СОМ	COL	1	2	3	4	5	6	7	8	9	10	11

Three-Seat Freestanding.
Right Arm Facing Open Module.
Right Side Flared Front.
Fully Upholstered.
Two Back Cushions.

Inside Seat Width: 783/4". Inside Seat Depth: 273/4".

When using a combination of fabrics or leathers, the following yardage must be used and upcharges apply. Specify the fabric or leather application by designating the appropriate letter on the purchase order.

See terms and conditions for contrasting fabric upcharges.

A) One fabric or leather for seat.

yardage: 7.25 yds. leather: 118.0 sq. ft.

B) One fabric or leather for back.

yardage: 5.5 yds. leather: 85.0 sq. ft.
C) One fabric or leather for back cushion.
yardage: 3.5 yds. leather: 57.0 sq. ft.

corner connecting modules

alloro 4C15SL



Seat Height	Arm Height		W	D		Н		Fabric	Leathe	er	Weight	Cubes/Qty
17½"	11"		61¼"	34"		27¼"		11.5 yds.	187.0'		208 lbs.	56.06'/1
445 mm	280 mm		1556 mm	864 m	nm	690 mm		11.0 m	17.4 s	qm	94.4 kg	1.6 cu
СОМ	COL	1	2	3	4	5	6	7	8	9	10	11

Two-seat Corner Connector. Left Arm Facing Module.

Straight Front.

Fully Upholstered.

One Back Cushion.

Ganging Brackets Included.

Inside Seat Width: 52½". Inside Seat Depth: 21½".

When using a combination of fabrics or leathers, the following yardage must be used and upcharges apply. Specify the fabric or leather application by designating the appropriate letter on the purchase order.

See terms and conditions for contrasting fabric upcharges.

A) One fabric or leather for seat.

yardage: 4.5 yds. leather: 73.0 sq. ft.

B) One fabric or leather for back.

yardage: 3.5 yds. leather: 57.0 sq. ft. C) One fabric or leather for back cushion. yardage: 3.5 yds. leather: 57.0 sq. ft.

When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s).
*All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. SCS Indoor Advantage™ Gold certified.
See terms and conditions for instructions for tagging COM and additional environmental information. Freestanding option not available.

alloro 4C15SR



17½"	11"		611/4"	34"		271/4"		11.5 yds.	187.0)'	208 lbs.	56.06'/1
445 mm	280 mm		1556 mm	864	mm	690 mm		11.0 m	17.4	sqm	94.4 kg	1.6 cu
СОМ	COL	1	2	3	4	5	6	7	8	9	10	11

Two-seat Corner Connector. Right Arm Facing. Straight Front. Fully Upholstered. One Back Cushion.

Ganging Brackets Included.

Inside Seat Width: 521/2". Inside Seat Depth: 211/2".

When using a combination of fabrics or leathers, the following yardage must be used and upcharges apply. Specify the fabric or leather application by designating the appropriate letter on the purchase order.

See terms and conditions for contrasting fabric upcharges.

A) One fabric or leather for seat.


yardage: 4.5 yds. leather: 73.0 sq. ft.

B) One fabric or leather for back.

yardage: 3.5 yds. leather: 57.0 sq. ft.
C) One fabric or leather for back cushion.
yardage: 3.5 yds. leather: 57.0 sq. ft.

corner connecting modules

alloro 4C17SL



Seat Height	Arm Height		W	D		Н		Fabric	Leathe	er	Weight	Cubes/Qty
17½"	11"		865%"	34"		27¼"		13.5 yds.	224.0'		290 lbs.	77.86'/1
445 mm	280 mm		2001 mm	864 m	nm	690 mm		12.4 m	20.9 s	qm	132 kg	2.2 cu
СОМ	COL	1	2	3	4	5	6	7	8	9	10	11

Three-seat Corner Connector.

Left Arm Facing Open Module.

Straight Front.

Fully Upholstered.

One Back Cushion.

Ganging Brackets Included.

Inside Seat Width: 783/4". Inside Seat Depth: 211/2".

When using a combination of fabrics or leathers, the following yardage must be used and upcharges apply. Specify the fabric or leather application by designating the appropriate letter on the purchase order.

See terms and conditions for contrasting fabric upcharges.

A) One fabric or leather for seat.


yardage: 6.5 yds. leather: 110.0 sq. ft.

B) One fabric or leather for back.

yardage: 3.5 yds. leather: 57.0 sq. ft.
C) One fabric or leather for back cushion.
yardage: 3.5 yds. leather: 57.0 sq. ft.

When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s).
*All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. SCS Indoor Advantage™ Gold certified.
See terms and conditions for instructions for tagging COM and additional environmental information. Freestanding option not available.

alloro 4C17SR



17½"	11"		86%"	34"		271/4"		13.5 yds.	224.0)'	290 lbs.	77.86'/1
445 mm	280 mm		2001 mm	n 864	mm	690 mm		12.4 m	20.9	sqm	132 kg	2.2 cu
СОМ	COL	1	2	3	4	5	6	7	8	9	10	11

Three-seat Corner Connector.

Right Arm Facing Open Module.

Straight Front.

Fully Upholstered.

One Back Cushion.

Ganging Brackets Included.

Inside Seat Width: 783/4". Inside Seat Depth: 211/2".

When using a combination of fabrics or leathers, the following yardage must be used and upcharges apply. Specify the fabric or leather application by designating the appropriate letter on the purchase order.

See terms and conditions for contrasting fabric upcharges.

A) One fabric or leather for seat.

yardage: 6.5 yds. leather: 110.0 sq. ft.

B) One fabric or leather for back.

yardage: 3.5 yds. leather: 57.0 sq. ft. C) One fabric or leather for back cushion. yardage: 3.5 yds. leather: 57.0 sq. ft.

corner connecting modules

alloro 4C27SL



Seat Height	Arm Height		W	D		Н		Fabric	Leather		Weight	Cubes/Qty
17½"	11"		865%"	34"		27¼"		16.5 yds.	272.0'		290 lbs.	77.86'/1
445 mm	280 mm		2001 mm	864 m	nm	690 mm		15.1 m	25.3 sqr	m	132 kg	2.2 cu
СОМ	COL	1	2	3	4	5	6	7	8	9	10	11

Three-seat Corner Connector.

Left Arm Facing Open Module.

Straight Front.

Fully Upholstered.

Two Back Cushions.

Ganging Brackets Included.

Inside Seat Width: 783/4". Inside Seat Depth: 211/2".

When using a combination of fabrics or leathers, the following yardage must be used and upcharges apply. Specify the fabric or leather application by designating the appropriate letter on the purchase order.

See terms and conditions for contrasting fabric upcharges.

A) One fabric or leather for seat.

yardage: 6.5 yds. leather: 110.0 sq. ft.

B) One fabric or leather for back.

yardage: 5.0 yds. leather: 81.0 sq. ft. C) One fabric or leather for back cushion. yardage: 5.0 yds. leather: 81.0 sq. ft.

When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). *All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. SCS Indoor Advantage™ Gold certified. See terms and conditions for instructions for tagging COM and additional environmental information. Freestanding option not available.

alloro 4C27SR



171/2"	11"		865%"	34"		27¼"		16.5 yds.	272.0)'	290 lbs.	77.86'/1
445 mm	280 mm		2001 mm	864	mm	690 mm		15.1 m	25.3	sqm	132 kg	2.2 cu
СОМ	COL	1	2	3	4	5	6	7	8	9	10	11

Three-seat Corner Connector.

Right Arm Facing Open Module.

Straight Front.

Fully Upholstered.

Two Back Cushions.

Ganging Brackets Included.

Inside Seat Width: 783/4". Inside Seat Depth: 211/2".

When using a combination of fabrics or leathers, the following yardage must be used and upcharges apply. Specify the fabric or leather application by designating the appropriate letter on the purchase order.

See terms and conditions for contrasting fabric upcharges.

A) One fabric or leather for seat.

yardage: 6.5 yds. leather: 110.0 sq. ft.

B) One fabric or leather for back.

yardage: 5.0 yds. leather: 81.0 sq. ft.
C) One fabric or leather for back cushion.
yardage: 5.0 yds. leather: 81.0 sq. ft.

D Seat Height Arm Height Fabric Leather Weight Cubes/Qty alloro 4D25SL 171/2" 611/4" 271/4" 13.0 yds. 211.0' 208 lbs. 56.06'/1 445 mm 280 mm 690 mm 12.0 m 1556 mm 864 mm 20.0 sam 94.4 ka 1.6 cu COM COL 1 2 3 4 5 6 7 8 9 10 11



Two-seat End Connector. Left Arm Facing Module. Straight Front. Fully Upholstered. Two Back Cushions. Ganging Brackets Included.

Inside Seat Width: 521/2". Inside Seat Depth: 211/2".

When using a combination of fabrics or leathers, the following yardage must be used and upcharges apply. Specify the fabric or leather application by designating the appropriate letter on the purchase order.

See terms and conditions for contrasting fabric upcharges.

A) One fabric or leather for seat.


yardage: 4.5 yds. leather: 73.0 sq. ft.

B) One fabric or leather for back.

yardage: 5.0 yds. leather: 81.0 sq. ft. C) One fabric or leather for back cushion. yardage: 3.5 yds. leather: 57.0 sq. ft.

When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). *All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. SCS Indoor Advantage™ Gold certified. See terms and conditions for instructions for tagging COM and additional environmental information. Freestanding option not available.

alloro 4D25SR



17½"	11"		61¼"	34"		271/4"		13 yds.	211	.0'	208 lbs.	56.06'/1
445 mm	280 mm		1556 mm	864	mm	690 mm		12.0 m	20.0) sqm	94.4 kg	1.6 cu
COM	COL	1	2	3	4	5	6	7	8	9	10	11

Two-seat End Connector. Right Arm Facing Module. Straight Front. Fully Upholstered. Two Back Cushions. Ganging Brackets Included.

Inside Seat Width: 521/2". Inside Seat Depth: 211/2".

When using a combination of fabrics or leathers, the following yardage must be used and upcharges apply. Specify the fabric or leather application by designating the appropriate letter on the purchase order.

See terms and conditions for contrasting fabric upcharges.


A) One fabric or leather for seat.

yardage: 4,5 yds. leather: 73.0 sq. ft.

B) One fabric or leather for back.

yardage: 5.0 yds. leather: 81.0 sq. ft.
C) One fabric or leather for back cushion.
yardage: 3.5 yds. leather: 57.0 sq. ft.

alloro 4D37SL



Seat Height	Arm Height		W	D		Н		Fabric	Leather	Weight	Cubes/Qty
17½"	11"		865%"	34"		27¼"		18.0 yds.	301.0'	290 lbs.	77.86'/1
445 mm	280 mm		2001 mm	864 n	nm	690 mm		16.5 m	28.0 sqr	n 132 kg	2.2 cu
СОМ	COL	1	2	3	4	5	6	7	8 9	9 10	11

Three-seat End Connector. Left Arm Facing Module. Straight Front. Fully Upholstered. Three Back Cushions.

Ganging Brackets Included.

Inside Seat Width: 783/4". Inside Seat Depth: 211/2".

When using a combination of fabrics or leathers, the following yardage must be used and upcharges apply. Specify the fabric or leather application by designating the appropriate letter on the purchase order.

See terms and conditions for contrasting fabric upcharges.

A) One fabric or leather for seat.

yardage: 6.5 yds. leather: 110.0 sq. ft.

B) One fabric or leather for back.

yardage: 6.5 yds. leather: 110.0 sq. ft.
C) One fabric or leather for back cushion.
yardage: 5.0 yds. leather: 81.0 sq. ft.

When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). *All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. SCS Indoor Advantage™ Gold certified. See terms and conditions for instructions for tagging COM and additional environmental information. Freestanding option not available.

alloro 4D37SR



17½"	11"		865/8"	34"		27¼"		18.0 yds.	301.	0'	290 lbs.	77.86'/1
445 mm	280 mm		2001 mm	864	mm	690 mm		16.5 m	28.0	sqm	132 kg	2.2 cu
СОМ	COL	1	2	3	4	5	6	7	8	9	10	11

Three-seat End Connector. Right Arm Facing Module. Straight Front. Fully Upholstered. Three Back Cushions. Ganging Brackets Included.

Inside Seat Width: 783/4". Inside Seat Depth: 211/2".

When using a combination of fabrics or leathers, the following yardage must be used and upcharges apply. Specify the fabric or leather application by designating the appropriate letter on the purchase order.

See terms and conditions for contrasting fabric upcharges.

A) One fabric or leather for seat.

yardage: 6.5 yds. leather: 110.0 sq. ft.

B) One fabric or leather for back.

yardage: 6.5 yds. leather: 110.0 sq. ft.
C) One fabric or leather for back cushion.
yardage: 5.0 yds. leather: 81.0 sq. ft.

alloro 4D25FL



Seat Height	Arm Height		W	D		Н		Fabric	Lea	ther	Weight	Cubes/Qty
17½"	11"		61¼"	40%"		271/4"		13.5 yds.	219	.0'	218 lbs.	64.69'/1
445 mm	280 mm		1556 mm	1026	mm	690 mm		12.4 m	20.4	l sqm	99.0 kg	1.9 cu
СОМ	COL	1	2	3	4	5	6	7	8	9	10	11

Two-seat End Connector. Left Arm Facing Module. Left Side Flared Front. Fully Upholstered. Two Back Cushions.

Ganging Brackets Included.

Inside Seat Width: 531/2". Inside Seat Depth: 211/2.

When using a combination of fabrics or leathers, the following yardage must be used and upcharges apply. Specify the fabric or leather application by designating the appropriate letter on the purchase order.

See terms and condtioins for contrasting fabric upcharges.

A) One fabric or leather for seat.

yardage: 5.0 yds. leather: 81.0 sq. ft.

B) One fabric or leather for back.

yardage: 5.0 yds. leather: 81.0 sq. ft. C) One fabric or leather for back cushion. yardage: 3.5 yds. leather: 57.0 sq. ft.

When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). *All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. SCS Indoor Advantage™ Gold certified. See terms and conditions for instructions for tagging COM and additional environmental information. Freestanding option not available.

alloro 4D25FR



17½"	11"		611/4"	40%"		27¼"		13.5 yds.	219.	0'	218 lbs.	64.69'/1
445 mm	280 mm		1556 mm	1026	mm	690 mm		12.4m		2.4m 20.4 sqm		1.9 cu
СОМ	COL	1	2	3	4	5	6	7	8	9	10	11

Two-seat End Connector.
Right Arm Facing Module.
Right Side Flared Front.
Fully Upholstered.
Two Back Cushions.
Ganging Brackets Included.

Inside Seat Width: 531/2". Inside Seat Depth: 211/2".

When using a combination of fabrics or leathers, the following yardage must be used and upcharges apply. Specify the fabric or leather application by designating the appropriate letter on the purchase order.

See terms and conditions for contrasting fabric upcharges.


A) One fabric or leather for seat.

yardage: 5.0 yds. leather: 81.0 sq. ft.

B) One fabric or leather for back.

yardage: 5.0 yds. leather: 81.0 sq. ft.
C) One fabric or leather for back cushion.
yardage: 3.5 yds. leather: 57.0 sq. ft.

alloro 4D37FL



Seat Height	Arm Height		W	D		Н		Fabric	Lea	ther	Weight	Cubes/Qty
17½"	11"	865/8"		40%"		271/4"		19.3 yds.	317.0'		303 lbs.	89.84'/1
445 mm	280 mm		2001 mm	1026	mm	690 mm		18.0 m	29.6 sqm		137.5 kg	2.6 cu
СОМ	COL	1	2	3	4	5	6	7	8	9	10	11

Three-seat End Connector. Left Arm Facing Module. Left Side Flared Front. Fully Upholstered. Three Back Cushions. Ganging Brackets Included.

Inside Seat Width: 783/4". Inside Seat Depth: 211/2".

When using a combination of fabrics or leathers, the following yardage must be used and upcharges apply. Specify the fabric or leather application by designating the appropriate letter on the purchase order.

See terms and conditions for contrasting fabric upcharges.

A) One fabric or leather for seat.

yardage: 7.75 yds. leather: 126.0 sq. ft.

B) One fabric or leather for back.

yardage: 6.5 yds. leather: 110.0 sq. ft.
C) One fabric or leather for back cushion.
yardage: 5.0 yds. leather: 81.0 sq. ft.

When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s).
*All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. SCS Indoor Advantage™Gold certified.
See terms and conditions for instructions for tagging COM and additional environmental information. Freestanding option not available.

alloro 4D37FR



17½"	11"		86%"	40%	."	27¼"		19.3 yds.	317.0	0'	303 lbs.	89.84'/1
445 mm	280 mm		2001 mm	1026	1026 mm 690 mm			18.0 m 29		sqm	137.5 kg	2.6 cu
СОМ	COL	1	2	3	4	5	6	7	8	9	10	11

Three-seat End Connector. Right Arm Facing Module. Right Side Flared Front. Fully Upholstered. Three Back Cushions. Ganging Brackets Included.

Inside Seat Width: 783/4". Inside Seat Depth: 211/2".

When using a combination of fabrics or leathers, the following yardage must be used and upcharges apply. Specify the fabric or leather application by designating the appropriate letter on the purchase order.

See terms and conditions for contrasting fabric upcharges.

A) One fabric or leather for seat.

yardage: 7.75 yds. leather: 126.0 sq. ft.

B) One fabric or leather for back.

yardage: 6.5 yds. leather: 110.0 sq. ft.
C) One fabric or leather for back cushion
yardage: 5.0 yds. leather: 81.0 sq. ft.

Seat Height Arm Height D Fabric Leather Weight Cubes/Qty 171/2" 611/4" 14.5 yds. 235.0' 208 lbs. 56.06'/1 445 mm 280 mm 1556 mm 864 mm 690 mm 13.3 m 22.0 sqm 94.4 ka 1.6 cu COM COL 1 2 3 4 5 6 7 8 9 10 11



alloro 4B25SL

Two-seat Connector.

Left Arm Facing Module.

Straight Front.

Fully Upholstered.

Two Back Cushions.

Ganging Brackets Included.

Inside Seat Width: 521/2". Inside Seat Depth: 211/2".

When using a combination of fabrics or leathers, the following yardage must be used and upcharges apply. Specify the fabric or leather application by designating the appropriate letter on the purchase order.

See terms and conditions for contrasting fabric upcharges.

A) One fabric or leather for seat.

yardage: 4.5 yds. leather: 73.0 sq. ft.

B) One fabric or leather for back.

yardage: 5.0 yds. leather: 81.0 sq. ft.
C) One fabric or leather for back cushion.
yardage: 5.0 yds. leather: 81.0 sq. ft.

When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s).
*All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. SCS Indoor Advantage™ Gold certified.
See terms and conditions for instructions for tagging COM and additional environmental information. Freestanding option not available.

alloro 4B25SR



17½"	7½" 11'			61¼"	34"	27¼"		14.5 yo	ds. 23	35.0'	208 lbs.	56.06'/1
445 mm	28	80 mm		1556 mm	864 mm	m 690 mm		13.3 m	22	2.0 sqm	94.4 kg	1.6 cu
СОМ	COL	1	2	3	4	5	6	7	8	9	10	11

Two-seat Connector.
Right Arm Facing Module.
Straight Front.
Fully Upholstered.
Two Back Cushions.
Ganging Brackets Included.

Inside Seat Width: 521/2". Inside Seat Depth: 211/2".

When using a combination of fabrics or leathers, the following yardage must be used and upcharges apply. Specify the fabric or leather application by designating the appropriate letter on the purchase order.

See terms and conditions for contrasting fabric upcharges.

A) One fabric or leather for seat.

yardage: 4.5 yds. leather: 73.0 sq. ft.

B) One fabric or leather for back.

yardage: 5.0 yds. leather: 81.0 sq. ft.

C) One fabric or leather for back cushion.

yardage: 5.0 yds. leather: 81.0 sq. ft.

alloro 4B37SL



Seat Height	Arm Height	W	D H		Fabric	Leather	Weight	
17½"	11"	865/8"	34"	271/4"	20.0 yds.	334.0'	290 lbs.	77.86'/1
445 mm	280 mm	2001 mm	864 mm	690 mm	18.3 m	31.1 sqm	132 kg	2.2 cu
сом со	L 1 2	3	4 5	6	7 8	9	10	11

Three-seat Connector.
Left Arm Facing Module.
Straight Front.
Fully Upholstered.
Three Back Cushions.
Ganging Brackets Included.

Inside Seat Width: 783/4". Inside Seat Depth: 211/2".

When using a combination of fabrics or leathers, the following yardage must be used and upcharges apply. Specify the fabric or leather application by designating the appropriate letter on the purchase order.

See terms and conditions for contrasting fabric upcharges.

A) One fabric or leather for seat.


yardage: 6.5 yds. leather: 110.0 sq. ft.

B) One fabric or leather for back.

yardage: 7.0 yds. leather: 114.0 sq. ft.
C) One fabric or leather for back cushion.
yardage: 6.5 yds. leather: 110.0 sq. ft.

When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s).
*All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. SCS Indoor Advantage™ Gold certified.
See terms and conditions for instructions for tagging COM and additional environmental information. Freestanding option not available

alloro 4B37SR



17½"	1	11"		86%"	34"		271/4"	20.0 y	yds.	334.0'	290 lbs.	77.86'/1
445 mm	2	280 mm		2001 mm	864 mr	n	690 mm	18.3 r	m	31.1 sqm	132 kg	2.2 cu
СОМ	COL	1	2	3	4	5	6	7	8	9	10	11

Three-seat Connector.
Right Arm Facing Module.
Straight Front.
Fully Upholstered.
Three Back Cushions.
Ganging Brackets Included.

Inside Seat Width: 783/4". Inside Seat Depth: 211/2".

When using a combination of fabrics or leathers, the following yardage must be used and upcharges apply. Specify the fabric or leather application by designating the appropriate letter on the purchase order.

See terms and conditions for contrasting fabric upcharges.

A) One fabric or leather for seat.

yardage: 6.5 yds. leather: 110.0 sq. ft.

B) One fabric or leather for back.

yardage: 7.0 yds. leather: 114.0 sq. ft.

C) One fabric or leather for back cushion.

yardage: 6.5 yds. leather: 110.0 sq. ft.

alloro 4B11SX

Seat Hei	ght A	rm Height		W	D	Н		Fabric	Leath	er	Weight	Cubes/Qty
17½"	1	11"		261/4"	34"	27¼"		6.5 yds.	103.0'		78 lbs.	24.92'/1
445 mm	2	280 mm		667 mm	864 mm	690 mn	n	6.0 m	10.0 s	qm	35.4 kg	.71 cu
СОМ	COL	1	2	3	4	5	6	7	8	9	10	11

Single Seat Connector. Straight Front Module. Fully Upholstered. One Back Cushion. Ganging Brackets Included.

Inside Seat Width: 261/4". Inside Seat Depth: 211/2".

When using a combination of fabrics or leathers, the following yardage must be used and upcharges apply. Specify the fabric or leather application by designating the appropriate letter on the purchase order.

See terms and conditions for contrasting fabric upcharges.

A) One fabric or leather for seat.

leather: 41.0 sq. ft. vardage: 2.5 yds.

B) One fabric or leather for back.

yardage: 2.0 yds. leather: 31.0 sq. ft. C) One fabric or leather for back cushion. yardage: 2.0 yds. leather: 31.0 sq. ft.

When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). *All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. SCS Indoor Advantage™ Gold certified. See terms and conditions for instructions for tagging COM and additional environmental information. Freestanding option not available.

alloro 4B25SX



17½"	11	"		525/8"	34"	271/4"		11.5 yds.	187	0'	149 lbs.	46.72'/1
445 mm	28	0 mm		1337 mm	864 mm	690 m	m	11.0 m	17.4	sqm	67.6 kg	1.3 cu
СОМ	COL	1	2	3	4	5	6	7	8	9	10	11

Two-seat Connector. Straight Front Module. Fully Upholstered. Two Back Cushions. Ganging Brackets Included.

Inside Seat Width: 521/2". Inside Seat Depth: 211/2".

When using a combination of fabrics or leathers, the following yardage must be used and upcharges apply. Specify the fabric or leather application by designating the appropriate letter on the purchase order.

See terms and conditions for contrasting fabric upcharges.


A) One fabric or leather for seat.

yardage: 4.5 yds. leather: 73.0 sq. ft.

B) One fabric or leather for back.

yardage: 3.5 yds. leather: 57.0 sq. ft. C) One fabric or leather for back cushion. yardage: 3.5 yds. leather: 57.0 sq. ft.

alloro 4B37SX



Seat Hei	ght	Arm Heigh	t	W	D	Н		Fabrio	0	Leather	Weight	Cubes/Qty
17½"		11"		78%"	34"	271⁄4"		17.0 y	/ds.	281.0'	217 lbs.	66.18
445 mm		280 mm		2004 mm	864 mm	690 m	m	16.0 r	m	26.2 sqm	98.5 kg	1.9 cu
СОМ	COL	. 1	2	3	4	5	6	7	8	9	10	11

Three-seat Connector. Straight Front Module. Fully Upholstered. Three Back Cushions. Ganging Brackets Included.

Inside Seat Width: 783/4". Inside Seat Depth: 211/2".

When using a combination of fabrics or leathers, the following yardage must be used and upcharges apply. Specify the fabric or leather application by designating the appropriate letter on the purchase order.

See terms and conditions for contrasting fabric upcharges.

A) One fabric or leather for seat.

yardage: 6.5 yds. leather: 110.0 sq. ft.

B) One fabric or leather for back.

yardage: 5.5 yds. leather: 90.0 sq. ft.
C) One fabric or leather for back cushion.
yardage: 5.0 yds. leather: 81.0s sq. ft.

	Seat He	ight Arr	n Height		W	D	Н		Fabric	Leath	er	Weight	Cubes/Qty
4PD decorative pillow	-	-			16½"	4"	16½"		1 yd.	18.0'		8 lbs.	.89'/1
	-	-			419 mm	102 mm	419 m	m	.91 m	1.7 sc	qm	3.6 kg	.03 cu.
	COM	COL	1	2	3	4	5	6	7	8	9	10	11

^{1/2&}quot; Panel Border Pillow.

All COM/COL fabrics must be preapproved by Bernhardt Design prior to application.