1

_	-	4
•	n	



COM FELT/AI	LTERNATIVES		COL LEATH	ER/SUEDE		BERNHARD	T TEXTLES	FELT
416 mm	-	686 mm	845 mm	724 mm	3.4 m	4.6 sqm	20.4 kg	.62 cu.
163/8"	-	27"	331/4"	28½"	3.7 yds.	50.0'	45 lbs.	21.82'/1
Seat Height	Arm Height	W	D	Н	Fabric	Leather	Weight	Cubes/Qty

6501 Polished Stainless Steel Base 6501B Brushed Stainless Steel Base

COM FELT/ALTERNATIVES COL LEATHER/SUEDE BERNHARD
--

#### 6501K Black Powdercoat Base

A loop stitch cording traces the perimeter of the chair. Contrasting thread options are available. For thread color options reference CP.1/ Stitching on Bernhardtdesign.com. All Bernhardt Textiles leathers are suitable for application on this product. Firm, non-flexible leathers not recommended. \*All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. Approved for GSA. Contract GS-27F-010GA. Level 2 and GREENGUARD Certified. Available in leather, leather alternatives, suede or felt only.

cp.1



15 7/8"	-	26 3/4"	22"	15 7/8"	2.2 yds	27.0'	31 lbs	11.46'/1
403 mm	-	680 mm	559 mm	403 mm	2.0 m	2.5 sqm	14.1 kg	.32 cu
COM FELT/AI	LTERNATIVES		COL LEATHE	R/SUEDE		BERNHARD	T TEXTLES F	ELT

6503 Polished Stainless Steel Base6503B Brushed Stainless Steel Base

COM FELT/ALTERNATIVES	COL LEATHER/SUEDE	BERNHARDT TEXTLES FELT

## 6503K Black Powdercoat Base

Ottoman. Quilted seat. Base dimensions: w23 1/8" d18 3/4" h13S". A loop stitch cording traces the perimeter of the ottoman. Contrasting thread options are available. For thread color options reference CP.1/Stitching on Bernhardtdesign.com. All Bernhardt Textiles leathers are suitable for application on this product. Firm, non-flexible leathers not recommended. \*All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. Approved for GSA. Contract GS-27F-010GA. Level 2 and GREENGUARD Certified. Available in leather, leather alternatives, suede or felt only.

	Seat Height	Arm Height	W	D	Н	Fabric	Leather	Weight	Cubes/Qty
ср.1	16 3/8"	-	56 1/2"	26 1/2"	16 3/8"	3.6 yds	49.0'	60 lbs	17.11'/1
	416 mm	-	1435 mm	673 mm	416 mm	3.3 m	4.6 sqm	27.3 kg	.48 cu
	COM FELT/A	LTERNATIVES		COL LEATH	ER/SUEDE		BERNHARD	T TEXTLES	FELT
1 1 1									

6505 **Polished Stainless Steel Base** 6505B **Brushed Stainless Steel Base** 

COM FELT/ALTERNATIVES COL LEATHER/SUEDE BERNHARDT TEXTLES FELT

#### 6505K **Black Powdercoat Base**

Two-seat Bench. Quilted seat. Base dimensions: w50 1/4" d18S" h13?". A loop stitch cording traces the perimeter of the bench. Contrasting thread options are available. For thread color options reference CP.1/Stitching on Bernhardtdesign.com. All Bernhardt Textiles leathers are suitable for application on this product. Firm, non-flexible leathers not recommended. \*All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. Approved for GSA. Contract GS-27F-010GA. Level 2 and GREENGUARD Certified. Available in leather, leather alternatives, suede or felt only.

1

# ср.2



Seat He	ight Ar	m Height		W	D	Н		Fabric	Leather	Weig	ht	Cubes/Qty	_
16"	-			26½"	331/8"	28	3¾"	3.75 yds.	50.0'	45 lb	S.	21.82'/1	
6 mm	-			673 mm	841 mm	73	30 mm	3.4 m	4.6 sqm	20.4	kg	.62 cu.	
СОМ	COL	1	2	3	4	5	6	7	8	9	10	11	_

6502 6502B			ess Steel l										
СОМ	COL	1	2	3	4	5	6	7	8	9	10	11	_

#### 6502K Black Powdercoat Base

Upholstered seat and back. Small horizontal or two-way patterns are not recommended. \*All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. Approved for GSA. Contract GS-27F-010GA. Level 2 and GREENGUARD Certified.

# cp.2



15 7/8"	-			26 3/4"	26 1/2"	15 7	/8"	2.2 yds	27.0'	31 lb	os	11.46'/1	
403 mm	-			680 mm	559 mm	403 ו	mm	2.0 m	2.5 sqm	14.1	kg	.32 cu	
COM	COL	1	2	3	4	5	6	7	8	9	10	11	

6504 6504B			ess Steel I ess Steel E									
СОМ	COL	1	2	3	4	5	6	7	8	9	10	11

# 6504K Black Powdercoat Base

Ottoman. Upholstered seat. Base dimensions: w23 1/8" d18 3/4" h13S". \*All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. Approved for GSA. Contract GS-27F-010GA. Level 2 and GREENGUARD Certified.

# cp.2



16 3/8"	-			56 1/2"	26 1/2"	16 3	3/8"	3.6 yds	49.0'	60 II	bs	17.11'/1	
416 mm	-			1435 mm	673 mm	416	mm	3.3 m	4.6 sqm	27.3	3 kg	.48 cu	
СОМ	COL	1	2	3	4	5	6	7	8	9	10	11	

6506	Polished Stainless Steel Base												
6506B	Brushed Stainless Steel Base												
СОМ	COL	1	2	3	4	5	6	7	8	9	10	11	_

### 6506K Black Powdercoat Base

Two-seat Bench. Upholstered seat. Base dimensions: w50 1/4" d18S" h13?". \*All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. Approved for GSA. Contract GS-27F-010GA. Level 2 and GREENGUARD Certified.