

Neighborhood Seating System Specification Guide

Neighborhood is a modular seating and table system consisting of thirty-nine unique modules for use in creating an unlimited number of configurations. Options include single sided, double sided and privacy modules as well as freestanding modules for use with any configuration. To select modules appropriate for your application use the following guide.

The Neighborhood seating and table modules are fully upholstered with a saddle stitch or a jump master stitch. Thread color must be specified for the jump master stitch. Reference Neighborhood/Stitching on Bernhardtdesign.com for thread color options. When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). When specifying stripes or fabrics with linear grain, the curvature of certain frames may affect the pattern alignment. These frames require .5 yard COM to be submitted for preapproval.


Neighborhood tables are available with oak veneer, laminate or corian® worksurfaces as connecting modules and freestanding units. Power + USB options are available.

Pivoting connectors join units in a configuration. When rotated inward, connectors are concealed allowing the modules to be used independently.

When specifying the privacy modules, please verify that the specified sku is within size requirements for delivery (elevators, hall intersections, doorways, stairwells).

Visit Bernhardtdesign.com for a complete drawing library of 2D, 3D and Revit models. You may also contact your local sales representative or the Bernhardt Design corporate office for specification assistance.

GREENGUARD Certified.



A. Mobile Seating

Mobile modules have non-locking casters and are used as freestanding units. The mobile lounge 6030M has a brushed aluminum handle located mid-back.

6021M



6024M



6030M



B. Freestanding Ottomans and Benches

Eight non-connecting ottomans and benches are available for use as freestanding units.


6021




6024




6025




6027



6020




6022



6044




6019




C. Freestanding Work Tables

Freestanding mid height work tables may be used with any configuration or to create a banquet configuration for dining or work applications. Power + USB options are available on 42" and 48" tables.

JR1X - 22" Round




JR2X - 42" Round




Power + USB (1)

JS2X - 42" Square



Power + USB (2)

JS8X - 48" Square




Power + USB (2)

Neighborhood Seating System Specification Guide


D. Single Sided Modules

Single sided connecting modules are used in conjunction with other single sided modules to create seating configurations. Single sided units may not be used with double sided units or privacy units.



E. Tables for Single Sided Modules


Single sided connecting module tables are used in conjunction with single sided seating modules. A power + USB option is available on single sided connecting tables.



Neighborhood Seating System Specification Guide


F. Double Sided Modules

Double sided connecting modules are used in conjunction with other double sided modules to create seating configurations. Double sided units may not be used with single sided units or privacy units.



G. Tables for Double Sided Connecting Modules















Double sided connecting module tables are used in conjunction with double sided seating modules. A power/USB option is available on double sided connecting tables.



Neighborhood Seating System Specification Guide

H. Privacy Modules

Privacy connecting modules are used in conjunction with other privacy modules to create seating configurations. Privacy units may not be used with single or double sided units.

6031T**6035T****6038T****6039T****6040T****6041T****6048T****6049T**

Neighborhood Seating System Specification Guide

Tables for Freestanding and Connecting Modules

Neighborhood tables were designed for use as freestanding units or with single or double sided connecting modules to create continuous configurations. Connecting tables are not available for use with privacy modules.

The Neighborhood table worksurface is available in oak veneer, laminate or corian. Connecting tables have a flat edge profile; freestanding table edges are beveled.

The base is fully upholstered with saddle stitching or a jump master stitch. Thread color must be specified for the jump master stitch. Reference Neighborhood/Stitching on Bernhardttdesign.com for thread color options. When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s).

Power + USB modules are optional and upcharges apply. Reference information on page 184 for specifics on the power options.

Surface Selection

Oak Veneer

Order Code - C
Rift Cut

Standard Finish

805	840	865
836	860	866
837	861	870
839		

Laminate

Order Code - F
Brite White


Formica® 459-58

Corian®

Order Code - 8
Glacier White

Edge Profiles


Freestanding Tables



Oak Veneer



Laminate



Corian

Connecting Tables



Oak Veneer



Laminate



Corian


Connecting Modules

Neighborhood modules connect by inserting the ganging fork into the bracket plate located on the underside of the furniture. To connect modules, rotate the connecting forks perpendicular to the module and slide the modules together. The forks fit around the bracket plates when the modules are connected. Use the leveling glides as needed to align the overall height of the modules on uneven flooring surfaces.


To disconnect modules, lift the side of the module where the bracket plates are located, generally the left hand facing side. Pull to disconnect the brackets from the connecting forks and slide apart.

Modules used in configurations may also be used as freestanding units. The connector fork can be concealed by rotating the connecting fork underneath the furniture module.


Hardware is provided with the 180° curved module for left or right hand orientation.




JR1X - 22" Round




JR2X - 42" Round
Power + USB (1)




JS2X - 42" Square
Power + USB (2)





JS8X - 48" Square
Power + USB (2)



J56X - Double Sided
Connecting Table
Front View
Power + USB (2)



J33X - Single Sided
90° Curved Connecting Table
Side View
Power + USB (1)




Neighborhood Seating System Specification Guide

Power Module

An optional power + USB module is available for all Neighborhood tables except the 22" round table. Single sided connecting tables and the 42" round freestanding tables are available with a single power module; double sided connecting tables and the 42" and 48" square freestanding tables are available with two modules. Upcharges apply as indicated on the price list for each table.


The power module has one grounded outlet and a USB duplex for charging tablets or other USB friendly devices. The power module is UL approved and includes a 10', 14/3 SJT black power cord with right angle plug. The power module has a brushed aluminum finish and installs in the side of the base. A underside zipper allows access to power.



Connecting Module Tables Power Management



180° Curved End Module Table




Underside View of Connecting Module Tables

Freestanding Tables Power Management



Mid Height Round Work Table




Underside View of Freestanding Tables

Neighborhood Seating System Sample Configurations**Single Sided Connecting Modules**

1



2



3



4



5




6




7



8




9



10



11



12



13




14




15

Neighborhood Seating System Sample Configurations**Double Sided Connecting Modules**


16




17




18



19



20



21

Privacy Connecting Modules

22



23



24



25



26




27



28



29



30



31

















32








33











Neighborhood Seating System Sample Configurations

			Description
1			6033 Single Seat, Left End Facing 6039 90° Curved Corner Connector 6034 Single Seat, Right End Facing
2			6033 Single Seat, Left End Facing 6031 Single Seat Straight Connector (3) 6034 Single Seat, Right End Facing
3			6033 Single Seat, Left End Facing 6035 Two-seat Straight Connector 6048 45° Curved Connector 6035 Two-seat Straight Connector 6034 Single Seat, Right End Facing
4			6039 90° Curved Corner Connector 6031 Single Seat Straight Connector 6039 90° Curved Corner Connector
5			6039 90° Curved Corner Connector 6035 Two-seat Straight Connector 6039 90° Curved Corner Connector
6			6038 90° Corner Connector 6035 Two-seat Straight Connector 6038 90° Corner Connector
7			6039 90° Curved Corner Connector 6031 Single Seat Straight Connector (3) 6038 90° Corner Connector 6031 Single Seat Straight Connector (2) 6039 90° Curved Corner Connector




Neighborhood Seating System Sample Configurations

	Description
<p>8</p> 	<p>6039 90° Curved Corner Connector 6031 Single Seat Straight Connector (3) 6039 90° Curved Corner Connector 6031 Single Seat Straight Connector (3) 6034 Single Seat, Right End Facing</p>
<p>9</p> 	<p>6039 90° Curved Corner Connector 6048 45° Curved Connector 6035 Two-seat Straight Connector 6049 90° Curved Connector 6035 Two-seat Straight Connector 6048 45° Curved Connector 6039 90° Curved Corner Connector</p>
<p>10</p> 	<p>6039 90° Curved Corner Connector 6040 45° Inverted Curved Connector 6035 Two-seat Straight Connector 6049 90° Curved Connector 6035 Two-seat Straight Connector 6048 45° Curved Connector 6039 90° Curved Corner Connector</p>
<p>11</p> 	<p>6039 90° Curved Corner Connector 6031 Single Seat Straight Connector (3) 6040 45° Inverted Curved Connector 6031 Single Seat Straight Connector (2) 6039 90° Curved Corner Connector</p>
<p>12</p> 	<p>J32X 90° Curved End Module Table 6035 Two-seat Straight Connector (2) J31X Single Connecting Table 6035 Two-seat Straight Connector (2) J33X 90° Curved End Module Table</p>






Neighborhood Seating System Sample Configurations

13			Description
			6039 90° Curved Corner Connector 6031 Single Seat Straight Connector (3) 6041 90° Inverted Curved Connector 6031 Single Seat Straight Connector (2) 6039 90° Curved Corner Connector JR1X 22" Round Table (2)
14			6039 90° Curved Corner Connector 6035 Two-seat Straight Connector 6039 90° Curved Corner Connector 6035 Two-seat Straight Connector (2) 6039 90° Curved Corner Connector 6035 Two-seat Straight Connector 6039 90° Curved Corner Connector 6021 Round Ottoman (2) JR1X 22" Round Table (2)
15			6039 90° Curved Corner Connector 6031 Single Seat Straight Connector (3) 6039 90° Curved Corner Connector 6031 Single Seat Straight Connector (3) 6039 90° Curved Corner Connector 6030M Mobile Single Seat Module (2) JR2X 42" Square Table
16			6044 180° Curved Half Oval End Module 6043 Double Sided Two-seat Straight Connector (2) 6044 180° Curved Half Oval End Module
17			6044 180° Curved Half Oval End Module 6043 Double Sided Two-seat Straight Connector (2) 6046 Double Sided 90° Curved Connector 6043 Double Sided Two-seat Straight Connector (2) 6044 180° Curved Half Oval End Module









Neighborhood Seating System Sample Configurations

		Description
18		<div>6044 180° Curved Half Oval End Module</div> <div>6043 Double Sided Two-seat Straight Connector (2)</div> <div>6046 Double Sided 90° Curved Connector</div> <div>6043 Double Sided Two-seat Straight Connector</div> <div>6046 Double Sided 90° Curved Connector</div> <div>6044 180° Curved Half Oval End Module</div>
19		<div>6046 Double Sided 90° Curved Connector</div> <div>6043 Double Sided Two-seat Straight Connector</div> <div>6046 Double Sided 90° Curved Connector (2)</div> <div>6043 Double Sided Two-seat Straight Connector</div> <div>6046 Double Sided 90° Curved Connector</div>
20		<div>J57X 180° Curved End Module Table</div> <div>6043 Double Sided Two-seat Straight Connector (2)</div> <div>J56X Double Sided Connector Table</div> <div>6043 Double Sided Two-seat Straight Connector (2)</div> <div>6044 180° Curved Half Oval End Module</div>









Neighborhood Seating System Sample Configurations

		Description
21		6044 180° Curved Half Oval End Module 6043 Double Sided Two-seat Straight Connector (2) J56X Double Sided Connecting Table 6043 Double Sided Two-seat Straight Connector (2) 6044 180° Curved Half Oval End Module 6021 Round Ottoman (6) JR2X 42" Round Table (2)
22		6039T 90° Curved Corner Privacy Connector 6035T Two-seat Straight Privacy Connector 6039T 90° Curved Corner Privacy Connector
23		6039T 90° Curved Corner Privacy Connector 6031T Single Seat Straight Privacy Connector (3) 6039T 90° Curved Corner Privacy Connector
24		6038T 90° Corner Privacy Connector 6035T Two-seat Straight Privacy Connector 6038T 90° Corner Privacy Connector
25		6039T 90° Curved Corner Privacy Connector 6035T Two-seat Straight Privacy Connector 6039T 90° Curved Corner Privacy Connector 6035T Two-seat Straight Privacy Connector 6039T 90° Curved Corner Privacy Connector

Neighborhood Seating System Sample Configurations


		Description
26		6038T 90° Corner Privacy Connector 6031T Single Seat Straight Privacy Connector (2) 6038T 90° Corner Privacy Connector 6031T Single Seat Straight Privacy Connector (3) 6038T 90° Corner Privacy Connector
		
27		6039T 90° Curved Corner Privacy Connector 6048T 45° Curved Privacy Connector 6035T Two-seat Straight Privacy Connector 6049T 90° Curved Privacy Connector 6035T Two-seat Straight Privacy Connector 6048T 45° Curved Privacy Connector 6039T 90° Curved Corner Privacy Connector
		
28		6039T 90° Curved Corner Privacy Connector 6035T Two-seat Straight Privacy Connector 6041T 90° Inverted Curved Privacy Connector 6035T Two-seat Straight Privacy Connector 6039T 90° Curved Corner Privacy Connector
		
29		6035T Two-seat Straight Privacy Connector 6039T 90° Curved Corner Privacy Connector 6041T 90° Inverted Curved Privacy Connector 6039T 90° Curved Corner Privacy Connector 6035T Two-seat Straight Privacy Connector
		

Neighborhood Seating System Sample Configurations

		Description
30	 	6039T 90° Curved Corner Privacy Connector 6040T 45° Inverted Curved Privacy Connector 6035T Two-seat Straight Privacy Connector 6049T 90° Curved Privacy Connector 6035T Two-seat Straight Privacy Connector 6048T 45° Curved Privacy Connector 6039T 90° Curved Corner Privacy Connector
31	 	6035T Two-seat Straight Privacy Connector 6039T 90° Curved Corner Privacy Connector 6041T 90° Inverted Curved Privacy Connector 6039T 90° Curved Corner Privacy Connector 6035T Two-seat Straight Privacy Connector 6021 Round Ottomans (3) JR2X 42" Round Table JR1X 22" Round Table
32	 	6039T 90° Curved Corner Privacy Connector 6035T Two-seat Straight Privacy Connector 6039T 90° Curved Corner Privacy Connector 6035T Two-seat Straight Privacy Connector (2) 6039T 90° Curved Corner Privacy Connector 6035T Two-seat Straight Privacy Connector 6039T 90° Curved Corner Privacy Connector 6021 Round Ottoman (2) JR1X 22" Round Table (2)
33	 	6039T 90° Curved Corner Privacy Connector 6035T Two-seat Straight Privacy Connector 6039T 90° Curved Corner Privacy Connector 6031T Single Seat Straight Privacy Connector (3) 6039T 90° Curved Corner Privacy Connector 6035T Two-seat Straight Privacy Connector 6039T 90° Curved Corner Privacy Connector JS8X 48" Square Table

Mobile Seating

	Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
neighborhood	16½"	-	21"	21"	16½"	1.75 yds.	24.0'	31 lbs.	10.0' / 1
	419 mm	-	533 mm	533 mm	419 mm	1.6 m	2.2 sqm	14.0 kg	.28 cu.

**6021M Saddle Stitch****6021MJ Jump Master Stitch**

Mobile round ottoman. Twelve casters. Fully upholstered. When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). *All **COM/COL** fabrics must be preapproved by Bernhardt Design prior to application. GREENGUARD Certified.

Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on Bernhardtdesign.com for thread color options.




neighborhood	16½"	-	21½"	21½"	16½"	2.25 yds.	30.0'	32 lbs.	10.0' / 1
	419 mm	-	537 mm	537 mm	419 mm	2.1 m	2.8 sqm	14.5 kg	.28 cu.

**6024M Saddle Stitch****6024MJ Jump Master Stitch**

Mobile square ottoman. Four casters. Fully upholstered. When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). *All **COM/COL** fabrics must be preapproved by Bernhardt Design prior to application. GREENGUARD Certified.

Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on Bernhardtdesign.com for thread color options.

neighborhood	16½"	-	21"	31¾"	28¾"	3.25 yds.	48.0'	66 lbs.	20.0' / 1
	419 mm	-	533 mm	797 mm	733 mm	3.0 m	4.5 sqm	29.9 kg	.57 cu.


**6030M Saddle Stitch****6030MJ Jump Master Stitch**

Mobile single seat module with brushed aluminum handle. Four casters. Fully upholstered. When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). *All **COM/COL** fabrics must be preapproved by Bernhardt Design prior to application. GREENGUARD Certified.

Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on Bernhardtdesign.com for thread color options.

Freestanding Ottoman and Benches

	Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
neighborhood	16½"	-	21⅞"	21⅞"	16½"	2.25 yds.	30.0'	37 lbs.	10.0' / 1
	419 mm	-	537 mm	537 mm	419 mm	2.1 m	2.8 sqm	16.8 kg	.28 cu.




6024 Saddle Stitch

6024J Jump Master Stitch

Single seat ottoman. Non marring glides. Fully upholstered. When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). *All **COM/COL** fabrics must be preapproved by Bernhardt Design prior to application. GREENGUARD Certified.

Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on Bernhardtdesign.com for thread color options.

neighborhood	16½"	-	41¼"	21⅞"	16½"	5.0 yds.	81.0'	51 lbs.	20.0' / 1
	419 mm	-	1048 mm	537 mm	419 mm	4.6 m	7.5 sqm	23.1 kg	.57 cu.





6025 Saddle Stitch

6025J Jump Master Stitch

Two-seat bench. Non marring glides. Fully upholstered. When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). *All **COM/COL** fabrics must be preapproved by Bernhardt Design prior to application. GREENGUARD Certified.

Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on Bernhardtdesign.com for thread color options.

neighborhood	16½"	-	62"	21⅞"	16½"	6.0 yds.	100.0'	66 lbs.	25.0' / 1
	419 mm	-	1575 mm	537 mm	419 mm	5.5 m	9.3 sqm	29.9 kg	.71 cu.



6027 Saddle Stitch


6027J Jump Master Stitch

Three-seat bench. Non marring glides. Fully upholstered. When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). *All **COM/COL** fabrics must be preapproved by Bernhardt Design prior to application. GREENGUARD Certified.

Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on Bernhardtdesign.com for thread color options.

Freestanding Ottoman and Benches

	Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
neighborhood	16½"	-	21"	21"	16½"	1.75 yds.	24.0'	30 lbs.	10.0' / 1
	419 mm	-	533 mm	533 mm	419 mm	1.6 m	2.2 sqm	13.6 kg	.28 cu.




6021 Saddle Stitch

6021J Jump Master Stitch

Round ottoman. Non marring glides. Fully upholstered. When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). *All **COM/COL** fabrics must be preapproved by Bernhardt Design prior to application. GREENGUARD Certified.

Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on Bernhardtdesign.com for thread color options.

neighborhood	16½"	-	41"	41"	16½"	4.0 yds.	70.0'	79 lbs.	40.0' / 1
	419 mm	-	1041 mm	1041 mm	419 mm	3.7 m	6.5 sqm	35.9 kg	1.13 cu.




6022 Saddle Stitch

6022J Jump Master Stitch

Large round ottoman. Non marring glides. Fully upholstered. When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). *All **COM/COL** fabrics must be preapproved by Bernhardt Design prior to application. GREENGUARD Certified.

Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on Bernhardtdesign.com for thread color options.

neighborhood	16½"	-	41"	20½"	16½"	2.6 yds.	45.0'	41 lbs.	25.0' / 1
	419 mm	-	1041 mm	521 mm	419 mm	2.4 m	4.2 sqm	18.6 kg	.71 cu.



6020 Saddle Stitch



6020J Jump Master Stitch

Half round ottoman. Non marring glides. Fully upholstered. When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). *All **COM/COL** fabrics must be preapproved by Bernhardt Design prior to application. GREENGUARD Certified.

Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on Bernhardtdesign.com for thread color options.

Freestanding Ottoman and Benches

	Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
neighborhood	16½"	-	55½"	42"	16½"	3.5 yds.	60.0'	95 lbs.	45.0' / 1
	419 mm	-	1410 mm	1067 mm	419 mm	3.2 m	5.6 sqm	43.1 kg	1.27 cu.




6019 Saddle Stitch

6019J Jump Master Stitch

Oval ottoman. Non marring glides. Fully upholstered. When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). All **COM/COL** fabrics must be preapproved by Bernhardt Design prior to application. GREENGUARD Certified.

Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on Bernhardtdesign.com for thread color options.

neighborhood	16½"	-	56"	21½"	16½"	3.5 yds.	60.0'	61 lbs.	20.0' / 1
	419 mm	-	1422 mm	546 mm	419 mm	3.2 m	5.6 sqm	27.7 kg	.57 cu.



6044 Saddle Stitch

6044J Jump Master Stitch

Half oval ottoman. Non marring adjustable glides. Pivoting connectors. Fully upholstered. When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). *All **COM/COL** fabrics must be preapproved by Bernhardt Design prior to application. GREENGUARD Certified.

Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on Bernhardtdesign.com for thread color options.

*All **COM/COL** fabrics must be preapproved by Bernhardt Design prior to application. See terms and conditions for approval procedure.

Worksurface Height	L	D	H	Fabric	Leather	Weight	Cubes/Qty
23¾"	22"	22"	23¾"	1.25 yds.	25.0'	95 lbs.	94.5'/1
603 mm	559 mm	559 mm	603 mm	1.1 m	2.3 sqm	43.1 kg	2.7 cu.

R1X Corian Worksurface. Saddle Stitch Upholstered Base

Specify veneer code 8 for corian glacier white worksurface.

R1J Corian Worksurface. Jump Master Stitch Upholstered Base

Specify veneer code 8 for corian glacier white worksurface.

specification codes	series	sku	vener	power finish	power	finish
			<div><div>C</div>oak</div> <div><div>F</div>laminare - brite white</div> <div><div>8</div>corian - glacier white</div>	<div><div>X</div>none</div>	<div><div>X</div>none</div>	
	J			X	X	


Freestanding Mid Height Work Tables



42" round worksurface with 19 3/8" round upholstered base.
Worksurface available in oak veneer, laminate and corian.
When specifying light finishes 836, 837, 840 or 870 for oak worksurface, the natural characteristics of the wood will be visible.
Upholstered base with saddle stitch or jump master stitch.
Jump master stitch specification: Thread color must be specified. Reference Neighborhood/Stitching on BernhardtDesign.com for color options.
Contact sales representative for approved Bernhardt Textiles for Neighborhood tables.
*All **COM/COL** fabrics must be preapproved by Bernhardt Design prior to application. See terms and conditions for approval procedure.
When power is specified, one Power + USB module is provided and an upcharge of \$300 applies.

Worksurface Height	L	D	H	Fabric	Leather	Weight	Cubes/Qty
23 3/4"	42"	42"	23 3/4"	2.0 yds.	35.0'	235 lbs.	50.0' / 1
603 mm	1067 mm	1067 mm	603 mm	1.8 m	3.3sqm	106.8 kg	1.4 cu.

neighborhood



R2X Oak Worksurface. Saddle Stitch Upholstered Base

Specify veneer code C for oak worksurface. Specify finish code. Add \$300 when specifying power.


R2X Laminate Worksurface. Saddle Stitch Upholstered Base

Specify veneer code F for laminate brite white worksurface. Add \$300 when specifying power.

R2X Corian Worksurface. Saddle Stitch Upholstered Base

Specify veneer code 8 for corian glacier white worksurface. Add \$300 when specifying power.

neighborhood



R2J Oak Worksurface. Jump Master Stitch Upholstered Base

Specify veneer code C for oak worksurface. Specify finish code. Add \$300 when specifying power.

R2J Laminate Worksurface. Jump Master Stitch Upholstered Base

Specify veneer code F for laminate brite white worksurface. Add \$300 when specifying power.

R2J Corian Worksurface. Jump Master Stitch Upholstered Base

Specify veneer code 8 for corian glacier white worksurface. Add \$300 when specifying power.

specification codes	series	sku	veneer	power finish	power	finish
	J		<div>C oak</div> <div>F laminate - brite white</div> <div>8 corian - glacier white</div>	<div>4 brushed aluminum</div> <div>X none</div>	<div>Q power + USB (1)</div> <div>X none</div> <div>power module upcharge \$300</div>	


Freestanding Mid Height Work Tables



42" square worksurface with 19½" square upholstered base.
Worksurface available in oak veneer, laminate and corian.
When specifying light finishes 836, 837, 840 or 870 for oak worksurface, the natural characteristics of the wood will be visible.
Upholstered base with saddle stitch or jump master stitch.
Jump master stitch specification: Thread color must be specified. Reference Neighborhood/Stitching on Bernhardtdesign.com for color options.
Contact sales representative for approved Bernhardt Textiles for Neighborhood tables.
*All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. See terms and conditions for approval procedure.
When power is specified, two Power + USB modules are provided and an upcharge of \$600 applies.


Worksurface Height	L	D	H	Fabric	Leather	Weight	Cubes/Qty
23¾"	42"	42"	23¾"	2.0 yds.	35.0'	266 lbs.	50.0' / 1
603 mm	1067 mm	1067 mm	603 mm	1.8 m	3.3 sqm	120.9 kg	1.4 cu.

neighborhood



S2X	Oak Worksurface. Saddle Stitch Upholstered Base
Specify veneer code C for oak worksurface. Specify finish code. Add \$600 when specifying power.	
S2X	Laminate Worksurface. Saddle Stitch Upholstered Base
Specify veneer code F for laminate brite white worksurface. Add \$600 when specifying power.	
S2X	Corian Worksurface. Saddle Stitch Upholstered Base
Specify veneer code 8 for corian glacier white worksurface. Add \$600 when specifying power.	

neighborhood



S2J	Oak Worksurface. Jump Master Stitch Upholstered Base
Specify veneer code C for oak worksurface. Specify finish code. Add \$600 when specifying power.	
S2J	Laminate Worksurface. Jump Master Stitch Upholstered Base
Specify veneer code F for laminate brite white worksurface. Add \$600 when specifying power.	
S2J	Corian Worksurface. Jump Master Stitch Upholstered Base
Specify veneer code 8 for corian glacier white worksurface. Add \$600 when specifying power.	

specification codes	series	sku	veneer	power finish	power	finish
	J		<div><div>C</div> oak</div> <div><div>F</div> laminate - brite white</div> <div><div>8</div> corian - glacier white</div>	<div><div>4</div> brushed aluminum</div> <div><div>X</div> none</div>	<div><div>Q</div> power + USB (2)</div> <div><div>X</div> none</div> <div>power module upcharge \$600</div>	

Freestanding Mid Height Work Tables



48" square worksurface with 19½" square upholstered base.

Worksurface available in oak veneer, laminate and corian.

When specifying light finishes 836, 837, 840 or 870 for oak worksurface, the natural characteristics of the wood will be visible.

Upholstered base with saddle stitch or jump master stitch.

Jump master stitch specification: Thread color must be specified. Reference Neighborhood/Stitching on BernhardtDesign.com for color options.

Contact sales representative for approved Bernhardt Textiles for Neighborhood tables.


*All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. See terms and conditions for approval procedure.

When power is specified, two Power + USB modules are provided and an upcharge of \$600 applies.

Worksurface Height	L	D	H	Fabric	Leather	Weight	Cubes/Qty
23¾"	48"	48"	23¾"	2.0 yds.	35.0'	325 lbs.	63.28' / 1
603 mm	1219 mm	1219 mm	603 mm	1.8 m	3.3 sqm	147.7 kg	1.8 cu.

neighborhood

S8X Oak Worksurface. Saddle Stitch Upholstered Base



Specify veneer code C for oak worksurface. Specify finish code. Add \$600 when specifying power.

S8X Laminate Worksurface. Saddle Stitch Upholstered Base


Specify veneer code F for laminate brite white worksurface. Add \$600 when specifying power.

S8X Corian Worksurface. Saddle Stitch Upholstered Base

Specify veneer code 8 for corian glacier white worksurface. Add \$600 when specifying power.

neighborhood

S8J Oak Worksurface. Jump Master Stitch Upholstered Base



Specify veneer code C for oak worksurface. Specify finish code. Add \$600 when specifying power.

S8J Laminate Worksurface. Jump Master Stitch Upholstered Base



Specify veneer code F for laminate brite white worksurface. Add \$600 when specifying power.



S8J Corian Worksurface. Jump Master Stitch Upholstered Base



Specify veneer code 8 for corian glacier white worksurface. Add \$600 when specifying power.

specification codes	series	sku	veneers	power finish	power	finish
			<div>C oak</div> <div>F laminate - brite white</div> <div>8 corian - glacier white</div>	<div>4 brushed aluminum</div> <div>X none</div>	<div>Q power + USB (2)</div> <div>X none</div> <div>power module upcharge \$600</div>	
	J					

Single Sided Connecting Modules

	Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
neighborhood	16½"	-	21"	31⅜"	28⅞"	3.25 yds.	48.0'	55 lbs.	20.0' / 1
	419 mm	-	533 mm	797 mm	733 mm	3.0 m	45.5 sqm	24.9 kg	.57 cu.
	6031 Saddle Stitch								
	6031J Jump Master Stitch								
Single seat straight connector. Non marring adjustable glides. Pivoting connectors. Fully upholstered. When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). *All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. GREENGUARD Certified.									
Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on Bernhardtdesign.com for thread color options.									

neighborhood	16½"	-	41½"	31⅜"	28⅞"	6.0 yds.	96.0'	112 lbs.	36.75' / 1
	419 mm	-	1054 mm	797 mm	733 mm	5.5 m	8.9 sqm	50.8 kg	1.04 cu.
	6035 Saddle Stitch								
	6035J Jump Master Stitch								
Two-seat straight connector. Non marring adjustable glides. Pivoting connectors. Fully upholstered. When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). *All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. GREENGUARD Certified.									
Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on Bernhardtdesign.com for thread color options.									

neighborhood	16½"	-	31¼"	31¼"	28⅞"	7.25 yds.	125.0'	86 lbs.	36.75' / 1
	419 mm	-	794 mm	794 mm	733 mm	6.6 m	11.6 sqm	39.0 kg	1.04 cu.
	6038 Saddle Stitch								
	6038J Jump Master Stitch								
90° corner connector. Non marring adjustable glides. Pivoting connectors. Fully upholstered. When ordering multi-item configuration(s), please provide the total COM yardage in a continuous roll. *All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. GREENGUARD Certified.									
Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on Bernhardtdesign.com for thread color options.									

Single Sided Connecting Modules

	Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
neighborhood	16½"	-	31⅞"	31"	28⅞"	6.75 yds.	115.0'	62 lbs.	36.75' / 1
	419 mm	-	791 mm	787 mm	733 mm	6.2 m	10.7 sqm	28.1 kg	1.04 cu.
6039 Saddle Stitch									
6039J Jump Master Stitch									
90° curved corner connector. Non marring adjustable glides. Pivoting connectors. Fully upholstered. When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). *All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. Requires .5 yard COM for preapproval. GREENGUARD Certified.									
Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on Bernhardttdesign.com for thread color options									

	Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
neighborhood	16½"	-	30⅞"	30⅞"	28⅞"	7.5 yds.	120.0'	149 lbs.	108.0' / 1
	419 mm	-	784 mm	784 mm	733 mm	6.9 m	11.1 sqm	67.5 kg	3.06 cu.
6049 Saddle Stitch									
6049J Jump Master Stitch									
90° curved connector. Non marring adjustable glides. Pivoting connectors. Fully upholstered. When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). *All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. Requires .5 yard COM for preapproval. GREENGUARD Certified.									
Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on Bernhardttdesign.com for thread color options.									

	Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
neighborhood	16½"	-	41"	32⅝"	28⅞"	5.6 yds.	90.0'	97 lbs.	54.0' / 1
	419 mm	-	1041 mm	829 mm	733 mm	5.1 m	8.4 sqm	44.0 kg	1.53 cu.
6048 Saddle Stitch									
6048J Jump Master Stitch									
45° curved connector. Non marring adjustable glides. Pivoting connectors. Fully upholstered. When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). *All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. Requires .5 yard COM for preapproval. GREENGUARD Certified.									
Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on Bernhardttdesign.com for thread color options.									

Single Sided Connecting Modules



	Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
neighborhood	16½"	-	30⅞"	31⅜"	28⅞"	4.0 yds.	70.0'	70 lbs.	42.0' / 1
	419 mm	-	784 mm	797 mm	733 mm	3.7 m	6.5 sqm	31.8 kg	1.19 cu.

**6040 Saddle Stitch****6040J Jump Master Stitch**

45° inverted curved connector. Non marring adjustable glides. Pivoting connectors. Fully upholstered. When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). *All **COM/COL** fabrics must be preapproved by Bernhardt Design prior to application. Requires .5 yard COM for preapproval. GREENGUARD Certified.

Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on Bernhardtdesign.com for thread color options.



neighborhood	16½"	-	57⅜"	33½"	28⅞"	7.25 yds.	125.0'	145 lbs.	90.0' / 1
	419 mm	-	1457 mm	851mm	733 mm	6.6 m	11.6 sqm	66.8 kg	2.55 cu.

**6041 Saddle Stitch****6041J Jump Master Stitch**

90° inverted curved connector. Non marring adjustable glides. Pivoting connectors. Fully upholstered. When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). *All **COM/COL** fabrics must be preapproved by Bernhardt Design prior to application. Requires .5 yard COM for preapproval. GREENGUARD Certified.

Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on Bernhardtdesign.com for thread color options.

neighborhood	16½"	-	21"	31¼"	28⅞"	4.0 yds.	66.0'	60.0 lbs.	20.0' / 1
	419 mm	-	533 mm	794 mm	733 mm	3.7 m	6.1 sqm	27.2 kg	.57 cu.


**6033 Saddle Stitch****6033J Jump Master Stitch**

Single seat left end facing module. Non marring adjustable glides. Pivoting connectors. Fully upholstered. When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). *All **COM/COL** fabrics must be preapproved by Bernhardt Design prior to application. GREENGUARD Certified.

Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on Bernhardtdesign.com for thread color options.

Single Sided Connecting Modules

	Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
neighborhood	16½"	-	21"	31¼"	28⅞"	4.0 yds.	66.0'	60.0 lbs.	20.0' / 1
	419 mm	-	533 mm	794 mm	733 mm	3.7 m	6.1 sqm	27.2 kg	.57 cu.



6034 Saddle Stitch

6034J Jump Master Stitch

Single seat right end facing module. Non marring adjustable glides. Pivoting connectors. Fully upholstered. When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). *All **COM/COL** fabrics must be preapproved by Bernhardt Design prior to application. GREENGUARD Certified.

Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on Bernhardtdesign.com for thread color options.


Tables for Single Sided Connecting Modules



Single connector table with upholstered base. Non marring adjustable glides. Pivoting connectors.
Worksurface available in oak veneer, laminate and corian.
When specifying light finishes 836, 837, 840 or 870 for oak worksurface, the natural characteristics of the wood will be visible.
Upholstered base with saddle stitch or jump master stitch.
Jump master stitch specification: Thread color must be specified. Reference Neighborhood/Stitching on Bernhardttdesign.com for color options.
Contact sales representative for approved Bernhardt Textiles for Neighborhood tables.
*All **COM/COL** fabrics must be preapproved by Bernhardt Design prior to application. See terms and conditions for approval procedure.
When power is specified, one Power + USB module is provided and an upcharge of \$300 applies.


Worksurface Height	L	D	H	Fabric	Leather	Weight	Cubes/Qty
15½"	31"	20½"	15½"	1.5 yds.	25.0'	68 lbs.	49.04' / 1
394 mm	787 mm	521 mm	394 mm	1.4 m	2.3 sqm	30.8 kg	1.4 cu.

neighborhood



31X	Oak Worksurface. Saddle Stitch Upholstered Base
Specify veneer code C for oak worksurface. Specify finish code. Add \$300 when specifying power.	
31X	Laminate Worksurface. Saddle Stitch Upholstered Base
Specify veneer code F for laminate brite white worksurface. Add \$300 when specifying power.	
31X	Corian Worksurface. Saddle Stitch Upholstered Base
Specify veneer code 8 for corian glacier white worksurface. Add \$300 when specifying power.	

neighborhood



31J	Oak Worksurface. Jump Master Stitch Upholstered Base
Specify veneer code C for oak worksurface. Specify finish code. Add \$300 when specifying power.	
31J	Laminate Worksurface. Jump Master Stitch Upholstered Base
Specify veneer code F for laminate brite white worksurface. Add \$300 when specifying power.	
31J	Corian Worksurface. Jump Master Stitch Upholstered Base
Specify veneer code 8 for corian glacier white worksurface. Add \$300 when specifying power.	

specification codes	series	sku	veneer	power finish	power	finish
	J		C oak F laminate - brite white 8 corian - glacier white	4 brushed aluminum X none	Q power + USB (1) X none power module upcharge \$300	


Tables for Single Sided Connecting Modules



90° curved end module table with upholstered base. Non marring adjustable glides. Pivoting connectors.
Worksurface available in oak veneer, laminate and corian.
When specifying light finishes 836, 837, 840 or 870 for oak worksurface, the natural characteristics of the wood will be visible.
Upholstered base with saddle stitch or jump master stitch.
Jump master stitch specification: Thread color must be specified. Reference Neighborhood/Stitching on Bernhardt.com for color options.
Contact sales representative for approved Bernhardt Textiles for Neighborhood tables.
*All **COM/COL** fabrics must be preapproved by Bernhardt Design prior to application. See terms and conditions for approval procedure.
When power is specified, one Power + USB module is provided and an upcharge of \$300 applies.

Worksurface Height	L	D	H	Fabric	Leather	Weight	Cubes/Qty
15½"	31"	20½"	15½"	2.5 yds.	45.0'	39 lbs.	49.04' / 1
394 mm	787 mm	521 mm	394 mm	2.3 m	4.2 sqm	17.7 kg	1.4 cu.

neighborhood



32X Oak Worksurface. Saddle Stitch Upholstered Base

Specify veneer code C for oak worksurface. Specify finish code. Add \$300 when specifying power.


32X Laminate Worksurface. Saddle Stitch Upholstered Base

Specify veneer code F for laminate brite white worksurface. Add \$300 when specifying power.

32X Corian Worksurface. Saddle Stitch Upholstered Base

Specify veneer code 8 for corian glacier white worksurface. Add \$300 when specifying power.

neighborhood



32J Oak Worksurface. Jump Master Stitch Upholstered Base

Specify veneer code C for oak worksurface. Specify finish code. Add \$300 when specifying power.

32J Laminate Worksurface. Jump Master Stitch Upholstered Base

Specify veneer code F for laminate brite white worksurface. Add \$300 when specifying power.

32J Corian Worksurface. Jump Master Stitch Upholstered Base

Specify veneer code 8 for corian glacier white worksurface. Add \$300 when specifying power.

specification codes	series	sku	veneer	power finish	power	finish
			<div>C oak</div> <div>F laminate - brite white</div> <div>8 corian - glacier white</div>	<div>4 brushed aluminum</div> <div>X none</div>	<div>Q power + USB (1)</div> <div>X none</div> <div>power module upcharge \$300</div>	
	J					

A modern, modular sofa in a light green color. It has a clean, boxy design with a white curved end piece. The sofa is shown against a plain white background.

When power is specified, one Power + USB module is provided and an upcharge of \$300 applies.

Worksurface Height	L	D	H	Fabric	Leather	Weight	Cubes/Qty
15½"	31"	20½"	15½"	2.5 yds.	45.0'	39 lbs.	49.04' / 1
394 mm	787 mm	521 mm	394 mm	2.3 m	4.2 sqm	17.7 kg	1.4 cu.

33X Corian Worksurface. Saddle Stitch Upholstered Base

Specify veneer code 8 for corian glacier white worksurface. Add \$300 when specifying power.

33] Corian Worksurface. Jump Master Stitch Upholstered Base

Specify veneer code 8 for corian glacier white worksurface. Add \$300 when specifying power.

specification codes	series	sku	veneer	power finish	power	finish
			C oak F laminate - brite white 8 corian - glacier white	4 brushed aluminum X none	Q power + USB (1) X none power module upcharge \$300	

Double Sided Connecting Modules

neighborhood

16½"

-

21"

56"

28⅞"

6.0 yds.

50.0'

50 lbs.

30.0' / 1

419 mm

-

533 mm

1422 mm

733 mm

5.5 m

4.6 sqm

22.7 kg

.85 cu.

6042

Saddle Stitch

6042J

Jump Master Stitch

Double sided single seat straight connector. Non marring adjustable glides. Pivoting connectors. Fully upholstered. When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). *All **COM/COL** fabrics must be preapproved by Bernhardt Design prior to application. GREENGUARD Certified.

Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on Bernhardtdesign.com for thread color options.

neighborhood

16½"

-

41½"

55⅞"

28⅞"

8.5 yds.

138.0'

134 lbs.

60.0' / 1

419 mm

-

1054 mm

1419 mm

733 mm

7.8 m

12.8 sqm

60.8 kg

1.70 cu.

6043

Saddle Stitch

6043J

Jump Master Stitch

Double sided Two-seat straight connector. Non marring adjustable glides. Pivoting connectors. Fully upholstered. When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). *All **COM/COL** fabrics must be preapproved by Bernhardt Design prior to application. GREENGUARD Certified.

Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on Bernhardtdesign.com for thread color options.

neighborhood

16½"

-

78⅜"

56"

28⅞"

7.6 yds.

132.0'

258 lbs.

149.3' / 1

419 mm

-

1991 mm

1422 mm

733 mm

7.0 m

12.3 sqm

117.0 kg

4.23 cu.

6046

Saddle Stitch

6046J


Jump Master Stitch

Double sided 90° curved connector. Non marring adjustable glides. Pivoting connectors. Fully upholstered. When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). *All **COM/COL** fabrics must be preapproved by Bernhardt Design prior to application. Requires .5 yard COM for preapproval. GREENGUARD Certified.

Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on Bernhardtdesign.com for thread color options.

Double Sided Connecting Modules

neighborhood



	Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
	16½"	-	21"	56"	28⅞"	4.75 yds.	66.0'	86 lbs.	30.0' / 1
	419 mm	-	533 mm	1422 mm	733 mm	4.3 m	6.1 sqm	39.0 kg	.85 cu.
<div>6045</div> <div>Saddle Stitch</div>									
<div>6045J</div> <div>Jump Master Stitch</div>									
<div>Double sided curved end module. Non marring adjustable glides. Pivoting connectors. Fully upholstered. When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). *All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. GREENGUARD Certified.</div> <div> <div>Jump Master Stitch Specification:</div> <div>Thread color must be specified. Reference Neighborhood/Stitching on Bernhardtdesign.com for thread color options.</div> </div>									

neighborhood

16½"

419 mm

-

-

56"

1422 mm

21½"

546 mm

16½"

419 mm

3.5 yds.

3.2 m

60.0'

5.6 sqm

61 lbs.

27.7 kg

20.0' / 1

.57 cu.

6044

Saddle Stitch

6044J


Jump Master Stitch

180° Curved half oval end module. Non marring adjustable glides. Pivoting connectors. Fully upholstered. When When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). *All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. GREENGUARD Certified.

Jump Master Stitch Specification:

Thread color must be specified. Reference Neighborhood/Stitching on Bernhardt.com for thread color options.

Tables for Double Sided Connecting Modules



Double sided connector table with upholstered base. Non marring adjustable glides. Pivoting connectors.

Worksurface available in oak veneer, laminate and corian.

When specifying light finishes 836, 837, 840 or 870 for oak worksurface, the natural characteristics of the wood will be visible.


Upholstered base with saddle stitch or jump master stitch. Contact sales representative for approved Bernhardt Textiles for Neighborhood tables.

*All **COM/COL** fabrics must be preapproved by Bernhardt Design prior to application. See terms and conditions for approval procedure.

When power is specified, two Power + USB modules are provided and an upcharge of \$600 applies.

Worksurface Height	L	D	H	Fabric	Leather	Weight	Cubes/Qty
15½"	56"	20½"	15½"	3.75 yds.	65.0'	97 lbs.	77.6' / 1
394 mm	1422 mm	521 mm	394 mm	3.4 m	6.0sqm	44.0 kg	2.2 cu.

neighborhood

56X Oak Worksurface. Saddle Stitch Upholstered Base

Specify veneer code C for oak worksurface. Specify finish code. Add \$600 when specifying power.


56X Laminate Worksurface. Saddle Stitch Upholstered Base

Specify veneer code F for laminate brite white worksurface. Add \$600 when specifying power.

56X Corian Worksurface. Saddle Stitch Upholstered Base

Specify veneer code 8 for corian glacier white worksurface. Add \$600 when specifying power.

neighborhood

56J Oak Worksurface. Jump Master Stitch Upholstered Base

Specify veneer code C for oak worksurface. Specify finish code. Add \$600 when specifying power.

56J Laminate Worksurface. Jump Master Stitch Upholstered Base

Specify veneer code F for laminate brite white worksurface. Add \$600 when specifying power.

56J Corian Worksurface. Jump Master Stitch Upholstered Base

Specify veneer code 8 for corian glacier white worksurface. Add \$600 when specifying power.

specification codes	series	sku	veneer	power finish	power	finish
			<input type="checkbox"/> C oak <input type="checkbox"/> F laminate - brite white <input type="checkbox"/> 8 corian - glacier white	<input type="checkbox"/> 4 brushed aluminum <input type="checkbox"/> X none	<input type="checkbox"/> Q power + USB (2) <input type="checkbox"/> X none power module upcharge \$600	
	J					

Tables for Double Sided Connecting Modules



180° curved end module table with upholstered base. Non marring adjustable glides. Pivoting connectors.

Worksurface available in oak veneer, laminate and corian.

When specifying light finishes 836, 837, 840 or 870 for oak worksurface, the natural characteristics of the wood will be visible.

Upholstered base with saddle stitch or jump master stitch.

Contact sales representative for approved Bernhardt Textiles for Neighborhood tables.


*All **COM/COL** fabrics must be preapproved by Bernhardt Design prior to application. See terms and conditions for approval procedure.

Connecting hardware provided for both left-hand and right-hand orientation.

When power is specified, one Power + USB module is provided and an upcharge of \$300 applies.

Worksurface Height	L	D	H	Fabric	Leather	Weight	Cubes/Qty
15½"	56⅝"	20½"	15½"	3.75 yds.	65.0'	85 lbs.	77.6' / 1
394 mm	1438 mm	521 mm	394 mm	3.4 m	6.0 sqm	38.5 kg	2.2 cu.

neighborhood

**57X Oak Worksurface. Saddle Stitch Upholstered Base**

Specify veneer code C for oak worksurface. Specify finish code. Add \$300 when specifying power.


57X Laminate Worksurface. Saddle Stitch Upholstered Base

Specify veneer code F for laminate brite white worksurface. Add \$300 when specifying power.

57X Corian Worksurface. Saddle Stitch Upholstered Base

Specify veneer code 8 for corian glacier white worksurface. Add \$300 when specifying power.

neighborhood

**57J Oak Worksurface. Jump Master Stitch Upholstered Base**

Specify veneer code C for oak worksurface. Specify finish code. Add \$300 when specifying power.

57J Laminate Worksurface. Jump Master Stitch Upholstered Base



Specify veneer code F for laminate brite white worksurface. Add \$300 when specifying power.



57J Corian Worksurface. Jump Master Stitch Upholstered Base



Specify veneer code 8 for corian glacier white worksurface. Add \$300 when specifying power.

specification codes	series	sku	veneers	power finish	power	finish
			<input type="checkbox"/> C oak <input type="checkbox"/> F laminate - brite white <input type="checkbox"/> 8 corian - glacier white	<input type="checkbox"/> 4 brushed aluminum <input checked="" type="checkbox"/> X none	<input type="checkbox"/> Q power + USB (1) <input checked="" type="checkbox"/> X none power module upcharge \$300	
	J					

Privacy Modules



	Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
neighborhood	16½"	-	21½"	37"	48¾"	5.75 yds.	-	89 lbs.	30.0' / 1
	419 mm	-	546 mm	940 mm	1241 mm	5.3 m	-	40.1 kg	.85 cu.
	6031T Saddle Stitch								
	6031TJ Jump Master Stitch								
Single seat straight privacy connector. Non marring adjustable glides. Pivoting connectors. Fully upholstered. When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). Leather is not applicable on privacy modules. *All COM fabrics must be preapproved by Bernhardt Design prior to application. GREENGUARD Certified.									
Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on Bernhardtdesign.com for thread color options.									

neighborhood	16½"	-	41½"	37"	48¾"	9.5 yds.	-	159 lbs.	55.13' / 1
	419 mm	-	1054 mm	940 mm	1241 mm	8.7 m	-	72.1 kg	1.56 cu.
	6035T Saddle Stitch								
	6035TJ Jump Master Stitch								
Two-seat straight privacy connector. Non marring adjustable glides. Pivoting connectors. Fully upholstered. When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). Leather is not applicable on privacy modules. *All COM fabrics must be preapproved by Bernhardt Design prior to application. GREENGUARD Certified.									
Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on Bernhardtdesign.com for thread color options.									

neighborhood	16½"	-	36¾"	36¾"	48¾"	10.75 yds.	-	139 lbs.	55.13' / 1
	419 mm	-	924 mm	924 mm	1241 mm	9.8 m	-	60.0 kg	1.56 cu.
	6038T Saddle Stitch								
	6038TJ Jump Master Stitch								
90° corner privacy connector. Non marring adjustable glides. Pivoting connectors. When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). Leather is not applicable on privacy modules. *All COM fabrics must be preapproved by Bernhardt Design prior to application. GREENGUARD Certified.									
Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on Bernhardtdesign.com for thread color options.									

Privacy Modules



	Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
neighborhood	16½"	-	36⅞"	36⅞"	48⅞"	10.0 yds.	-	107 lbs.	55.13' / 1
	419 mm	-	918 mm	918 mm	1241 mm	9.1 m	-	48.5 kg	1.56 cu.

**6039T Saddle Stitch****6039TJ Jump Master Stitch**

90° curved corner privacy connector. Non marring adjustable glides. Pivoting connectors. When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). Leather is not applicable on privacy modules. *All **COM** fabrics must be preapproved by Bernhardt Design prior to application. Requires .5 yard COM for preapproval. GREENGUARD Certified.

Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on Bernhardtdesign.com for thread color options.



neighborhood	16½"	-	73"	41"	48⅞"	9.75 yds.	-	191 lbs.	162.0' / 1
	419 mm	-	1839 mm	1041 mm	1241 mm	9.0 m	-	86.6 kg	4.59 cu.

**6049T Saddle Stitch****6049TJ Jump Master Stitch**

90° curved privacy connector. Non marring adjustable glides. Pivoting connectors. Fully upholstered. When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). Leather is not applicable on privacy modules. *All **COM** fabrics must be preapproved by Bernhardt Design prior to application. Requires .5 yard COM for preapproval. GREENGUARD Certified.

Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on Bernhardtdesign.com for thread color options.

neighborhood	16½"	-	45½"	38⅞"	48⅞"	8.25 yds.	-	126 lbs.	54.0' / 1
	419 mm	-	1156 mm	975 mm	1241 mm	7.5 m	-	57.2 kg	1.53 cu.



**6048T Saddle Stitch****6048TJ Jump Master Stitch**

45° curved privacy connector. Non marring adjustable glides. Pivoting connectors. Fully upholstered. When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). Leather is not applicable on privacy modules. *All **COM** fabrics must be preapproved by Bernhardt Design prior to application. Requires .5 yard COM for preapproval. GREENGUARD Certified.

Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on Bernhardtdesign.com for thread color options.

Privacy Modules



	Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
neighborhood	16½"	-	47⅞"	38¼"	48⅞"	6.0 yds.	-	99 lbs.	63.0' / 1
	419 mm	-	1216 mm	972 mm	1241 mm	5.5 m	-	44.9 kg	1.78 cu.

**6040T Saddle Stitch****6040TJ Jump Master Stitch**

45° inverted curved privacy connector. Non marring adjustable glides. Pivoting connectors. Fully upholstered. When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). Leather is not applicable on privacy modules. *All **COM** fabrics must be preapproved by Bernhardt Design prior to application. Requires .5 yard COM for preapproval. GREENGUARD Certified.

Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on Bernhardtdesign.com for thread color options.

neighborhood	16½"	-	85½"	43¼"	48⅞"	9.5 yds.	-	184 lbs.	135.0' / 1
	419 mm	-	2162 mm	1099 mm	1241 mm	8.7 m	-	83.5kg	3.83 cu.

**6041T Saddle Stitch****6041TJ Jump Master Stitch**

90° inverted curved privacy connector. Non marring adjustable glides. Pivoting connectors. Fully upholstered. When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). Leather is not applicable on privacy modules. *All **COM** fabrics must be preapproved by Bernhardt Design prior to application. Requires .5 yard COM for preapproval. GREENGUARD Certified.

Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on Bernhardtdesign.com for thread color options.