

Lyze / Chair

Design / Florent Coirier

Test
EN581-1 / EN581-2

Florent Coirier found inspiration for the Lyze collection in a technical and timeless design which makes this group of furniture elegant and contemporary. The unusual stainless steel backrest is attached to the aluminium seat and comes in various sophisticated colour combinations. The fibre cement top coffee tables, along with the comfortable lounge chair, elegantly furnish leisure areas in all settings.




Description

Code: **615**
Typology: **Chairs**
Collection: **Lyze**

Stackable: 6
Static Load: 200 Kg
Test: EN581-1 / EN581-2
Cushion Material: Acrylic fabric

Technical Info



Width: **47 cm**
Depth: **54 cm**
Height: **79 cm**
Weight: **4.00 Kg**
Static Load: **200 Kg**

Packaging

Packages: **1**
Pieces for pack: **4**
Dimensions: **106x72x55 cm**
Volume: **0.419 mü**

Polyethylene bag and cardboard box

Lyze / Chair
Design / Florent Coirier

Test
EN581-1 / EN581-2

Colors



Matt White - Matt White



Matt White - Taupe



Black - Black



Grey/Green - Grey/Green



Scarlet Red -Scarlet Red



Cloud Grey - Cloud Grey



Sand - Sand

Materials

Aluminium

Aluminium alloys, particularly suitable for cold-working and for die-casting, appropriately treated to withstand the elements and powder coated.

Maintenance: To keep the product in good condition for a long time, we recommend cleaning it regularly; more often in very damp locations with a marine climate. It is recommended to clean the surfaces using a soft cloth with water or mild detergents. Prolonged and continuous exposure to intense UV radiation or very low temperatures can affect the initial characteristics of the coloured coating, which is made from polyester. We recommend cleaning and storing the products in sheltered places during prolonged periods of non-use and during the winter.

Stainless Steel

Polished AISI 316 stainless steel.

Maintenance: To keep the product in good condition for a long time, we recommend cleaning it regularly; more often in very damp locations with a marine climate. It is recommended to clean the surfaces using a soft cloth with water or mild detergents. Prolonged and continuous exposure to intense UV radiation or very low temperatures can affect the initial characteristics of the coloured coating, which is made from polyester. We recommend cleaning and storing the products in sheltered places during prolonged periods of non-use and during the winter. Caution!

a) DO NOT USE the following products on stainless steel parts:

- Bleach or detergents containing bleach (which can corrode stainless steel);
- Hydrochloric acid or products containing chloride (which can corrode stainless steel).

b) Salt, limescale or acid (from coffee, wine, orange juice, tomato and lemon juice, etc.) may discolour stainless steel parts that are not cleaned immediately.

c) Stainless steel products or parts used by the sea or for internal swimming pool furnishings require more frequent cleaning to remove deposits of chloride and to prevent the chemical corrosion of the external surface.

d) Stains or rust marks on the stainless steel surface should be removed immediately.

e) Stains left for a long time can become permanent

f) Rust can chemically attack or corrode stainless steel.

Removing stains or rust:

- Apply a specific non-abrasive detergent/polish for stainless steel;
- Test on a hidden stain to make sure that the original surface finish is not altered;
- Remember to rub lengthwise (not in a circle);
- Do not use abrasive pads;
- Rinse thoroughly with clean water;
- Finally dry thoroughly to prevent streaks, rub in the direction of the fibres.

Cushion Material

Acrylic fabric

The 100% acrylic fabrics combined with a polyurethane internal coating. This step makes it water-repellent, highly resistant to UV rays for excellent outdoor performance.

Maintenance: To keep the product in good condition for a long time, we recommend cleaning it regularly; more often in very damp locations with a marine climate. It is recommended to clean the surfaces using a soft cloth with water or mild detergents. Prolonged and continuous exposure to intense UV radiation or very low temperatures can affect the initial characteristics of the coloured coating, which is made from polyester. We recommend cleaning and storing the products in sheltered places during prolonged periods of non-use and during the winter. Caution!

a) DO NOT USE the following products on stainless steel parts:

- Bleach or detergents containing bleach (which can corrode stainless steel);
- Hydrochloric acid or products containing chloride (which can corrode stainless steel).

b) Salt, limescale or acid (from coffee, wine, orange juice, tomato and lemon juice, etc.) may discolour stainless steel parts that are not cleaned immediately.

c) Stainless steel products or parts used by the sea or for internal swimming pool furnishings require more frequent cleaning to remove deposits of chloride and to prevent the chemical corrosion of the external surface.

d) Stains or rust marks on the stainless steel surface should be removed immediately.

e) Stains left for a long time can become permanent

f) Rust can chemically attack or corrode stainless steel.

Removing stains or rust:

- Apply a specific non-abrasive detergent/polish for stainless steel;
- Test on a hidden stain to make sure that the original surface finish is not altered;
- Remember to rub lengthwise (not in a circle);
- Do not use abrasive pads;
- Rinse thoroughly with clean water;
- Finally dry thoroughly to prevent streaks, rub in the direction of the fibres. Evitare il contatto prolungato con sostanze grasse e/o coloranti che potrebbero venire assorbite dal materiale di rivestimento e dare luogo a macchie permanenti, oltre che deteriorare la struttura del filato. In caso di utilizzo vicino al mare o piscine si consiglia un lavaggio periodico. Lavaggi frequenti: seguire le istruzioni specifiche per ogni materiale riportate sull'apposita etichetta. Utilizzare acqua e detergenti liquidi non abrasivi con PH neutro e incolori. Eventualmente lasciare agire il detergente alcuni minuti. Sciacquare abbondantemente con acqua a temperatura non superiore a 30°C. Nel caso di utilizzo di dispositivi a pressione, tenere la punta del diffusore ad una distanza di almeno 60/70 cm dalla superficie del manufatto. Se necessario ripetere l'operazione. Non utilizzare spugne abrasive per smacchiare e non trattare con candeggina e cloro.

Lyze / Chair

Design / Florent Coirier

Test
EN581-1 / EN581-2

Florent Coirier found inspiration for the Lyze collection in a technical and timeless design which makes this group of furniture elegant and contemporary. The unusual stainless steel backrest is attached to the aluminium seat and comes in various sophisticated colour combinations. The fibre cement top coffee tables, along with the comfortable lounge chair, elegantly furnish leisure areas in all settings.




Description

Code: **615-T**
Typology: **Chairs**
Collection: **Lyze**

Stackable: 6
Static Load: 200 Kg
Test: EN581-1 / EN581-2
Cushion Material: Tessuto
Standard
Seat Height: 45 cm

Technical Info



Width: **47 cm**
Depth: **54 cm**
Height: **79 cm**
Weight: **5.00 Kg**
Static Load: **200 Kg**

Packaging

Packages: **1**
Pieces for pack: **2**
Dimensions: **92x60x51 cm**
Volume: **0.281 mc**

Polyethylene bag and cardboard box

Lyze / Chair
Design / Florent Coirier

Test
EN581-1 / EN581-2

Colors



Matt White - Teak - Matt White



Matt White - Teak - Taupe



Black - Teak - Black



Grey/Green - Teak - Grey/Green



Scarlet Red - Teak - Scarlet Red



Cloud Grey - Teak - Cloud Grey



Sand - Teak - Sand

Materials

Aluminium

Aluminium alloys, particularly suitable for cold-working and for die-casting, appropriately treated to withstand the elements and powder coated.

Maintenance: To keep the product in good condition for a long time, we recommend cleaning it regularly; more often in very damp locations with a marine climate. It is recommended to clean the surfaces using a soft cloth with water or mild detergents. Prolonged and continuous exposure to intense UV radiation or very low temperatures can affect the initial characteristics of the coloured coating, which is made from polyester. We recommend cleaning and storing the products in sheltered places during prolonged periods of non-use and during the winter.

Steel

Iron and carbon alloy, with carbon content below 2%, treated to withstand the elements with the unique EMU-Coat anti-corrosio process.

Maintenance: To keep the product in good condition for a long time, we recommend cleaning it regularly; more often in very damp locations with a marine climate. It is recommended to clean the surfaces using a soft cloth with water or mild detergents. Prolonged and continuous exposure to intense UV radiation or very low temperatures can affect the initial characteristics of the coloured coating, which is made from polyester. We recommend cleaning and storing the products in sheltered places during prolonged periods of non-use and during the winter. To keep the product in good condition for a long time, we recommend storing it indoors and in a dry place during the winter to prevent condensate from forming. Before the winter and on a quarterly basis, if the products are kept near the sea, it is recommended to clean the metal surfaces with a soft cloth using water or detergent and protect them with Vaseline oil or car wax.

Teak

Traditional wood used for outdoor furniture with an exotic and timeless appeal. Teak is a hard wood with a high oil content suitable for outdoor use, without the need for painting. If it does not receive any protective treatment, the surface will weather into a silvery-grey finish, the natural protection of the internal part of the wood, considered an essential part of teak's charm. The teak used for EMU products is FSC® certified.

Maintenance: To keep the product in good condition for a long time, we recommend cleaning it regularly; more often in very damp locations with a marine climate. It is recommended to clean the surfaces using a soft cloth with water or mild detergents. Prolonged and continuous exposure to intense UV radiation or very low temperatures can affect the initial characteristics of the coloured coating, which is made from polyester. We recommend cleaning and storing the products in sheltered places during prolonged periods of non-use and during the winter. To keep the product in good condition for a long time, we recommend storing it indoors and in a dry place during the winter to prevent condensate from forming. Before the winter and on a quarterly basis, if the products are kept near the sea, it is recommended to clean the metal surfaces with a soft cloth using water or detergent and protect them with Vaseline oil or car wax.

As it is a natural material, changes in colour or cracks due to the level of humidity and sudden changes in temperature may be observed. If it does not receive any maintenance treatment with the periodic

application of common and specific oil-based protective products, the surface will weather into a silvery-grey finish that can be removed with light surface sanding and subsequent polishing with a hessian cloth. Small surface stains caused by oil or other foodstuffs must be removed immediately, before the wood absorbs them, by sanding the area concerned and polishing it with a hessian cloth. When the wood is wet for the first time, it is normal for the surface to become slightly rough when it dries; the initial polished-effect can be restored with light surface sanding and subsequent polishing with a hessian cloth.

Cushion Material

Tessuto Standard

Maintenance: To keep the product in good condition for a long time, we recommend cleaning it regularly; more often in very damp locations with a marine climate. It is recommended to clean the surfaces using a soft cloth with water or mild detergents. Prolonged and continuous exposure to intense UV radiation or very low temperatures can affect the initial characteristics of the coloured coating, which is made from polyester. We recommend cleaning and storing the products in sheltered places during prolonged periods of non-use and during the winter. To keep the product in good condition for a long time, we recommend storing it indoors and in a dry place during the winter to prevent condensate from forming. Before the winter and on a quarterly basis, if the products are kept near the sea, it is recommended to clean the metal surfaces with a soft cloth using water or detergent and protect them with Vaseline oil or car wax.

As it is a natural material, changes in colour or cracks due to the level of humidity and sudden changes in temperature may be observed. If it does not receive any maintenance treatment with the periodic application of common and specific oil-based protective products, the surface will weather into a silvery-grey finish that can be removed with light surface sanding and subsequent polishing with a hessian cloth. Small surface stains caused by oil or other foodstuffs must be removed immediately, before the wood absorbs them, by sanding the area concerned and polishing it with a hessian cloth. When the wood is wet for the first time, it is normal for the surface to become slightly rough when it dries; the initial polished-effect can be restored with light surface sanding and subsequent polishing with a hessian cloth.

Lyze / Armchair Design / Florent Coirier

Test
EN581-1 / EN581-2

Florent Coirier found inspiration for the Lyze collection in a technical and timeless design which makes this group of furniture elegant and contemporary. The unusual stainless steel backrest is attached to the aluminium seat and comes in various sophisticated colour combinations. The fibre cement top coffee tables, along with the comfortable lounge chair, elegantly furnish leisure areas in all settings.



Description

Code: **616**
Typology: **Lounge Chairs**
Collection: **Lyze**

Stackable: 6
Static Load: 200 Kg
Test: EN581-1 / EN581-2
Cushion Material: Acrylic fabric

Technical Info



Width: **62 cm**
Depth: **57 cm**
Height: **79 cm**
Weight: **6.30 Kg**
Static Load: **200 Kg**

Packaging

Packages: **1**
Pieces for pack: **2**
Dimensions: **94x69x63 cm**
Volume: **0.404 mü**

Polyethylene bag and cardboard box

Lyze / Armchair
Design / Florent Coirier

Test
EN581-1 / EN581-2

Colors



Matt White - Matt White



Matt White - Taupe



Black - Black



Grey/Green - Grey/Green



Scarlet Red -Scarlet Red



Cloud Grey - Cloud Grey



Sand - Sand

Materials

Aluminium

Aluminium alloys, particularly suitable for cold-working and for die-casting, appropriately treated to withstand the elements and powder coated.

Maintenance: To keep the product in good condition for a long time, we recommend cleaning it regularly; more often in very damp locations with a marine climate. It is recommended to clean the surfaces using a soft cloth with water or mild detergents. Prolonged and continuous exposure to intense UV radiation or very low temperatures can affect the initial characteristics of the coloured coating, which is made from polyester. We recommend cleaning and storing the products in sheltered places during prolonged periods of non-use and during the winter.

Stainless Steel

Polished AISI 316 stainless steel.

Maintenance: To keep the product in good condition for a long time, we recommend cleaning it regularly; more often in very damp locations with a marine climate. It is recommended to clean the surfaces using a soft cloth with water or mild detergents. Prolonged and continuous exposure to intense UV radiation or very low temperatures can affect the initial characteristics of the coloured coating, which is made from polyester. We recommend cleaning and storing the products in sheltered places during prolonged periods of non-use and during the winter. Caution!

a) DO NOT USE the following products on stainless steel parts:

- Bleach or detergents containing bleach (which can corrode stainless steel);
- Hydrochloric acid or products containing chloride (which can corrode stainless steel).

b) Salt, limescale or acid (from coffee, wine, orange juice, tomato and lemon juice, etc.) may discolour stainless steel parts that are not cleaned immediately.

c) Stainless steel products or parts used by the sea or for internal swimming pool furnishings require more frequent cleaning to remove deposits of chloride and to prevent the chemical corrosion of the external surface.

d) Stains or rust marks on the stainless steel surface should be removed immediately.

e) Stains left for a long time can become permanent

f) Rust can chemically attack or corrode stainless steel.

Removing stains or rust:

- Apply a specific non-abrasive detergent/polish for stainless steel;
- Test on a hidden stain to make sure that the original surface finish is not altered;
- Remember to rub lengthwise (not in a circle);
- Do not use abrasive pads;
- Rinse thoroughly with clean water;
- Finally dry thoroughly to prevent streaks, rub in the direction of the fibres.

Cushion Material

Acrylic fabric

The 100% acrylic fabrics combined with a polyurethane internal coating. This step makes it water-repellent, highly resistant to UV rays for excellent outdoor performance.

Maintenance: To keep the product in good condition for a long time, we recommend cleaning it regularly; more often in very damp locations with a marine climate. It is recommended to clean the surfaces using a soft cloth with water or mild detergents. Prolonged and continuous exposure to intense UV radiation or very low temperatures can affect the initial characteristics of the coloured coating, which is made from polyester. We recommend cleaning and storing the products in sheltered places during prolonged periods of non-use and during the winter. Caution!

a) DO NOT USE the following products on stainless steel parts:

- Bleach or detergents containing bleach (which can corrode stainless steel);
- Hydrochloric acid or products containing chloride (which can corrode stainless steel).

b) Salt, limescale or acid (from coffee, wine, orange juice, tomato and lemon juice, etc.) may discolour stainless steel parts that are not cleaned immediately.

c) Stainless steel products or parts used by the sea or for internal swimming pool furnishings require more frequent cleaning to remove deposits of chloride and to prevent the chemical corrosion of the external surface.

d) Stains or rust marks on the stainless steel surface should be removed immediately.

e) Stains left for a long time can become permanent

f) Rust can chemically attack or corrode stainless steel.

Removing stains or rust:

- Apply a specific non-abrasive detergent/polish for stainless steel;
- Test on a hidden stain to make sure that the original surface finish is not altered;
- Remember to rub lengthwise (not in a circle);
- Do not use abrasive pads;
- Rinse thoroughly with clean water;
- Finally dry thoroughly to prevent streaks, rub in the direction of the fibres. Evitare il contatto prolungato con sostanze grasse e/o coloranti che potrebbero venire assorbite dal materiale di rivestimento e dare luogo a macchie permanenti, oltre che deteriorare la struttura del filato. In caso di utilizzo vicino al mare o piscine si consiglia un lavaggio periodico. Lavaggi frequenti: seguire le istruzioni specifiche per ogni materiale riportate sull'apposita etichetta. Utilizzare acqua e detergenti liquidi non abrasivi con PH neutro e incolori. Eventualmente lasciare agire il detergente alcuni minuti. Sciacquare abbondantemente con acqua a temperatura non superiore a 30°C. Nel caso di utilizzo di dispositivi a pressione, tenere la punta del diffusore ad una distanza di almeno 60/70 cm dalla superficie del manufatto. Se necessario ripetere l'operazione. Non utilizzare spugne abrasive per smacchiare e non trattare con candeggina e cloro.

Lyze / Armchair Design / Florent Coirier

Test
EN581-1 / EN581-2

Florent Coirier found inspiration for the Lyze collection in a technical and timeless design which makes this group of furniture elegant and contemporary. The unusual stainless steel backrest is attached to the aluminium seat and comes in various sophisticated colour combinations. The fibre cement top coffee tables, along with the comfortable lounge chair, elegantly furnish leisure areas in all settings.



Description

Code: **616-T**
Typology: **Lounge Chairs**
Collection: **Lyze**

Stackable: 6
Static Load: 200 Kg
Back Cushion: Yes
Test: EN581-1 / EN581-2
Cushion Material: Tessuto
Standard
Seat Height: 45 cm

Technical Info



Width: **62 cm**
Depth: **57 cm**
Height: **79 cm**
Weight: **7.40 Kg**
Static Load: **200 Kg**

Packaging

Packages: **1**
Pieces for pack: **2**
Dimensions: **94x69x63 cm**
Volume: **0.404 mc**

Polyethylene bag and cardboard box

Lyze / Armchair
Design / Florent Coirier

Test
EN581-1 / EN581-2

Colors



Matt White - Teak - Matt White



Matt White - Teak - Taupe



Black - Teak - Black



Grey/Green - Teak - Grey/Green



Scarlet Red - Teak - Scarlet Red



Cloud Grey - Teak - Cloud Grey



Sand - Teak - Sand

Materials

Aluminium

Aluminium alloys, particularly suitable for cold-working and for die-casting, appropriately treated to withstand the elements and powder coated.

Maintenance: To keep the product in good condition for a long time, we recommend cleaning it regularly; more often in very damp locations with a marine climate. It is recommended to clean the surfaces using a soft cloth with water or mild detergents. Prolonged and continuous exposure to intense UV radiation or very low temperatures can affect the initial characteristics of the coloured coating, which is made from polyester. We recommend cleaning and storing the products in sheltered places during prolonged periods of non-use and during the winter.

Steel

Iron and carbon alloy, with carbon content below 2%, treated to withstand the elements with the unique EMU-Coat anti-corrosio process.

Maintenance: To keep the product in good condition for a long time, we recommend cleaning it regularly; more often in very damp locations with a marine climate. It is recommended to clean the surfaces using a soft cloth with water or mild detergents. Prolonged and continuous exposure to intense UV radiation or very low temperatures can affect the initial characteristics of the coloured coating, which is made from polyester. We recommend cleaning and storing the products in sheltered places during prolonged periods of non-use and during the winter. To keep the product in good condition for a long time, we recommend storing it indoors and in a dry place during the winter to prevent condensate from forming. Before the winter and on a quarterly basis, if the products are kept near the sea, it is recommended to clean the metal surfaces with a soft cloth using water or detergent and protect them with Vaseline oil or car wax.

Teak

Traditional wood used for outdoor furniture with an exotic and timeless appeal. Teak is a hard wood with a high oil content suitable for outdoor use, without the need for painting. If it does not receive any protective treatment, the surface will weather into a silvery-grey finish, the natural protection of the internal part of the wood, considered an essential part of teak's charm. The teak used for EMU products is FSC® certified.

Maintenance: To keep the product in good condition for a long time, we recommend cleaning it regularly; more often in very damp locations with a marine climate. It is recommended to clean the surfaces using a soft cloth with water or mild detergents. Prolonged and continuous exposure to intense UV radiation or very low temperatures can affect the initial characteristics of the coloured coating, which is made from polyester. We recommend cleaning and storing the products in sheltered places during prolonged periods of non-use and during the winter. To keep the product in good condition for a long time, we recommend storing it indoors and in a dry place during the winter to prevent condensate from forming. Before the winter and on a quarterly basis, if the products are kept near the sea, it is recommended to clean the metal surfaces with a soft cloth using water or detergent and protect them with Vaseline oil or car wax.

As it is a natural material, changes in colour or cracks due to the level of humidity and sudden changes in temperature may be observed. If it does not receive any maintenance treatment with the periodic

application of common and specific oil-based protective products, the surface will weather into a silvery-grey finish that can be removed with light surface sanding and subsequent polishing with a hessian cloth. Small surface stains caused by oil or other foodstuffs must be removed immediately, before the wood absorbs them, by sanding the area concerned and polishing it with a hessian cloth. When the wood is wet for the first time, it is normal for the surface to become slightly rough when it dries; the initial polished-effect can be restored with light surface sanding and subsequent polishing with a hessian cloth.

Cushion Material

Tessuto Standard

Maintenance: To keep the product in good condition for a long time, we recommend cleaning it regularly; more often in very damp locations with a marine climate. It is recommended to clean the surfaces using a soft cloth with water or mild detergents. Prolonged and continuous exposure to intense UV radiation or very low temperatures can affect the initial characteristics of the coloured coating, which is made from polyester. We recommend cleaning and storing the products in sheltered places during prolonged periods of non-use and during the winter. To keep the product in good condition for a long time, we recommend storing it indoors and in a dry place during the winter to prevent condensate from forming. Before the winter and on a quarterly basis, if the products are kept near the sea, it is recommended to clean the metal surfaces with a soft cloth using water or detergent and protect them with Vaseline oil or car wax.

As it is a natural material, changes in colour or cracks due to the level of humidity and sudden changes in temperature may be observed. If it does not receive any maintenance treatment with the periodic application of common and specific oil-based protective products, the surface will weather into a silvery-grey finish that can be removed with light surface sanding and subsequent polishing with a hessian cloth. Small surface stains caused by oil or other foodstuffs must be removed immediately, before the wood absorbs them, by sanding the area concerned and polishing it with a hessian cloth. When the wood is wet for the first time, it is normal for the surface to become slightly rough when it dries; the initial polished-effect can be restored with light surface sanding and subsequent polishing with a hessian cloth.