

Tami / Lounge chair

Design / Patrick Norguet

Tami seating system by Patrick Norguet has a basic structure made from two special 6060 aluminum alloy profiles and details in AISI316 stainless steel. The special profiles were designed to allow the support surface slats to be fitted using an interlocking system. The slats are made in Bamboo or WPC, a composite of recycled bamboo wood and fibers; an eco-friendly material that is resistant to water, atmospheric agents and bacteria, easy to clean and 100% recyclable. Special injection-molded nylon parts are used to assemble backs and armrests, made from D28 tubular and 30 x 8 plates in 6060 aluminum alloy. The fabric parts of the armrests/backrests are made from 100% Polypropylene Outdoor Limonta, and the seat padding is in polyurethane foam with a 100% cotton fabric inner lining with water repellent treatment. The collection consists of: lounge chair frame, 2 seater sofa, 3 seater sofa, angular frame and low table in 2 versions.



Description

Code: **763**

Typology: **Armchairs**

Collection: **Tami**


Static Load: 200 Kg

Cover: Yes

Cover Type: FC/763

Cushion Material: Acrylic fabric

Technical Info



Width: **132 cm**

Depth: **86 cm**

Height: **84 cm**

Weight: **39.60 Kg**

Static Load: **200 Kg**

Packaging

Packages: **8**

Pieces for pack: **1**

Dimensions: **140x94x30 cm -**

71x5x60 cm - 71x5x60 cm -

71x5x60 cm - 70x20x70 cm -

45x21x71 cm - 41x17x68 cm -

41x17x68 cm


Volume: **0.787 mc**

Polyethylene bag, cardboard box and wooden box

Tami / Lounge chair
Design / Patrick Norguet

Tami / Lounge chair
Design / Patrick Norguet

Colors



Matt White – Charcoal



Black - Charcoal

Tami / Lounge chair Design / Patrick Norguet

Materials

Aluminium

Aluminium alloys, particularly suitable for cold-working and for die-casting, appropriately treated to withstand the elements and powder coated.

Maintenance: To keep the product in good condition for a long time, we recommend cleaning it regularly; more often in very damp locations with a marine climate. It is recommended to clean the surfaces using a soft cloth with water or mild detergents. Prolonged and continuous exposure to intense UV radiation or very low temperatures can affect the initial characteristics of the coloured coating, which is made from polyester. We recommend cleaning and storing the products in sheltered places during prolonged periods of non-use and during the winter.

WPC

WPC is a composite material made from wood fibers and HDPE. Semi-finished products are obtained by extruding the composite. This material is resistant to UV rays, atmospheric agents and humidity. WPC does not chip and is not damaged by bacteria or insects. It is a material that requires little maintenance. It does not need to be painted for protection.

Maintenance: To keep the product in good condition for a long time, we recommend cleaning it regularly; more often in very damp locations with a marine climate. It is recommended to clean the surfaces using a soft cloth with water or mild detergents. Prolonged and continuous exposure to intense UV radiation or very low temperatures can affect the initial characteristics of the coloured coating, which is made from polyester. We recommend cleaning and storing the products in sheltered places during prolonged periods of non-use and during the winter. For best care in an outdoor environment, it is recommended that the product be cleaned periodically:

- for dust and debris: use a vacuum cleaner to remove dirt and debris;
- for dirt stains: clean with a laundry brush using neutral soap and lukewarm water;
- for oily stains: pat promptly with absorbent paper and clean the area with lukewarm water and neutral soap.

Do not use pressure washing devices, which can damage the product. Do not use bleach or chlorine-based detergents. Do not use highly acidic or highly alkaline detergents. Use neutral detergents, best if diluted in water.

Cushion Material

Acrylic fabric

The 100% acrylic fabrics combined with a polyurethane internal coating. This step makes it water-repellent, highly resistant to UV rays for excellent outdoor performance.

Maintenance: To keep the product in good condition for a long time, we recommend cleaning it regularly; more often in very damp locations with a marine climate. It is recommended to clean the surfaces using a soft cloth with water or mild detergents. Prolonged and continuous exposure to intense UV radiation or very low temperatures can affect the initial characteristics of the coloured coating, which

Tami / Lounge chair Design / Patrick Norguet

is made from polyester. We recommend cleaning and storing the products in sheltered places during prolonged periods of non-use and during the winter. For best care in an outdoor environment, it is recommended that the product be cleaned periodically:

- for dust and debris: use a vacuum cleaner to remove dirt and debris;
- for dirt stains: clean with a laundry brush using neutral soap and lukewarm water;
- for oily stains: pat promptly with absorbent paper and clean the area with lukewarm water and neutral soap.

Do not use pressure washing devices, which can damage the product. Do not use bleach or chlorine-based detergents. Do not use highly acidic or highly alkaline detergents. Use neutral detergents, best if diluted in water. Evitare il contatto prolungato con sostanze grasse e/o coloranti che potrebbero venire assorbite dal materiale di rivestimento e dare luogo a macchie permanenti, oltre che deteriorare la struttura del filato. In caso di utilizzo vicino al mare o piscine si consiglia un lavaggio periodico. Lavaggi frequenti: seguire le istruzioni specifiche per ogni materiale riportate sull'apposita etichetta. Utilizzare acqua e detergenti liquidi non abrasivi con PH neutro e incolore. Eventualmente lasciare agire il detergente alcuni minuti. Sciacquare abbondantemente con acqua a temperatura non superiore a 30°C. Nel caso di utilizzo di dispositivi a pressione, tenere la punta del diffusore ad una distanza di almeno 60/70 cm dalla superficie del manufatto. Se necessario ripetere l'operazione. Non utilizzare spugne abrasive per smacchiare e non trattare con candeggina e cloro.

Tami / Lounge chair

Design / Patrick Norguet

Tami seating system by Patrick Norguet has a basic structure made from two special 6060 aluminum alloy profiles and details in AISI316 stainless steel. The special profiles were designed to allow the support surface slats to be fitted using an interlocking system. The slats are made in Bamboo or WPC, a composite of recycled bamboo wood and fibers; an eco-friendly material that is resistant to water, atmospheric agents and bacteria, easy to clean and 100% recyclable. Special injection-molded nylon parts are used to assemble backs and armrests, made from D28 tubular and 30 x 8 plates in 6060 aluminum alloy. The fabric parts of the armrests/backrests are made from 100% Polypropylene Outdoor Limonta, and the seat padding is in polyurethane foam with a 100% cotton fabric inner lining with water repellent treatment. The collection consists of: lounge chair frame, 2 seater sofa, 3 seater sofa, angular frame and low table in 2 versions.




Description

Code: **763-B**
 Typology: **Armchairs**
 Collection: **Tami**

Static Load: 200 Kg
 Cover: Yes
 Cover Type: FC/763
 Cushion Material: Tessuto
 Basic|Tessuto Standard|Tessuto
 Premium

Technical Info



Width: **132 cm**
 Depth: **86 cm**
 Height: **84 cm**
 Weight: **54 Kg**
 Static Load: **200 Kg**

Packaging

Packages: **8**
 Pieces for pack: **8**
 Dimensions: **140x95x30 cm -**
72x9x53 cm - 69x9x38 cm -
69x9x38 cm - 70x20x70 cm -
45x21x71 cm - 41x17x68 cm -
41x17x68 cm
 Volume: **0.94 mc**
 Polyethylene bag, cardboard box
 and wooden box

Tami / Lounge chair
Design / Patrick Norguet

Tami / Lounge chair
Design / Patrick Norguet

Colors



White - Bamboo



Black - Bamboo

Tami / Lounge chair Design / Patrick Norguet

Materials

Aluminium

Aluminium alloys, particularly suitable for cold-working and for die-casting, appropriately treated to withstand the elements and powder coated.

Maintenance: To keep the product in good condition for a long time, we recommend cleaning it regularly; more often in very damp locations with a marine climate. It is recommended to clean the surfaces using a soft cloth with water or mild detergents. Prolonged and continuous exposure to intense UV radiation or very low temperatures can affect the initial characteristics of the coloured coating, which is made from polyester. We recommend cleaning and storing the products in sheltered places during prolonged periods of non-use and during the winter.

Bamboo

Bamboo is a rapidly growing material which is collected without causing deforestation. After harvesting, the outermost layer is removed and the bamboo strips are modified using a special thermo-treatment process at 200°, which increases the stability of the material, ensures protection of the materials against fungi and guarantees the highest durability class possible. After the heat compression process the bamboo fibres become stronger and harder than any existing type of wood. With this specific process you can have a high density hardwood table which is resistant to all weather conditions.

Maintenance: To keep the product in good condition for a long time, we recommend cleaning it regularly; more often in very damp locations with a marine climate. It is recommended to clean the surfaces using a soft cloth with water or mild detergents. Prolonged and continuous exposure to intense UV radiation or very low temperatures can affect the initial characteristics of the coloured coating, which is made from polyester. We recommend cleaning and storing the products in sheltered places during prolonged periods of non-use and during the winter.

This is a natural untreated material, therefore it is subject to staining; if it is placed outdoors it is subject to oxidizing and therefore tends to become grey. In order to reduce the two effects mentioned above, it is advisable to apply some oil at least once a year. Because it is a natural product, removing stains once they have penetrated is not possible; a surface treatment before using the materials would minimally increase the possibility of a removal action before absorption. For the routine cleaning and hygienizing work on surfaces, it is sufficient to use water and neutral detergents.

Cushion Material

Tessuto Basic|Tessuto Standard|Tessuto Premium

Maintenance: To keep the product in good condition for a long time, we recommend cleaning it regularly; more often in very damp locations with a marine climate. It is recommended to clean the surfaces using a soft cloth with water or mild detergents. Prolonged and continuous exposure to intense UV radiation or very low temperatures can affect the initial characteristics of the coloured coating, which

Tami / Lounge chair Design / Patrick Norguet

is made from polyester. We recommend cleaning and storing the products in sheltered places during prolonged periods of non-use and during the winter.

This is a natural untreated material, therefore it is subject to staining; if it is placed outdoors it is subject to oxidizing and therefore tends to become grey. In order to reduce the two effects mentioned above, it is advisable to apply some oil at least once a year. Because it is a natural product, removing stains once they have penetrated is not possible; a surface treatment before using the materials would minimally increase the possibility of a removal action before absorption. For the routine cleaning and hygienizing work on surfaces, it is sufficient to use water and neutral detergents.

Tami / Angular Frame Design / Patrick Norguet

Tami seating system by Patrick Norguet has a basic structure made from two special 6060 aluminum alloy profiles and details in AISI316 stainless steel. The special profiles were designed to allow the support surface slats to be fitted using an interlocking system. The slats are made in Bamboo or WPC, a composite of recycled bamboo wood and fibers; an eco-friendly material that is resistant to water, atmospheric agents and bacteria, easy to clean and 100% recyclable. Special injection-molded nylon parts are used to assemble backs and armrests, made from D28 tubular and 30 x 8 plates in 6060 aluminum alloy. The collection consists of: lounge chair frame, 2 seater sofa, 3 seater sofa, angular frame and low table in 2 versions.



Description

Code: **769**


Typology: **Armchairs**

Collection: **Tami**

Static Load: 200 kg

Cushion Material: Acrylic fabric

Technical Info



Width: **194 cm**

Depth: **86 cm**

Height: **25 cm**

Weight: **32.1 Kg**

Static Load: **200 kg**

Packaging

Packages: **1**

Pieces for pack: **1**

Dimensions: **202x95x46 cm**

Volume: **0.883 mü**

Polyethylene bag and cardboard box

Tami / Angular Frame
Design / Patrick Norguet

Colors



White - Basaltina - Statuario
White



Black - Basaltina - Emperador

Tami / Angular Frame Design / Patrick Norguet

Materials

Aluminium

Aluminium alloys, particularly suitable for cold-working and for die-casting, appropriately treated to withstand the elements and powder coated.

Maintenance: To keep the product in good condition for a long time, we recommend cleaning it regularly; more often in very damp locations with a marine climate. It is recommended to clean the surfaces using a soft cloth with water or mild detergents. Prolonged and continuous exposure to intense UV radiation or very low temperatures can affect the initial characteristics of the coloured coating, which is made from polyester. We recommend cleaning and storing the products in sheltered places during prolonged periods of non-use and during the winter.

WPC

WPC is a composite material made from wood fibers and HDPE. Semi-finished products are obtained by extruding the composite. This material is resistant to UV rays, atmospheric agents and humidity. WPC does not chip and is not damaged by bacteria or insects. It is a material that requires little maintenance. It does not need to be painted for protection.

Maintenance: To keep the product in good condition for a long time, we recommend cleaning it regularly; more often in very damp locations with a marine climate. It is recommended to clean the surfaces using a soft cloth with water or mild detergents. Prolonged and continuous exposure to intense UV radiation or very low temperatures can affect the initial characteristics of the coloured coating, which is made from polyester. We recommend cleaning and storing the products in sheltered places during prolonged periods of non-use and during the winter. For best care in an outdoor environment, it is recommended that the product be cleaned periodically:

- for dust and debris: use a vacuum cleaner to remove dirt and debris;
- for dirt stains: clean with a laundry brush using neutral soap and lukewarm water;
- for oily stains: pat promptly with absorbent paper and clean the area with lukewarm water and neutral soap.

Do not use pressure washing devices, which can damage the product. Do not use bleach or chlorine-based detergents. Do not use highly acidic or highly alkaline detergents. Use neutral detergents, best if diluted in water.

Cushion Material

Acrylic fabric

The 100% acrylic fabrics combined with a polyurethane internal coating. This step makes it water-repellent, highly resistant to UV rays for excellent outdoor performance.

Maintenance: To keep the product in good condition for a long time, we recommend cleaning it regularly; more often in very damp locations with a marine climate. It is recommended to clean the surfaces using a soft cloth with water or mild detergents. Prolonged and continuous exposure to intense UV radiation or very low temperatures can affect the initial characteristics of the coloured coating, which

Tami / Angular Frame Design / Patrick Norguet

is made from polyester. We recommend cleaning and storing the products in sheltered places during prolonged periods of non-use and during the winter. For best care in an outdoor environment, it is recommended that the product be cleaned periodically:

- for dust and debris: use a vacuum cleaner to remove dirt and debris;
- for dirt stains: clean with a laundry brush using neutral soap and lukewarm water;
- for oily stains: pat promptly with absorbent paper and clean the area with lukewarm water and neutral soap.

Do not use pressure washing devices, which can damage the product. Do not use bleach or chlorine-based detergents. Do not use highly acidic or highly alkaline detergents. Use neutral detergents, best if diluted in water. Evitare il contatto prolungato con sostanze grasse e/o coloranti che potrebbero venire assorbite dal materiale di rivestimento e dare luogo a macchie permanenti, oltre che deteriorare la struttura del filato. In caso di utilizzo vicino al mare o piscine si consiglia un lavaggio periodico. Lavaggi frequenti: seguire le istruzioni specifiche per ogni materiale riportate sull'apposita etichetta. Utilizzare acqua e detergenti liquidi non abrasivi con PH neutro e incolori. Eventualmente lasciare agire il detergente alcuni minuti. Sciacquare abbondantemente con acqua a temperatura non superiore a 30°C. Nel caso di utilizzo di dispositivi a pressione, tenere la punta del diffusore ad una distanza di almeno 60/70 cm dalla superficie del manufatto. Se necessario ripetere l'operazione. Non utilizzare spugne abrasive per smacchiare e non trattare con candeggina e cloro.

Tami / Angular Frame Design / Patrick Norguet

Tami seating system by Patrick Norguet has a basic structure made from two special 6060 aluminum alloy profiles and details in AISI316 stainless steel. The special profiles were designed to allow the support surface slats to be fitted using an interlocking system. The slats are made in Bamboo or WPC, a composite of recycled bamboo wood and fibers; an eco-friendly material that is resistant to water, atmospheric agents and bacteria, easy to clean and 100% recyclable. Special injection-molded nylon parts are used to assemble backs and armrests, made from D28 tubular and 30 x 8 plates in 6060 aluminum alloy. The fabric parts of the armrests/backrests are made from 100% Polypropylene Outdoor Limonta, and the seat padding is in polyurethane foam with a 100% cotton fabric inner lining with water repellent treatment. The collection consists of: lounge chair frame, 2 seater sofa, 3 seater sofa, angular frame and low table in 2 versions.



Description

Code: **769-B**

Typology: **Armchairs**


Collection: **Tami**

Static Load: 200 kg

Cushion Material: Tessuto

Basic|Tessuto Standard|Tessuto
Premium

Technical Info



Width: **194 cm**

Depth: **86 cm**

Height: **25 cm**

Weight: **38.2 Kg**

Static Load: **200 kg**

Packaging

Packages: **1**

Pieces for pack: **4**

Dimensions: **202x95x46 cm -
70x20x70 cm - 45x21x71 cm -
72x9x53 cm**

Volume: **1.07 mc**

Polyethylene bag and cardboard
box

Tami / Angular Frame
Design / Patrick Norguet

Colors



White - Bamboo - Statuario
White



Black - Bamboo - Emperador

Tami / Angular Frame Design / Patrick Norguet

Materials

Aluminium

Aluminium alloys, particularly suitable for cold-working and for die-casting, appropriately treated to withstand the elements and powder coated.

Maintenance: To keep the product in good condition for a long time, we recommend cleaning it regularly; more often in very damp locations with a marine climate. It is recommended to clean the surfaces using a soft cloth with water or mild detergents. Prolonged and continuous exposure to intense UV radiation or very low temperatures can affect the initial characteristics of the coloured coating, which is made from polyester. We recommend cleaning and storing the products in sheltered places during prolonged periods of non-use and during the winter.

Bamboo

Bamboo is a rapidly growing material which is collected without causing deforestation. After harvesting, the outermost layer is removed and the bamboo strips are modified using a special thermo-treatment process at 200°, which increases the stability of the material, ensures protection of the materials against fungi and guarantees the highest durability class possible. After the heat compression process the bamboo fibres become stronger and harder than any existing type of wood. With this specific process you can have a high density hardwood table which is resistant to all weather conditions.

Maintenance: To keep the product in good condition for a long time, we recommend cleaning it regularly; more often in very damp locations with a marine climate. It is recommended to clean the surfaces using a soft cloth with water or mild detergents. Prolonged and continuous exposure to intense UV radiation or very low temperatures can affect the initial characteristics of the coloured coating, which is made from polyester. We recommend cleaning and storing the products in sheltered places during prolonged periods of non-use and during the winter.

This is a natural untreated material, therefore it is subject to staining; if it is placed outdoors it is subject to oxidizing and therefore tends to become grey. In order to reduce the two effects mentioned above, it is advisable to apply some oil at least once a year. Because it is a natural product, removing stains once they have penetrated is not possible; a surface treatment before using the materials would minimally increase the possibility of a removal action before absorption. For the routine cleaning and hygienizing work on surfaces, it is sufficient to use water and neutral detergents.

Cushion Material

Tessuto Basic|Tessuto Standard|Tessuto Premium

Maintenance: To keep the product in good condition for a long time, we recommend cleaning it regularly; more often in very damp locations with a marine climate. It is recommended to clean the surfaces using a soft cloth with water or mild detergents. Prolonged and continuous exposure to intense UV radiation or very low temperatures can affect the initial characteristics of the coloured coating, which

Tami / Angular Frame Design / Patrick Norguet

is made from polyester. We recommend cleaning and storing the products in sheltered places during prolonged periods of non-use and during the winter.

This is a natural untreated material, therefore it is subject to staining; if it is placed outdoors it is subject to oxidizing and therefore tends to become grey. In order to reduce the two effects mentioned above, it is advisable to apply some oil at least once a year. Because it is a natural product, removing stains once they have penetrated is not possible; a surface treatment before using the materials would minimally increase the possibility of a removal action before absorption. For the routine cleaning and hygienizing work on surfaces, it is sufficient to use water and neutral detergents.