

Tami / Coffee table 89x86 Design / Patrick Norguet


Tami seating system by Patrick Norguet has a basic structure made from two special 6060 aluminum alloy profiles and details in AISI316 stainless steel. The special profiles were designed to allow the support surface slats to be fitted using an interlocking system. The slats are made in Bamboo or WPC, a composite of recycled bamboo wood and fibers; an eco-friendly material that is resistant to water, atmospheric agents and bacteria, easy to clean and 100% recyclable. Special injection-molded nylon parts are used to assemble backs and armrests, made from D28 tubular and 30 x 8 plates in 6060 aluminum alloy. The fabric parts of the armrests/backrests are made from 100% Polypropylene Outdoor Limonta, and the seat padding is in polyurethane foam with a 100% cotton fabric inner lining with water repellent treatment. The collection consists of: lounge chair frame, 2 seater sofa, 3 seater sofa, angular frame and low table in 2 versions.



Description Code: **766** Typology: **Coffee Tables** Collection: **Tami**

Static Load: 100 Kg Shape: Rectangular

Technical Info



Width: **89 cm** Depth: **86 cm** Height: **25 cm** Weight: **31.70 Kg** Static Load: **100 Kg** Packaging Packages: 1 Pieces for pack: 1 Dimensions: 97x94x30 cm Volume: 0.275 mc

Polyethylene bag and cardboard box



Tami / Coffee table 89x86 Design / Patrick Norguet







Tami / Coffee table 89x86 Design / Patrick Norguet

Materials

Aluminium

Aluminium alloys, particularly suitable for cold-working and for die-casting, appropriately treated to withstand the elements and powder coated.

Maintenance: To keep the product in good condition for a long time, we recommend cleaning it regularly; more often in very damp locations with a marine climate. It is recommended to clean the surfaces using a soft cloth with water or mild detergents. Prolonged and continuous exposure to intense UV radiation or very low temperatures can affect the initial characteristics of the coloured coating, which is made from polyester. We recommend cleaning and storing the products in sheltered places during prolonged periods of non-use and during the winter.

WPC

WPC is a composite material made from wood fibers and HDPE. Semi-finished products are obtained by extruding the composite. This material is resistant to UV rays, atmospheric agents and humidity. WPC does not chip and is not damaged by bacteria or insects. It is a material that requires little maintenance. It does not need to be painted for protection.

Maintenance: To keep the product in good condition for a long time, we recommend cleaning it regularly; more often in very damp locations with a marine climate. It is recommended to clean the surfaces using a soft cloth with water or mild detergents. Prolonged and continuous exposure to intense UV radiation or very low temperatures can affect the initial characteristics of the coloured coating, which is made from polyester. We recommend cleaning and storing the products in sheltered places during prolonged periods of non-use and during the winter.For best care in an outdoor environment, it is recommended that the product be cleaned periodically:

- for dust and debris: use a vacuum cleaner to remove dirt and debris;
- for dirt stains: clean with a laundry brush using neutral soap and lukewarm water;

- for oily stains: pat promptly with absorbent paper and clean the area with lukewarm water and neutral soap.

Do not use pressure washing devices, which can damage the product. Do not use bleach or chlorinebased detergents. Do not use highly acidic or highly alkaline detergents. Use neutral detergents, best if diluted in water.



Tami / Low table 89x86 Design / Patrick Norguet


Tami seating system by Patrick Norguet has a basic structure made from two special 6060 aluminum alloy profiles and details in AISI316 stainless steel. The special profiles were designed to allow the support surface slats to be fitted using an interlocking system. The slats are made in Bamboo or WPC, a composite of recycled bamboo wood and fibers; an eco-friendly material that is resistant to water, atmospheric agents and bacteria, easy to clean and 100% recyclable. Special injection-molded nylon parts are used to assemble backs and armrests, made from D28 tubular and 30 x 8 plates in 6060 aluminum alloy. The fabric parts of the armrests/backrests are made from 100% Polypropylene Outdoor Limonta, and the seat padding is in polyurethane foam with a 100% cotton fabric inner lining with water repellent treatment. The collection consists of: lounge chair frame, 2 seater sofa, 3 seater sofa, angular frame and low table in 2 versions.



Description Code: **766-B** Typology: **Coffee Tables** Collection: **Tami**

Static Load: 100 Kg Shape: Rectangular

Technical Info



Width: **89 cm** Depth: **86 cm** Height: **25 cm** Weight: **30.60 Kg** Static Load: **100 Kg** Packaging Packages: 1 Pieces for pack: 1 Dimensions: 98x98x31 cm Volume: 0.290 mc

Polyethylene bag and cardboard box



Tami / Low table 89x86 Design / Patrick Norguet







Tami / Low table 89x86 Design / Patrick Norguet

Materials

Aluminium

Aluminium alloys, particularly suitable for cold-working and for die-casting, appropriately treated to withstand the elements and powder coated.

Maintenance: To keep the product in good condition for a long time, we recommend cleaning it regularly; more often in very damp locations with a marine climate. It is recommended to clean the surfaces using a soft cloth with water or mild detergents. Prolonged and continuous exposure to intense UV radiation or very low temperatures can affect the initial characteristics of the coloured coating, which is made from polyester. We recommend cleaning and storing the products in sheltered places during prolonged periods of non-use and during the winter.

Bamboo

Bamboo is a rapidly growing material which is collected without causing deforestation. After harvesting, the outermost layer is removed and the bamboo strips are modified using a special thermo-treatment process at 200°, which increases the stability of the material, ensures protection of the materials against fungi and guarantees the highest durability class possible. After the heat compression process the bamboo fibres become stronger and harder that any existing type of wood. With this specific process you can have a high density hardwood table which is resistant to all weather conditions. **Maintenance:** To keep the product in good condition for a long time, we recommend cleaning it regularly; more often in very damp locations with a marine climate. It is recommended to clean the surfaces using a soft cloth with water or mild detergents. Prolonged and continuous exposure to intense UV radiation or very low temperatures can affect the initial characteristics of the coloured coating, which is made from polyester. We recommend cleaning and storing the products in sheltered places during prolonged periods of non-use and during the winter.

This is a natural untreated material, therefore it is subject to staining; if it is placed outdoors it is subject to oxidizing and therefore tends to become grey. In order to reduce the two effects mentioned above, it is advisable to apply some oil at least once a year. Because it is a natural product, removing stains once they have penetrated is not possible; a surface treatment before using the materials would minimally increase the possibility of a removal action before absorption. For the routine cleaning and hygienizing work on surfaces, it is sufficient to use water and neutral detergents.



Tami / Coffee table 132x57 Design / Patrick Norguet

Tami seating system by Patrick Norguet has a basic structure made from two special 6060 aluminum alloy profiles and details in AISI316 stainless steel. The special profiles were designed to allow the support surface slats to be fitted using an interlocking system. The slats are made in Bamboo or WPC, a composite of recycled bamboo wood and fibers; an eco-friendly material that is resistant to water, atmospheric agents and bacteria, easy to clean and 100% recyclable. Special injection-molded nylon parts are used to assemble backs and armrests, made from D28 tubular and 30 x 8 plates in 6060 aluminum alloy. The collection consists of: lounge chair frame, 2 seater sofa, 3 seater sofa, angular frame and low table in 2 versions.



Description Code: **767** Typology: **Coffee Tables** Collection: **Tami**

Static Load: 100 Kg Shape: Rectangular

Technical Info



Width: **132 cm** Depth: **57 cm** Height: **42 cm** Weight: **27.60 Kg** Static Load: **100 Kg** Packaging Packages: 1 Pieces for pack: 1 Dimensions: 132x57x42 cm Volume: 0.430 mc

Polyethylene bag and cardboard box



Tami / Coffee table 132x57 Design / Patrick Norguet







Tami / Coffee table 132x57 Design / Patrick Norguet

Materials

Aluminium

Aluminium alloys, particularly suitable for cold-working and for die-casting, appropriately treated to withstand the elements and powder coated.

Maintenance: To keep the product in good condition for a long time, we recommend cleaning it regularly; more often in very damp locations with a marine climate. It is recommended to clean the surfaces using a soft cloth with water or mild detergents. Prolonged and continuous exposure to intense UV radiation or very low temperatures can affect the initial characteristics of the coloured coating, which is made from polyester. We recommend cleaning and storing the products in sheltered places during prolonged periods of non-use and during the winter.

WPC

WPC is a composite material made from wood fibers and HDPE. Semi-finished products are obtained by extruding the composite. This material is resistant to UV rays, atmospheric agents and humidity. WPC does not chip and is not damaged by bacteria or insects. It is a material that requires little maintenance. It does not need to be painted for protection.

Maintenance: To keep the product in good condition for a long time, we recommend cleaning it regularly; more often in very damp locations with a marine climate. It is recommended to clean the surfaces using a soft cloth with water or mild detergents. Prolonged and continuous exposure to intense UV radiation or very low temperatures can affect the initial characteristics of the coloured coating, which is made from polyester. We recommend cleaning and storing the products in sheltered places during prolonged periods of non-use and during the winter.For best care in an outdoor environment, it is recommended that the product be cleaned periodically:

- for dust and debris: use a vacuum cleaner to remove dirt and debris;
- for dirt stains: clean with a laundry brush using neutral soap and lukewarm water;

- for oily stains: pat promptly with absorbent paper and clean the area with lukewarm water and neutral soap.

Do not use pressure washing devices, which can damage the product. Do not use bleach or chlorinebased detergents. Do not use highly acidic or highly alkaline detergents. Use neutral detergents, best if diluted in water.



Tami / Low table 132x57 Design / Patrick Norguet

Tami seating system by Patrick Norguet has a basic structure made from two special 6060 aluminum alloy profiles and details in AISI316 stainless steel. The special profiles were designed to allow the support surface slats to be fitted using an interlocking system. The slats are made in Bamboo or WPC, a composite of recycled bamboo wood and fibers; an eco-friendly material that is resistant to water, atmospheric agents and bacteria, easy to clean and 100% recyclable. Special injection-molded nylon parts are used to assemble backs and armrests, made from D28 tubular and 30 x 8 plates in 6060 aluminum alloy. The fabric parts of the armrests/backrests are made from 100% Polypropylene Outdoor Limonta, and the seat padding is in polyurethane foam with a 100% cotton fabric inner lining with water repellent treatment. The collection consists of: lounge chair frame, 2 seater sofa, 3 seater sofa, angular frame and low table in 2 versions.



Description Code: **767-B** Typology: **Coffee Tables** Collection: **Tami**

Static Load: 100 Kg

Technical Info



Width: **132 cm** Depth: **57 cm** Height: **42 cm** Weight: **31.60 Kg** Static Load: **100 Kg** Packaging Packages: Pieces for pack: Dimensions: Volume:



Tami / Low table 132x57 Design / Patrick Norguet







Tami / Low table 132x57 Design / Patrick Norguet

Materials

Aluminium

Aluminium alloys, particularly suitable for cold-working and for die-casting, appropriately treated to withstand the elements and powder coated.

Maintenance: To keep the product in good condition for a long time, we recommend cleaning it regularly; more often in very damp locations with a marine climate. It is recommended to clean the surfaces using a soft cloth with water or mild detergents. Prolonged and continuous exposure to intense UV radiation or very low temperatures can affect the initial characteristics of the coloured coating, which is made from polyester. We recommend cleaning and storing the products in sheltered places during prolonged periods of non-use and during the winter.

Bamboo

Bamboo is a rapidly growing material which is collected without causing deforestation. After harvesting, the outermost layer is removed and the bamboo strips are modified using a special thermo-treatment process at 200°, which increases the stability of the material, ensures protection of the materials against fungi and guarantees the highest durability class possible. After the heat compression process the bamboo fibres become stronger and harder that any existing type of wood. With this specific process you can have a high density hardwood table which is resistant to all weather conditions. **Maintenance:** To keep the product in good condition for a long time, we recommend cleaning it regularly; more often in very damp locations with a marine climate. It is recommended to clean the surfaces using a soft cloth with water or mild detergents. Prolonged and continuous exposure to intense UV radiation or very low temperatures can affect the initial characteristics of the coloured coating, which is made from polyester. We recommend cleaning and storing the products in sheltered places during

This is a natural untreated material, therefore it is subject to staining; if it is placed outdoors it is subject to oxidizing and therefore tends to become grey. In order to reduce the two effects mentioned above, it is advisable to apply some oil at least once a year. Because it is a natural product, removing stains once they have penetrated is not possible; a surface treatment before using the materials would minimally increase the possibility of a removal action before absorption. For the routine cleaning and hygienizing work on surfaces, it is sufficient to use water and neutral detergents.

prolonged periods of non-use and during the winter.