

calidon seating | product specification

Wood Frame Guest and Bariatric Seating

Models: GC36301, GC36302, GC36303, GC36304

Wood Frame Lounge Seating

Models: GC36305, GC36306, GC36307, GC36308, GC36309, GC36310

Guest Seating Dimensions (Models: GC36301, GC36302, GC36303)

Overall Depth		26.5 in / 673 mm
Overall Width	GC36301	23.5 in / 597 mm
	GC36302	46 in / 1168 mm
	GC36303	68 in / 1727 mm
Overall Height		34.5 in / 876 mm
Seat Depth		18 in / 457 mm
Seat Width		21.5 in / 546 mm
Seat Height		18 in / 457 mm
Back Height		16.5 in / 419 mm
Armrest Clearance		21 in / 533 mm
Arm Height - From Seat		8 in / 203 mm
Product Weight	GC36301	26 lb / 11.8 kg
	GC36302	50 lb / 22.7 kg
	GC36303	75 lb / 34.1 kg
Shipping Cube		16.5-47.5 ft ³ / 0.47-1.34 m ³

Bariatric Chair Dimensions (Model: GC36304)

Overall Depth		26.5 in / 673 mm
Overall Width		32.75 in / 832 mm
Overall Height		34.5 in / 876 mm
Seat Depth		18 in / 457 mm
Seat Width		31 in / 787 mm
Seat Height		18 in / 457 mm
Back Height		16.5 in / 419 mm
Armrest Clearance		30 in / 762 mm
Arm Height - From Seat		8 in / 203 mm
Product Weight		41 lb / 18.6 kg
Shipping Cube		22.25 ft ³ / 0.63 m ³

Bench Seating

Models: GC36311, GC36312, GC36313

Lounge Seating Dimensions (Models: GC36305, GC36306, GC36307, GC36308, GC36309, GC36310)

Overall Depth		29.5 in / 749 mm
Overall Width	GC36305	25.75 in / 654 mm
	GC36306	47.5 in / 1207 mm
	GC36307	70.5 in / 1791 mm
	GC36308	27.5 in / 699 mm
	GC36309	49.5 in / 1257 mm
	GC36310	71.5 in / 1816 mm
Overall Height		33.5 in / 838 mm
Seat Depth	GC36305, GC36306, GC36307, GC36308	21 in / 533 mm
	GC36309, GC36310	18 in / 457 mm
Seat Width	GC36305, GC36308	24 in / 610 mm
	GC36306	45 in / 1143 mm
	GC36307	68 in / 1727 mm
	GC36309	44.5 in / 1130 mm
	GC36310	66.5 in / 1689 mm
Seat Height		16 in / 406 mm
Back Height		17.5 in / 445 mm
Armrest Clearance	GC36305, GC36308	23 in / 584 mm
	GC36306	45 in / 1143 mm
	GC36307	68 in / 1727 mm
	GC36309	44 in / 1118 mm
	GC36310	66 in / 1676 mm
Arm Height - From Seat		8 in / 203 mm
Product Weight		37-99 lb / 16.8-45 kg
Shipping Cube		18.25-52 ft ³ / 0.52-1.47 m ³



GC36302



GC36309



GC36309



TRADE SHOWROOM

Showroom 33, Level 1, 69 O'Riordan Street, Alexandria NSW 2015
1300 724 174 | info@kezu.com.au

calidon seating | product specification

Bench Dimensions

(Models: GC36311, GC36312, GC36313)

Overall Depth		28 in / 711 mm
Overall Width	GC36311	24 in / 610 mm
	GC36312	48 in / 1219 mm
	GC36313	72 in / 1829 mm
Overall Height		18 in / 457 mm
Product Weight		31-75 lb / 14.1-34.1 kg
Shipping Cube		10-27.75 ft ³ / 0.28-0.79 m ³

Contact sales representative for more information.

Features

- Solid wood frame with metal supports
- Complementing tables are available
- Arms extend forward to the front edge of the seat
- Clean out gap between seat and back
- Wall saver leg design prevents chair back from contact with wall
- Standard with non-marking glides
- Shipped fully assembled
- Field replaceable seat cushions

MODELS: GC36301 through GC36307

- Open arm frame

MODELS: GC36308, GC36309, GC36310

- Closed, fully upholstered arms

Options

- Wood armcaps and legs are available in any standard healthcare wood finish
- Optional SSU armcaps are available in several colors
- Sealed seams available on seat, back or both
- Moisture barrier available on seat only
- Non-slip glides are available

MODELS: GC36301, GC36302, GC36303, GC36304

- Armcaps are available in six colors of Self-Skinned Urethane (SSU) on guest chair models
- Non-porus, solid surface armcaps are available in Glacier White on guest chair models

MODELS: GC36308, GC36309, GC36310

- Lounge seating is available with black tamperproof power/USB power units
- Locations:
 - Left side and right side (all lounge models)
 - Center front (model: GC36309)
 - Center left and center right (model: GC36310)

COM Yardage

Yardage is based on unmatched materials with widths of 54 inches for seating

MODEL	Full Unit	Back Only	Seat Only
GC36301	1.90 yards	0.90 yards	1.00 yards
GC36302	3.80 yards	1.80 yards	1.50 yards
GC36303	5.70 yards	2.40 yards	3.00 yards
GC36304	2.50 yards	1.25 yards	1.25 yards
GC36305	2.50 yards	1.25 yards	1.25 yards
GC36306	4.00 yards	1.75 yards	2.25 yards
GC36307	5.25 yards	2.50 yards	2.75 yards
GC36308	4.00 yards	2.75 yards	1.25 yards
GC36309	5.75 yards	3.50 yards	2.25 yards
GC36310	7.00 yards	4.25 yards	2.75 yards
GC36311	1.00 yards	n/a	n/a
GC36312	2.00 yards	n/a	n/a
GC36313	3.00 yards	n/a	n/a

Infection Control

- Sealed seam option
- Moisture barrier option (seat only)
- Clean through between seat and back cushions
- Optional SSU and solid surface arm caps are easily easy to clean and field replaceable.
- For proper cleaning and disinfecting practices, the textile selection needs to be identified. It is vital that following any chemical application a clear water wipe down occur to avoid chemical build up that will lead to deterioration of the textile. Contact Global should information on using a specific disinfectant be required

Construction (Overall Frame)

- Mortise and tenon frame construction with corner block reinforcement

Construction (Seat)

- 0.75 in (19 mm) thick plywood seat pan

Construction (Back)

- Hardwood back frame with cornerblock reinforcement
- Fully enclosed by selected textile

Construction (Glides)

- Non-marking, black, polypropylene/polyethylene glides



TRADE SHOWROOM

Showroom 33, Level 1, 69 O'Riordan Street, Alexandria NSW 2015
1300 724 174 | info@kezu.com.au

calidon seating | product specification

Foam

- Seat cushion is 2.5 in (64 mm) thick high density Ultracell foam. Density: 2.5 lb, ILD: 50

MODELS: ALL MODELS EXCEPT GC36311, GC36312, GC36313

- Back cushion is 1 in (25 mm) thick urethane foam. Density: 1.8, ILD: 50

Weight Capacity

- Designed for an active weight capacity of 400 lb per seat

MODEL: GC36304

- Active weight capacity of 600 lb for bariatric chair

Warranty

Lifetime warranty on all components except the following:

- 5 year warranty on foam and textiles
- Warranty applies only to single shift, standard commercial usage (8 hours/day, 5 days/week)

Fire Rating

All textiles and foam is tested and certified, meeting California Technical Bulletin 117 (CAL TB 117-2013) standards

Environmental

View [Environmental Data Sheets](#) online.

All foam is produced without using any ozone depleting chloro-flouro chemicals.

Awards/Certifications

- Meets or exceeds all applicable BIFMA standards for safety and durability
- Manufactured in ISO 9001 and 14001 certified facilities

Please visit globalfurnituregroup.com for additional product information including environmental certifications.



TRADE SHOWROOM

Showroom 33, Level 1, 69 O'Riordan Street, Alexandria NSW 2015
1300 724 174 | info@kezu.com.au