

sidero seating | product specification

Multi-Purpose Side Chairs and Stools

Models: 6900, 6901, 6902, 6903, 6904, 6905, 6906, 6907, 6908, 6909, 6910

Task Chair

Model: 6915

Side Chair Dimensions (Models: 6900, 6901, 6902, 6903)

Overall Depth		24 in / 610 mm
Overall Width	6900, 6902	25.5 in / 648 mm
	6901, 6903	21 in / 533 mm
Overall Height		33 in / 838 mm
Seat Depth		18 in / 457 mm
Seat Width		19.5 in / 495 mm
Seat Height		17.5 in / 445 mm
Armrest Clearance	6900, 6902	21 in / 533 mm
	6901, 6903	No arms
Arm Height - From Seat	6900, 6902	8.5 in / 216 mm
	6901, 6903	No arms
Back Height - From Seat		15.5 in / 394 mm
Product Weight	6900	23 lb / 10.5 kg
	6901	20 lb / 9.1 kg
	6902	26 lb / 11.8 kg
	6903	24 lb / 10.9 kg
Shipping Cube	6900, 6902	13.5 ft ³ / 0.38 m ³
	6901, 6903	11.25 ft ³ / 0.32 m ³

Stool Dimensions (Models: 6904, 6905, 6906, 6907)

Overall Depth		24 in / 610 mm
Overall Width	6904, 6906	25.5 in / 648 mm
	6905, 6907	21 in / 533 mm
Overall Height	6904, 6905	40.5 in / 1029 mm
	6906, 6907	44.5 in / 1130 mm
Seat Depth		18 in / 457 mm
Seat Width		19.5 in / 495 mm
Seat Height	6904, 6905	24.5 in / 622 mm
	6906, 6907	28.5 in / 724 mm
Armrest Clearance	6904, 6906	21 in / 533 mm
	6905, 6907	No arms
Arm Height - From Seat	6904, 6906	8.5 in / 216 mm
	6905, 6907	No arms
Back Height - From Seat		15.5 in / 394 mm
Product Weight	6904, 6907	24 lb / 10.9 kg
	6905	22 lb / 10.0 kg
	6906	26 lb / 11.8 kg
Shipping Cube	6904	17.5 ft ³ / 0.50 m ³
	6905	14.5 ft ³ / 0.41 m ³
	6906	20 ft ³ / 0.57 m ³
	6907	15.75 ft ³ / 0.45 m ³



6900C (casters)



6902



6906



6915



TRADE SHOWROOM

Showroom 33, Level 1, 69 O'Riordan Street, Alexandria NSW 2015
1300 724 174 | info@kezu.com.au

sidero seating | product specification

Children's Chair Dimensions (Model: 6909)

Overall Depth	15.5 in / 394 mm
Overall Width	15.5 in / 394 mm
Overall Height	24 in / 610 mm
Seat Depth	10 in / 254 mm
Seat Width	14 in / 356 mm
Seat Height	13 in / 330 mm
Back Height - From Seat	11 in / 279 mm
Product Weight	11 lb / 5.0 kg
Shipping Cube	4.1 ft ³ / 0.12 m ³

Armless Task Chair Dimensions (Model: 6915)

Overall Depth	29 in / 737 mm
Overall Width	21 in / 533 mm
Overall Height	35 in / 889 mm
Seat Depth	18 in / 457 mm
Seat Width	19.5 in / 495 mm
Seat Height	16-21 in / 406-533 mm
Back Height - From Seat	15.5 in / 394 mm
Product Weight	25 lb / 11.4 kg
Shipping Cube	15.75 ft ³ / 0.45 m ³

Contact sales representative for more information.

Features

- Wall saver leg design prevents chair back from contacting walls before legs contact baseboards
 - Front edge of seat is a seamless waterfall
- MODELS: 6900, 6901
- Four leg stacking chair
 - Stack up to five high on floor or up to eight high on dolly
- MODELS: 6902, 6903
- Sled base chair
- MODELS: 6904, 6905
- Counter height stool
- MODELS: 6906, 6907
- Bar height stool
- MODEL: 6915
- Task chair with pneumatic height adjustment

Options

- Chair frame is available in Black or Tungsten finish as standard. Also available in Chrome
- MODELS: 6900, 6901
- Alternate models are available with dual wheel casters on four leg chairs
 - Chairs with casters can be stacked up to three high on floor
- MODELS: 6900, 6901, 6902, 6903
- Side chairs are available with tablet arms

Construction (Base Frame)

- Frame is constructed with 0.875 in (22 mm) diameter tubing
 - 12 gauge steel tube
- MODEL: 6915
- Task chair has injection molded nylon base, fiberglass reinforced
 - 26 in (660 mm) diameter

Construction (Arms)

- MODELS: 6900, 6902, 6904, 6906
- Fiberglass reinforced nylon arms on steel frame
 - 2.125 in (54 mm) wide, full length of chair

Construction (Seat)

- 0.5 in (13 mm) thick plywood seat pan, 9-ply
 - Seat is fastened to brackets on steel frame
- MODELS: 6900, 6901
- Underside of seat and frame are covered with polypropylene shroud to avoid imprints when stacking chairs

Construction (Back)

- 0.5 in (13 mm) thick plywood back insert, 8-ply
- Plywood panel on back side is 0.125 in (3 mm) thick

Construction (Glides)

- MODELS: 6900, 6901, 6904, 6905, 6906, 6907, 6908, 6909, 6910
- Standard with four black, polypropylene glides. Non-marking glides, available on request
 - Steel, self-leveling glides, also available

Construction (Casters)

- Dual wheel
 - Carpet casters are standard. Hard flooring casters, also available
- MODELS: 6900C, 6901C
- Side chair casters have 2.5 in (64 mm) diameter
- MODEL: 6915
- Task chair casters have 2 in (51 mm) diameter



TRADE SHOWROOM

Showroom 33, Level 1, 69 O'Riordan Street, Alexandria NSW 2015
1300 724 174 | info@kezu.com.au

sidero seating | product specification

Construction (Tablet)

- Two types of optional tablet arm are available:
 - Black polymer tablets:
18 in deep by 14.5 in wide (457 mm by 368 mm)
 - High pressure laminate tablet:
18.5 in deep by 18.5 in wide (470 mm by 470 mm).
Bull nose edge. Available in Black, Grey, Constellation Java, White or Tiger Maple finish
- Tablets can be applied to right or left side of chair
- Tablets hinge up and out of the way for ease of access
- Tablets move forward and back to accommodate any size of user
- Extremely rugged construction

Upholstery

- Can be upholstered in fabric, vinyl or leather

Foam

- Back foam is 1 in (25 mm) thick. Density: 1.5 lb, ILD: 40
- Seat foam is 2 in (51 mm) thick Ultracell (high density) foam

Weight Capacity

Designed for an active weight capacity of 300 lb.

Warranty

Lifetime warranty on all components except the following:

- 5 year warranty on foam and textiles
- 12 year warranty on control mechanisms
- Warranty applies only to single shift, standard commercial usage (8 hours/day, 5 days/week)

Fire Rating

All foam and textiles are tested and certified, meeting California Technical Bulletin 117 (CAL TB 117-2013) standards.

Environmental

View [Environmental Data Sheets](#) online.

All foam is produced without using any ozone depleting chloro-flouro chemicals.

Awards/Certifications

- Meets or exceeds all applicable BIFMA standards for safety and durability
- Manufactured in ISO 9001 and 14001 certified facilities

Please visit globalfurnituregroup.com for additional product information including environmental certifications.



TRADE SHOWROOM

Showroom 33, Level 1, 69 O'Riordan Street, Alexandria NSW 2015
1300 724 174 | info@kezu.com.au