

willow seating | product specification

Healthcare Armchairs and Side Chairs

Models: W5APP(G or C), W5APU(G or C), W5AUP(G or C), W5AUU(G or C), W5NPP(G or C), W5NPU(G or C), W5NUP(G or C), W5NUU(G or C), W6APP, W6APU, W6AUP, W6AUU, W6NPP, W6NPU, W6NUP, W6NUU

Hip Chairs

Models: W524APP, W524APU, W524AUU, W524AUP

Dimensions

Four Leg Chairs (Models: W5__)

Overall Depth	W5_PPC, W5_UPC	21.75 in / 552 mm
	W5_PUC, W5_UUC	22 in / 559 mm
	W5__G	23.5 in / 597 mm
Overall Width	W5N__	20.75 in / 527 mm
	W5A__	24.25 in / 616 mm
Overall Height	W5_PP_, W5_PU_	32 in / 813 mm
	W5_UP_, W5_UU_	32.25 in / 819 mm
Seat Depth	W5_PP_	17.5 in / 445 mm
	W5_PU_	17.75 in / 451 mm
	W5_UP_	16.75 in / 425 mm
	W5_UU_	17 in / 432 mm
Seat Width	W5_PP_, W5_UP_	17.75 in / 451 mm
	W5_PU_, W5_UU_	18.25 in / 464 mm
Seat Height	W5_PP_, W5_UP_	17 in / 432 mm
	W5_PU_, W5_UU_	18.25 in / 464 mm
Back Height - From Seat	W5_PP_, W5_UP_	16 in / 406 mm
	W5_PU_, W5_UU_	15.25 in / 387 mm
Armrest Clearance	W5A__	20.5 in / 521 mm
	W5N__	no arms
Arm Height - From Seat	W5APP_, W5AUP_	10 in / 254 mm
	W5APU_, W5AUU_	9 in / 229 mm
	W5N__	no arms
Product Weight	W5N__	15-16.5 lbs. / 6.8-7.5 kg
	W5A__	17.5-19 lbs. / 8.0-8.6 kg
Shipping Cube	W5N__	18.5 ft ³ / 0.52 m ³
	W5A__	22.25 ft ³ / 0.63 m ³

Sled Base Chairs (Models: W6__)

Overall Depth	W6N__	23.5 in / 597 mm
	W6A__	23.75 in / 603 mm
Overall Width	W6N__	20.75 in / 527 mm
	W6A__	24.25 in / 616 mm
Overall Height	W6_PP, W6_PU	32 in / 813 mm
	W6_UP, W6_UU	32.25 in / 819 mm
Seat Depth	W6_PP, W6_PU, W6_UP	17.75 in / 451 mm
	W6_UU	16.5 in / 419 mm
Seat Width	W6_PP, W6_UP	17.75 in / 451 mm
	W6_PU, W6_UU	18.25 in / 464 mm
Seat Height	W6_PP, W6_UP	17.75 in / 451 mm
	W6_PU, W6_UU	18.25 in / 464 mm
Back Height - From Seat	W6_PP, W6_UP	16 in / 406 mm
	W6_PU, W6_UU	15.25 in / 387 mm
Armrest Clearance	W6A__	20.5 in / 521 mm
	W6N__	no arms
Arm Height - From Seat	W6APP, W6AUP	10 in / 254 mm
	W6APU, W6AUU	9 in / 229 mm
	W6N__	no arms
Product Weight	W6N__	19.5-20.5 lbs. / 8.9-9.3kg
	W6A__	22-23 lbs. / 10.0-10.5 kg
Shipping Cube	W6N__	11.75 ft ³ / 0.33 m ³
	W6A__	13.25 ft ³ / 0.37 m ³



W5APPC with grip assist arms



W6NPU



W524AUU with grip assist arms



TRADE SHOWROOM

Showroom 33, Level 1, 69 O'Riordan Street, Alexandria NSW 2015
1300 724 174 | info@kezu.com.au

willow seating | product specification

Hip Chairs, 24" High (Models: W524A__)

Overall Depth		24.25 in / 616 mm
Overall Width		24.25 in / 616 mm
Overall Height	W524AP_ W524AU_	38 in / 965 mm 38.25 in / 972 mm
Seat Depth	W524AP_ W524AU_	17.5 in / 445 mm 16.5 in / 419 mm
Seat Width	W524A_P W524A_U	17.75 in / 451 mm 18.25 in / 464 mm
Seat Height	W524A_P W524A_U	22.25 in / 565 mm 23.25 in / 591 mm
Back Height - From Seat	W524APP W524AUP W524A_U	16 in / 406 mm 16.25 in / 413 mm 15.25 in / 387 mm
Armrest Clearance		20.5 in / 521 mm
Arm Height - From Seat	W524A_P W524A_U	10 in / 254 mm 9 in / 229 mm
Product Weight	W524APP W524APU, W524AUP W524AAUU	25 lbs. / 11.4 kg 25.5 lbs. / 11.6 kg 26 lbs. / 11.8 kg
Shipping Cube		17.75 ft ³ / 0.50 m ³

Contact sales representative for more information.

Features

- Four-leg and sled base side chairs
- Chairs are available with or without arms
- Side and back cleanout gaps
- Single piece back with small shroud covering attachment points
- Underseat plastic shroud
- Standard glides are dome shaped

MODELS: W5__C

- Four-leg chairs with 2 in (51 mm) diameter casters
- Caster models do not stack

MODELS: W5_PPG

- Four-leg chairs with plastic seat and back, non-bariatric, stack up to six high on the floor or up to 10 high on a dolly (Dolly: WDOL)

MODELS: W5_PUG, W5_UPG, W5_UUG

- Four-leg chairs with any upholstery stack four high on floor or up to eight high on a dolly (Dolly: WDOL)

Options

- Upholstery is available any healthcare textile (or standard Global textile, if healthcare compliance is not required)
- 17 plastic colors are available for seat, back, seat shroud, back shroud and arms. For applicable models, seat, back, and back shroud color can be specified separately. Seat shroud will always match the seat color. Arms will always match the back shroud color
- Metal frame is available in 20 Sandtex paint finishes. Four plated metal finishes are also available
- Moisture barrier option (on seat only)
- Added weight options are available. Contact Customer Service for more information

MODELS: W5A__, W6A__, W530AAUU, W630AAUU, W524A__, W324AAUU

- Armchairs are available with two arm shapes:
 - Waterfall arms: feature a sloped front
 - Grip assist arms: feature a higher, squared-off arm which can assist users in getting into/out of seating

MODELS: W5__G

- Five glide options are available on four leg models:
 - Colored, dome shaped, nylon glides are recommended for most flooring (available in Black or Sand color)
 - White, non-marking, dome shaped, nylon glides are recommended for most flooring
 - Glides with stainless steel pads are recommended for carpet or rubber flooring
 - Glides with felt pads are recommended for vinyl, cork or laminate flooring
 - Glides with rubber pads are non-slip. They are recommended for vinyl, hardwood, laminate, stone or ceramic flooring

MODELS: W5__C

- Caster models are standard with dual wheel nylon casters for carpeted surfaces. Rubber coated casters are alternately available for hard surface flooring

MODELS: W6__, W630__

- Floor mounting option is available for sled base models

COM Yardage

Yardage is based on unmatched materials with widths of 54 inches for seating

“PU” MODELS:

- Seat: 0.75 yards
- Back: 0.50 yards

“UP” MODELS:

- Back: 0.50 yards

“UU” MODELS:

- Back: 0.50 yards
- Seat: 0.75 yards
- Total: 1.25 yards



TRADE SHOWROOM

Showroom 33, Level 1, 69 O'Riordan Street, Alexandria NSW 2015
1300 724 174 | info@kezu.com.au

willow seating | product specification

Infection Control

- No Velcro on seat. Underside of seat is covered by a plastic shroud
- Seamless seat. Seam sealing option is available for upholstered back models
- Moisture barrier option (on seat only)
- Replaceable seat and back
- For proper cleaning and disinfecting practices, the textile selection needs to be identified. It is vital that following any chemical application a clear water wipe down occur to avoid chemical build up that will lead to deterioration of the textile. Contact Global should information on using a specific disinfectant be required

Construction (Chair Frame)

- Welded steel frame
 - 1 in (25 mm) diameter steel tube, 13 gauge
- MODELS: W524A__
- Hip chairs include a flat steel footrest surface, welded to the lower frame. Height from floor: 6.5 in (165 mm)

Construction (Seat and Back)

- Seat and back pans are nylon, 0.25 in (6 mm) thick
- Metal inserts provide metal-to-metal connections with chair frame
- Plastic underseat shroud and back shroud

Construction (Arms)

MODELS: W5A__, W6A__, W524A__

- Nylon arms
- Forward grip arms extend to the front edge of seat

Construction (Casters)

MODELS: W5__C

- Black nylon casters, 2 in (51 mm) diameter
- Optional casters are rubber coated for hard surfaces

Upholstery

- Seat and back (as applicable, for upholstered models) can be upholstered in fabric, coated textiles or leather

Foam

MODELS: W5__U__, W6__U, W#24A_U, W#30UU

- 1 in (25 mm) thick molded seat foam

MODELS: W5_U__, W6_U_, W#24AU_, W#30UU

- 0.75 in (19 mm) thick molded back foam

Weight Capacity

MODELS: W5__C

- Caster models are designed for an active weight capacity of 300 lbs.

MODELS: W5__G, W524__, W6__

- All other models are designed for an active weight capacity of 400 lbs.

Warranty

MODELS: W5__C

Caster models are covered by lifetime warranty on all components except the following:

- 5 year warranty on foam and textiles
- Warranty applies only to single shift, standard commercial usage (8 hours/day, 5 days/week)

MODELS: W5__G, W524__, W6__

All other models are covered by heavy duty warranty:

- Warranty covers applies to 24/7 usage
- 5 year warranty on foam and textiles (a textile with durability rating of 100,000 or more double rubs must be selected)
- 12 year warranty on all other parts

Fire Rating

All foam and textiles are tested and certified, meeting California Technical Bulletin 117 (CAL TB 117-2013) standards.

Environmental

View [Environmental Data Sheets](#) online.

All foam is produced without using any ozone depleting chloro-flouro chemicals.

Awards/Certifications

- Meets or exceeds all applicable BIFMA standards for safety and durability
- Manufactured in ISO 9001 and 14001 certified facilities

Please visit globalfurnituregroup.com for additional product information including industry and environmental certifications.



TRADE SHOWROOM

Showroom 33, Level 1, 69 O'Riordan Street, Alexandria NSW 2015
1300 724 174 | info@kezu.com.au