


Item

Item is a modular seating product that creates free-designs. The Item modules twist, rise and fall in their design creating a final assembly sculptured from both the plan and elevation views. Item is offered in 10 different modules that range in shape and heights.

All necessary ganging brackets are included and pre-installed. Fabric on corner module will be railroaded. If modules are used in a configuration with the corner module, specify fabric railroaded.

Variations in heights within the item modular group makes it necessary to use only the modules with corresponding heights together. Modules cannot be mated to either A or D sides. Approved for GSA. Contract GS-28F-7040G.

Illustration showing ONLY the low lounge modules for Item.




Item's change in height adds to the palette of creativity that already exists within the sectional group. Item is a modular seating product that creates freefloating seating designs. The Item modules twist, rise and fall in their design creating a final assembly sculptured















from both the plan and elevation views. Item is offered in 10 different modules that range in shape and heights. Fabric on corner module will be railroaded. If modules are used in a configuration with the corner module, specify fabric railroaded.

Shaded modules show the tall and transitional modules. **Note:** Tall and low modules must be paired with a unit with a matching height. The "C" height will only fit to other "C" height modules as the "B" height will only work with corresponding "B" height units.

Illustration showing both the low and the taller transition modules for Item.



Plan View	ISO View	Description
1 	 76 1/8" w x 42 3/8" d	(1) 5900L Left Arm Module (1) 5900R Right Arm Module
2 		(1) 5900L Left Arm Module (1) 5901CL Center Low Module (1) 5900R Right Arm Module
3 		(1) 5900L Left Arm Module (3) 5902NW Narrow Back Wedge

	Plan View	ISO View	Description
4		 197 $\frac{3}{8}$ "w x 77 $\frac{3}{8}$ "d	(1) 5900L Left Arm Module (4) 5902WW Wide Wedge Module (1) 5900R Right Arm Module
5		 127 $\frac{3}{4}$ "w x 47 $\frac{3}{4}$ "d	(1) 5900L Left Arm Module (1) 5901CL Center Low Module (1) 5904R Run-off Right Module
6		 148 $\frac{3}{4}$ "w x 37 $\frac{1}{4}$ "d	(1) 5900L Left Arm Module (1) 5901CL Center Low Module (1) 5905 Corner Module (1) 5901CL Center Low Module (1) 5900R Right Arm Module
7		 148 $\frac{1}{4}$ "w x 55 $\frac{3}{8}$ "d	(1) 5900L Left Arm Module (2) 5902NW Narrow Back Wedge (1) 5904R Run-off Right Module
8		 238 $\frac{1}{4}$ "w x 91 $\frac{3}{4}$ "d	(1) 5900L Left Corner Module (1) 5903LW Low Left Wedge Module (1) 5901CH Center High Module (1) 5903RW Low Right Wedge Module (2) 5902NW Narrow Back Wedge Module (1) 5904R Run-Off Right Module
9		 169 $\frac{1}{2}$ "w x 55 $\frac{3}{4}$ "d	(1) 5900L Left Corner Module (1) 5901CL Center Low Module (1) 5903RW Low Left Wedge Module (1) 5903RW Low Right Wedge Module (1) 5900R Right Corner Module
10		 171 $\frac{1}{8}$ "w x 55 $\frac{3}{4}$ "d	(1) 5900L Left Corner Module (1) 5903LW Low Left Wedge Module (1) 5901CH Center High Module (1) 5903RW Low Right Wedge Module (1) 5900R Right Corner Module

	Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
item 5900L	16¾"	25⅝"	38"	42⅜"	29⅞"	5.8 yds.	101.0'	105 lbs.	32.10' / 1
	425 mm	645 mm	965 mm	1076 mm	740 mm	5.3 m	9.4 sqm	47.6 kg	.91 cu.



Level I and GREENGUARD Certified

Left Arm Module. Fully upholstered. Ganging brackets included. *All **COM/COL** fabrics must be preapproved by Bernhardt Design prior to application. Specify fabric railroaded when used with Item 5905 corner module. Approved for GSA. Contract GS-28F-7040G.

item 5900R	16¾"	25⅝"	38"	42⅜"	29⅞"	5.8 yds.	101.0'	105 lbs.	32.10' / 1
	425 mm	645 mm	965 mm	1076 mm	740 mm	5.3 m	9.4 sqm	47.6 kg	.91 cu.



Level I and GREENGUARD Certified

Right Arm Module. Fully upholstered. Ganging brackets included. *All **COM/COL** fabrics must be preapproved by Bernhardt Design prior to application. Specify fabric railroaded when used with Item 5905 corner module. Approved for GSA. Contract GS-28F-7040G.

item 5901CL	16¾"	-	29½"	37¼"	29⅞"	4.8 yds.	87.0'	85 lbs.	32.10' / 1
	425 mm	-	750 mm	946 mm	740 mm	4.4 m	8.1 sqm	38.5 kg	.91 cu.



Level I and GREENGUARD Certified

Center Low Module Fully upholstered. Ganging brackets included. *All **COM/COL** fabrics must be preapproved by Bernhardt Design prior to application. Specify fabric railroaded when used with Item 5905 corner module. Approved for GSA. Contract GS-28F-7040G.

item 5902WW	16¾"	-	38"	36⅝"	29⅞"	4.8 yds.	87.0'	85 lbs.	32.10' / 1
	425 mm	-	965 mm	930 mm	740 mm	4.4 m	8.1 sqm	38.5 kg	.91 cu.



Level I and GREENGUARD Certified

Wide Back Wedge Module. Fully upholstered. Ganging brackets included. *All **COM/COL** fabrics must be preapproved by Bernhardt Design prior to application. Specify fabric railroaded when used with Item 5905 corner module. Approved for GSA. Contract GS-28F-7040G.

item 5902NW	16¾"	-	37¼"	35¾"	29⅞"	4.5 yds.	87.0'	75 lbs.	32.10' / 1
	425 mm	-	946 mm	908 mm	740 mm	4.2 m	8.1 sqm	38.5 kg	.91 cu.



Level I and GREENGUARD Certified

Narrow Back Wedge Module. Fully upholstered. Ganging brackets included. *All **COM/COL** fabrics must be preapproved by Bernhardt Design prior to application. Specify fabric railroaded when used with Item 5905 corner module. Approved for GSA. Contract GS-28F-7040G.

item 5904L	16¾"	-	64¼"	36⅝"	29⅞"	7.5 yds.	116.0'	121 lbs.	68.33' / 1
	425 mm	-	1632 mm	918 mm	740 mm	6.9 m	10.8 sqm	54.9 kg	1.93 cu.



Level I and GREENGUARD Certified

Run-off Left Module. Fully upholstered. Ganging brackets included. *All **COM/COL** fabrics must be preapproved by Bernhardt Design prior to application. Specify fabric railroaded when used with Item 5905 corner module. Approved for GSA. Contract GS-28F-7040G.

	Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
item 5904R	16¾"	-	64¼"	36⅞"	29⅞"	7.5 yds.	116.0'	121 lbs.	68.33/1
	425 mm	-	1632 mm	918 mm	740 mm	6.9 m	10.8 sqm	54.9 kg	1.93 cu.



Level I and GREENGUARD Certified

Run-off Right Module. Fully upholstered. Ganging brackets included. *All **COM/COL** fabrics must be preapproved by Bernhardt Design prior to application. Specify fabric railroaded when used with Item 5905 corner module. Approved for GSA. Contract GS-28F-7040G.

item 5905	16¾"	-	47¼"	47¼"	29⅞"	7.5 yds.	120.0'	195 lbs.	100.22/1
	425 mm	-	1200 mm	1200 mm	740 mm	6.9 m	11.1 sqm	88.0 kg	2.84 cu.



Level I and GREENGUARD Certified

Corner Module. Fully upholstered. Ganging brackets included. *All **COM/COL** fabrics must be preapproved by Bernhardt Design prior to application. Fabric railroaded. Approved for GSA. Contract GS-28F-7040G.

item 5901CH	16¾"	-	38"	37¼"	31⅞"	5.0 yds.	88.0'	85 lbs.	32.10/1
	425 mm	-	965 mm	946 mm	790 mm	4.6 m	8.2 sqm	38.5 kg	.91 cu.



Level I and GREENGUARD Certified

Center High Module. Fully upholstered. Ganging brackets included. *All **COM/COL** fabrics must be preapproved by Bernhardt Design prior to application. Specify fabric railroaded when used with Item 5905 corner module. Approved for GSA. Contract GS-28F-7040G.

item 5903LW	16¾"	-	38"	37¼"	31⅞"	4.7 yds.	87.0'	85 lbs.	32.10/1
	425 mm	-	965 mm	946 mm	790 mm	4.3 m	8.1 sqm	38.5 kg	.91 cu.



Level I and GREENGUARD Certified

Low Left - High Right Wedge Module. Fully upholstered. Ganging brackets included. *All **COM/COL** fabrics must be preapproved by Bernhardt Design prior to application. Specify fabric railroaded when used with Item 5905 corner module. Approved for GSA. Contract GS-28F-7040G.

item 5903RW	16¾"	-	38"	36⅞"	31⅞"	4.7 yds.	87.0'	85 lbs.	32.10/1
	425 mm	-	965 mm	930 mm	790 mm	4.3 m	8.1 sqm	38.5 kg	.91 cu.



Level I and GREENGUARD Certified

Low Right - High Left Wedge Module. Fully upholstered. Ganging brackets included. *All **COM/COL** fabrics must be preapproved by Bernhardt Design prior to application. Specify fabric railroaded when used with Item 5905 corner module. Approved for GSA. Contract GS-28F-7040G.